
**GUIDELINES
FOR
NURSE PROTOCOLS**

THIS PAGE INTENTIONALLY LEFT BLANK

TABLE OF CONTENTS

GUIDELINES FOR NURSE PROTOCOLS	3
A. Purpose	3.1
B. Definitions	3.1
C. Drugs to be Covered by Nurse Protocol	3.2
D. Drugs to be Covered by either Nurse Protocol or Policy/Procedure	3.3
E. Requirements for a PHN Who Uses a Nurse Protocol	3.4
F. Licensed Practical Nurses	3.5
G. Requirements for Nurse Protocols	3.5
H. Delegated Authority for Ordering Dangerous Drugs	3.5
I. Dispensing Dangerous Drugs	3.6
J. Accountability	3.8
K. Signing Nurse Protocol Agreements	3.8
L. Retention of Nurse Protocols	3.14
M. Standard Nurse Protocol Agreement Formats for Advanced Practice Registered Nurses	3.14
Appendix 1 Example for Women’s Health	3.18
Appendix 2 Example for HIV	3.19
Appendix 3 Example Drug Formulary for Advanced Practice Registered Nurses	3.23
Appendix 4 Texts/References Used/Recommended for Advanced Practice Registered Nurses	3.27

THIS PAGE INTENTIONALLY LEFT BLANK

GUIDELINES FOR NURSE PROTOCOLS FOR REGISTERED PROFESSIONAL NURSES

A. PURPOSE

The purpose of these guidelines is to provide direction, promote consistency and support practice under nurse protocol by registered professional nurses in public health, in accordance with all applicable statutes, rules and regulations.

B. DEFINITIONS

1. Nurse Protocol

Nurse Protocol means a written document mutually agreed upon and signed by a nurse and a licensed physician, by which the physician delegates to that nurse the authority to perform certain medical acts pursuant to subsection (b) of O.C.G.A. § 43-34-23. These acts shall include, without being limited to, the administering and ordering of any drug. O.C.G.A. § 43-34-23(a)(7).

Each registered professional nurse (RN) must have access to the current standard nurse protocol(s), under which the RN is practicing at the practice site. Each RN may have his/her individual set of standard nurse protocols which are signed by the nurse and the delegating physician(s) or there may be one set of standard nurse protocols which each RN and the delegating physician(s) sign.

2. Order

Order means to select a drug, medical treatment or diagnostic study through physician delegation in accordance with a nurse protocol or a physician assistant's job description. Ordering under such delegation shall not be construed to be prescribing, which act can only be performed by the physician, nor shall ordering of a drug be construed to authorize the issuance of a written prescription. O.C.G.A. § 43-34-23(a)(8).

The RN shall write the drug order in accordance with the nurse protocol and based on a patient assessment each time the drug is ordered. If the patient's continues the drug on subsequent visits, the nurse must reorder the drug based on the nurse protocol. Documentation of the written drug order by the RN shall include the following components:

- Date ordered
- Generic name or actual brand name of drug
- Strength of drug
- Dose
- Dosage form
- Route of administration
- Frequency
- Duration of therapy
- Quantity dispensed/provided
- Signature of RN or APRN who ordered the drug

3. **Delegating Physician**
Delegating Physician means the physician(s) who has/have mutually agreed to and signed the nurse protocol. The District Health Director may be the delegating physician or one of the delegating physicians. The Department of Public Health recommends that each delegating physician be engaged in current clinical practice on a full-time or part-time basis.
4. **Legal Signature**
Entries into the patient's medical record must be dated and signed by the person responsible, using full name and letters that denote professional title (e.g., Suzie A. Jones, R.N. or Suzie A. Jones, A.P.R.N.).
5. **Dispensing Procedure**
Dispensing procedure means a written document signed by a licensed pharmacist and a licensed physician, which establishes the appropriate manner under which drugs may be dispensed pursuant to this Code Section.¹
6. **Record Review**
A record review is a review of the patient's clinical record of services provided. This may include reviewing a written summary or compilation of record reviews conducted.

C. DRUGS TO BE COVERED BY NURSE PROTOCOL

Any drugs which the RN orders and dispenses must be covered by nurse protocol. The following drugs are to be covered by nurse protocols:

Dangerous Drugs

Dangerous Drug means any dangerous drug as defined in O.C.G.A. § 16-13-71, but does not include any controlled substance or Schedule I controlled substance.²

Dangerous drugs are required to bear upon the package the words "Caution Federal Law Prohibits Dispensing Without Prescription," "Rx Only" or words of like import. These drugs may also be referred to as "Legend" drugs.

Dangerous drugs are not to be stored in the nurse's home, car or other prohibited location.

1 O. C.G.A. § 43-34-23

2 Ibid

D. DRUGS COVERED BY NURSE PROTOCOL OR OTHER POLICY OR PROCEDURE

1. Immunizations/Vaccines: All public health locations that provide vaccine services will utilize the current edition of the Georgia Department of Public Health Immunization Program (GIP) Manual, which is developed based on the Advisory Committee on Immunization Practices Recommendations and the Centers for Disease Control and Prevention's (CDC) Epidemiology and Prevention of Vaccine Preventable Diseases' (Pink Book) for administering vaccines to children and adults located at: <http://dph.georgia.gov/sites/dph.georgia.gov/files/Immunizations/Publications>.

- 1) RNs and APRNs administer vaccines under a nurse protocol based on Code Section 43-34-25 in accordance with the Immunization Program Manual.**
- 2) LPNs do not practice under nurse protocol. LPNs administer vaccines (they do not order or dispense drugs) under the supervision of an RN, APRN or Physician in accordance with the Georgia Nurse Practice Act [O.C.G.A. § 43-26-32(7)].**
- 3) For Off-site Settings: Vaccine services will be provided under the same immunization nurse protocol in off-site settings (eg: school flu clinics) as described above. A copy of the immunization nurse protocol document should be taken to each offsite clinic location. The GIP Manual can be accessed off-site via the web link above.**

2. Over the Counter (OTC)/Nonprescription Drugs: OTC drugs that are given to patients or called in to a pharmacy. These drugs include vitamins, oral iron preparations, acetaminophen, etc., which do not bear upon the package the words "Caution Federal Law Prohibits Dispensing Without Prescription," or "Rx Only."

- a. Nurse Protocol must be in place for the following situations:**
 - 1) If the OTC drug is repackaged (i.e., taken out of the manufacturer's original container, such as a bottle of 100 tablets) and/or labeled in any manner or with any information different from the manufacturer's label, the drug must be provided in accordance with nurse protocol.**
 - 2) If the OTC drug is called in to a licensed pharmacist who will provide the drug to the patient (e.g., NIX Creme Rinse for a Medicaid eligible patient), the drug must be provided in accordance with nurse protocol.**

- b. District/County Policy and Procedure or Nurse Protocol:**

If the OTC drugs are in the original manufacturer's container and no changes are made in the directions on the manufacturer's label (i.e., given to the patient just as it comes from the manufacturer), this may be

covered by either district/county policy and procedure or nurse protocol.

- c. **No Policy and Procedure or Nurse Protocol Needed:**
If an OTC drug is recommended to the patient by the RN but not given to the patient nor called in to the pharmacy, it does not need to be covered by a policy, procedure or nurse protocol. Such recommendations should be documented in the patient's medical record.

- 3. **Professional Drug Samples:** Professional Drug samples are forbidden in public health facilities unless a written district policy or procedure has been established to allow a licensed physician and/or a licensed pharmacist to request, receive and sign for professional drug samples and to distribute the professional drug samples to patients. The written district policy or procedure must be approved by the State Office of Pharmacy. (See Drug Dispensing Procedure, p.4.9).
- 4. **Dangerous drugs: Drugs whose packaging includes the words "Caution Federal Law Prohibits Dispensing Without Prescription," or "Rx Only."** RNs must follow nursing protocol to dispense or call in to pharmacy). Refer to section I, Dispensing Dangerous Drugs, and the Drug Dispensing Procedure.
- 5. **During times of emergency, an emergency nurse protocol agreement should be developed to establish a mutual agreement between a delegating physician and RNs and/or APRNs to authorize them to administer, order and dispense specific dangerous drugs. See the Emergency Nurse Protocol Agreement sample that follows.**

E. REQUIREMENTS FOR A REGISTERED PROFESSIONAL NURSE WHO USES A NURSE PROTOCOL

A Registered Professional Nurse who uses a nurse protocol must:

- 1. Hold a current license to practice as a registered professional nurse (RN) in Georgia; and
- 2. Document preparation and performance specific to each medical act authorized by a nurse protocol, including ordering dangerous drugs, medical treatments or diagnostic studies. Prior to the RN functioning under a nurse protocol, there should be written documentation that the RN has training, preparation and/or orientation relative to each medical act authorized by the specific nurse protocol and can perform such acts. Documentation may include supervisory notes, orientation plans, direct observation of clinical performance, skills checklist(s) and/or performance appraisal(s); and
- 3. Adhere to the written nurse protocol.

F. LICENSED PRACTICAL NURSES

LPNs in public health administer drugs under the supervision of either an RN, APRN or physician and in accordance with the Georgia Nurse Practice Act [O.C.G.A. § 43-26-32(7)].

G. REQUIREMENTS FOR NURSE PROTOCOLS

A nurse protocol must meet all of the following requirements:

1. Be reviewed, revised or updated annually. According to DPH legal services, the term “annually” is interpreted to mean twelve (12) months. However, nurse protocols can be dated and signed within twelve (12) months of the previous date, but must not exceed twelve (12) months. This means that if a nurse protocol was signed on March 15, 2015, that same nurse protocol must be signed on or by March 15, 2016 in order to continue to practice under the respective nurse protocol. The nurse protocol must bear the review date and signatures of the delegating physician(s) and RN(s). There is no authority to perform acts using a nurse protocol which has expired without annual review, revisions and updates.
2. Specify that record reviews of nursing practice under nurse protocol (of RNs and APRNs) by the delegating physician will be completed at least once annually. Ideally, it is preferred that record reviews be completed on a quarterly basis throughout each year in order to identify strengths and opportunities for improvement in a timely manner.
3. Be available and accessible in each of the specific settings where RNs function under nurse protocols and be available upon request.
4. Include the specific terms/conditions under which delegated medical acts may be performed.
5. Include the condition(s) for immediate consultation with a delegating physician or a physician designated in his or her absence.
6. Include a statement that the RN has read and understands all statutes, rules and regulations pertaining to nursing practice under nurse protocol and has read and understands the drug dispensing procedure.

H. DELEGATED AUTHORITY FOR ORDERING DANGEROUS DRUGS

RNs who are delegated the authority to order dangerous drugs must do so in accordance with written nurse protocols. The nurse protocol must outline the parameters that must be followed pursuant to ordering the drug and must also specify the drug and the specific conditions under which it may be ordered.

I. DISPENSING DANGEROUS DRUGS

RNs are authorized to dispense dangerous drugs only under the following conditions:

1. The dispensing is in accordance with a written drug dispensing procedure³ and under the authority of an order issued in conformity with a nurse protocol.
2. There must be documented preparation and performance (i.e., ability to perform) specific to dispensing dangerous drugs based on a written dispensing procedure.⁴ Documentation should include that each RN has read and understands the drug dispensing procedure.
3. A copy of the drug dispensing procedure must be accessible in each of the specific settings where RNs dispense under nurse protocols and be available upon request. The procedure must be signed by the pharmacist and physician who have established it.
4. The RN shall exercise diligence in protecting drugs and records from loss or theft, in accordance with the rules of the Georgia Board of Pharmacy.
5. The RN is not authorized to dispense a drug:
 - a. Based on a prescription written by either a public health or private physician;
 - b. Pursuant to an order written on a patient's chart by a physician, an advanced practice registered nurse, physician's assistant or another RN;
 - c. Based on a written or verbal recommendation from a communicable disease specialist (CDS); or
 - d. Based on a drug order received over the phone.
 - e. When any of the above situations occur, the RN functioning under nurse protocols:
 - 1) Adds the written information or documents the oral information received (e.g., medical diagnosis, physician's prescription) to the patient's chart;
 - 2) Reviews any written information in the chart; and
 - 3) Based on his/her review of the information and clinical assessment of the patient, decides whether to order any of the drugs listed in the appropriate nurse protocol, to seek medical

3 Georgia Board of Pharmacy Rules 480-30-.02- General Requirements, "Any person who dispenses drugs in accordance with a dispensing procedure and under the authority of a job description or standard nurse protocol shall comply with all record keeping, labeling, packaging and storage requirements imposed upon pharmacists and pharmacies with regard to such drugs pursuant to O.C.C.A. § 26-4 and 16-13, and those regulations contained in this chapter."

4 Georgia Board of Nursing: *Regulation of Protocol Use by Registered Nurses*, Chapters 410-11-.03.

consultation or to refer the patient.

- f. If the nurse decides to order a drug listed in the nurse protocol, he/she assumes responsibility for ordering the drug in accordance with the nurse protocol and dispensing the drug according to a written drug dispensing procedure. An example of how this may be documented in the patient's chart is as follows:

ASSESSMENT

History and clinical data do not contraindicate OCs.

PLAN

Ortho Tri-Cyclen one tablet PO daily for 12 months.

Dispensed 12 cycles.

Provided instruction about the drug, how to take and symptoms of side effects to report.

Next visit 9-1-(current year)."

NOTE: The nurse can dispense drugs only on his/her own order and in accordance with a nurse protocol agreement and a drug dispensing procedure.

- g. If the nurse seeks medical consultation, the results of the consultation are documented in the patient's chart. Based on the medical consultation and clinical assessment of the patient, the nurse decides whether to order any of the drugs in the nurse protocol, to seek further medical consultation or to refer the patient. This includes when the medical consultation results in a dosage, drug or any medical act which is not covered by the current nurse protocol.
- h. If the nurse decides to refer the patient, the referral must be documented in the patient's chart. The documentation should include where/to whom the patient was referred, what medical information was sent with the patient or authorized to be released and any assistance and/or instructions provided to the patient. Results of the referral and any changes in the patient's plan of care should subsequently be documented.

J. ACCOUNTABILITY

The District Health Director is accountable for ensuring that the appropriate nurse protocols are in place in his/her district. The District Health Director and the District Public Health Nursing and Clinical Director should collaborate in the development, monitoring and updating of nurse protocols, assuring compliance with all statutes, rules and regulations pertaining to practice under nurse protocol. Each district should

also form and sustain a District Nurse Protocol Committee to assist in managing the ongoing review of the nurse protocols.

K. SIGNING NURSE PROTOCOL AGREEMENTS

1. Signature Requirements

- a. Items to include on the signature page to document compliance with specific rules and regulations of the Georgia Board of Nursing (GBON) and the Board of Pharmacy:
 - 1) That each RN is adequately trained and prepared to perform the delegated medical acts (document the specific training in the nurse's personnel or supervisory file).
 - 2) That the RN has read and understands all statutes, rules, and regulations pertaining to nursing and nursing practice under nurse protocol and have read and understand the drug dispensing procedure.
 - 3) That record reviews of nursing practice under nurse protocol (of RNs and APRNs) by the delegating physician will be completed at least quarterly.
- b. The signature page should represent a mutual agreement between the delegating physician(s) and the RN(s).
- c. Each person should use his/her legal signature as it appears in patient records (i.e., full name/letters denoting the professional title - MD, DO, RN).
- d. According to the Georgia Board of Nursing, Regulation of Protocol Use by Registered Nurses, a nurse protocol must be reviewed, revised or updated annually [410-11-.03(3)(c)]. The Department of Public Health interprets the above rule to mean the nurse protocol signature page must be dated within 12 months of the previous date signed. This means that if a nurse protocol was signed on March 15, 2015, that same nurse protocol must be signed on or by March 15, 2016 in order to continue to practice under the respective nurse protocol. Rationale for this includes the following:
 - 1) The nurse protocol agreement is a legal document used by the Registered Professional Nurse (RN) and each RN and delegating physician(s) should assure the nurse protocol signature page is signed within 12 months of the previous date.
 - 2) According to DPH legal services, the term "annual" is interpreted to mean 12 months.
 - 3) According to the Inspector General's Office, from an auditor's perspective, "annual" means 12 months without fail.
- e. A single signature page may cover a single nurse protocol, a set of nurse protocols or multiple nurse protocols as long as revisions are signed and dated by all parties (refer to the example on the following page).

2. Review/Revision Requirements

All nurse protocols must be reviewed at least annually. Changes in drug treatment and health care technology should be incorporated into revised nurse protocols in a timely manner. Annual reviews and revisions which involve ordering drugs, diagnostic studies and/ or treatments should be signed and dated by the delegating physician(s) and the nurse(s). Supervisors should assure that nurses have been taught about each nurse protocol and any revisions before they sign the nurse protocol agreement.

EXAMPLE

NURSE PROTOCOL SIGNATURE PAGE

The signatures below indicate a mutual agreement between the delegating physician(s) and the registered professional nurse(s) (RNs) who are authorized to perform the delegated medical acts contained in the nurse protocols for [insert name of designated nurse protocols (e.g., Family Planning) and date on nurse protocols (e.g., 1/10)].

All RNs and APRNs whose signatures appear on this page:

1. Have been adequately trained and are prepared to perform the delegated medical acts contained in the designated nurse protocols; such training is documented in the nurses' personnel/supervisory files.
2. Have read and understand all statutes, rules and regulations pertaining to nursing practice under nurse protocol and have read and understand the drug dispensing procedure.
3. Have been given an opportunity to have questions answered.

Record reviews by the delegating physician(s) will be completed at least once annually. Ideally, it is preferred that record reviews be completed on a quarterly basis throughout each year in order to identify strengths and opportunities for improvement in a timely manner.

Signature of Delegating Physician

Date

Signature of RN

Date

EXAMPLE

EMERGENCY NURSE PROTOCOL AGREEMENT

**FOR ADMINISTERING, ORDERING AND DISPENSING SPECIFIC DANGEROUS DRUGS
DURING TIMES OF EMERGENCY**

NOTE: This type of signature page would be used during times of emergency (e.g., anthrax attack, pandemic). The Public Health District may use this to develop a nurse protocol to expedite the process of treating individuals impacted by the emergency.

The signatures below indicate a mutual agreement and understanding between the delegating physician(s) and the registered professional nurse(s) (RNs) and/or advanced practice registered nurses (APRNs) that the undersigned individuals are authorized to administer, order and dispense the specific dangerous drugs listed below in accordance with the manufacturer's information attached to this signature page for each of the drugs listed:

DANGEROUS DRUGS TO BE ADMINISTERED

For the following populations (i.e., adult, children greater than 5 years of age, pregnant women):

1. _____
2. _____

For the following indications listed:

1. _____
2. _____

(List the Specific Drugs to be administered and attach the Drug Manufacturer's Insert for each):

1. _____
2. _____

DANGEROUS DRUGS TO BE ORDERED AND DISPENSED

For the following populations (i.e., adult, children greater than 5 years of age, pregnant women):

1. _____
2. _____

For the following indications listed:

1. _____
2. _____

(List Specific Drugs to be Ordered and Dispensed and Attach the Drug Manufacturer's Insert for each):

1. _____
2. _____

The delegating physician, RNs and APRNs whose signatures appear on this signature page agree that the RNs and APRNs:

1. Have been adequately trained and are prepared to perform the delegated medical acts contained in the designated nurse protocols; such training is documented in the nurses' personnel/supervisory files.
2. Have read and understand all statutes, rules and regulations pertaining to nursing practice under nurse protocol and have read and understand the drug dispensing procedure.
3. Have been given an opportunity to have questions answered.
4. Record reviews by the delegating physician(s) will be completed at least once annually. Ideally, it is preferred that record reviews be completed on a quarterly basis throughout each year in order to identify strengths and opportunities for improvement in a timely manner.
5. This authorization/agreement shall terminate at the conclusion of the emergency or when my services are no longer required.

Signature of Delegating Physician

Date

Signature of RN or APRN

Date

L. RETENTION OF NURSE PROTOCOLS

1. The district shall retain one copy of each nurse protocol for at least five years, so that it can be retrieved in case of an audit or legal issue.
2. The Department of Public Health shall maintain copies of the Nurse Protocol Manual produced by the Department for at least five years.

M. NURSE PROTOCOL AGREEMENT FORMATS FOR ADVANCED PRACTICE REGISTERED NURSES

Advanced Practice Registered Nurses (APRNs) in public health may use the same format for nurse protocols as that used by RNs and/or they may use the following APRN format. The following format provides the essential components of what should be included in the nurse protocol for APRNs.

General Template (See General Template following the list of components).

1. **Area of Specialty**
Specify the area(s) of specialty in which the APRN holds current certification, as authorized by the Georgia Board of Nursing.
2. **Dangerous Drugs**
A nurse protocol must specify parameters under which delegated medical acts may be performed; therefore, the written nurse protocol agreement for APRNs must specify the drugs that may be ordered. The nurse protocol agreement must either include a list of drugs to be ordered or a drug formulary must be attached to the nurse protocol agreement.

Drugs selected should follow drug formulary guidelines that base drug selection on the most clinically appropriate and cost-effective drugs. A number of published drug formulary guidelines may be used in making these determinations. An example of a drug formulary may be found in Appendix 3.

In addition to the written nurse protocol document, the APRN who dispenses drugs, under the authority of an order issued in conformity with the nurse protocol, must adhere to a drug dispensing procedure. This written document, signed by a licensed pharmacist and physician, must be readily accessible at the site where the APRN is practicing under nurse protocols and be available upon request. According to the drug dispensing procedure used in Public Health, the APRN must also document the drug(s) dispensed on a drug dispensing sign-out sheet or a document with comparable requirements.

3. **Medical Treatments**
Specify the medical treatments, if any that may be ordered by the APRN.

4. **Diagnostic Studies**
Specify the diagnostic studies, if any that may be ordered by the APRN.
5. **Reference Guidelines for Practice**
Specify the text(s), written guidelines, and/or other reference documents, which will be used by the individual APRN relative to the area of specialty. For example: "*Current Practice Guidelines in Primary Care 2015*, by Joseph S. Escherick, Daniel S. Clark, and Evan D Slater, shall serve as a reference guide." These texts and documents should be current and readily available. The use of such texts and documents must clearly exclude any controlled substances or Schedule I controlled substances.
6. **Consultation**
Specify the conditions for immediate consultation with the delegating physician.
7. **Patient Evaluation/Follow-Up**
Specify that the frequency and guidelines for patient evaluation/follow-up by the delegating physician will be determined collaboratively between the APRN and the delegating physician.
8. **Documentation**
Specify how services will be documented.
9. **Signatures**
Each APRN who practices under these nurse protocols and each delegating physician must sign and date the written mutual agreement.
10. **Annual Review**
The nurse protocols must be reviewed, signed and dated at least annually.
11. **See general template for a nurse protocol agreement on the following page. See Appendix 1, Example for Women's Health and Appendix 2, Example for HIV.**

GENERAL TEMPLATE

NURSE PROTOCOL AGREEMENT FOR ADVANCED PRACTICE REGISTERED NURSES IN PUBLIC HEALTH

Area of Specialty: _____

Dangerous Drugs (list or attach a list of the general categories or types of drugs to be ordered; a formulary is optional; list or formulary shall not include controlled substances Schedule III, IV or V). An example of a drug formulary may be found in Appendix 3.

Diagnostic Studies (check all that apply):

- Laboratory tests as appropriate
- X-ray
- Ultrasound
- Other (specify): _____

Medical Treatments: May be ordered as appropriate for the area of specialty.

Reference Guidelines for Practice: The following references shall be utilized as guidelines for practice, excluding all controlled substances listed in these documents:

1. List specific text, such as Joseph S. Esherick, Daniel S. Clark and Evan D. Slater, *Current Practice Guidelines in Primary Care 2015*, 13th ed., McGraw-Hill Professional Publishing, 2015.
2. Nurse Protocols for _____ sections from *Nurse Protocols for Registered Professional Nurses*, Georgia Department of Public Health, 2016.
3. Other reference(s) (specify): _____

Consultation: The delegating physician will be available for immediate consultation by phone, facsimile, pager, and/or e-mail. If the delegating physician is not available, the delegating physician shall designate another physician who concurs with the terms of this agreement.

Patient Evaluation/Follow-Up

Specify that the frequency and guidelines for patient evaluation/follow-up by the delegating physician will be determined collaboratively between the APRN and the delegating physician.

Documentation: The APRN shall document services provided in accordance with the nurse protocol agreement. The APRN shall document all drugs ordered, dispensed and handled in accordance with the Georgia Nurse Practice Act, the Rules of the Georgia Board of Nursing, Rules and Regulations of the Georgia Board of Pharmacy and Department of Public Health requirements.

Record Reviews: A sampling of records shall be reviewed quarterly.

This document indicates a mutual agreement between the delegating physician and the APRN who is authorized to practice under a nurse protocol agreement. The APRN, whose signature appears below, has:

1. Been adequately trained and is prepared to perform the delegated medical acts specified in this nurse protocol agreement; and
2. Read and understands all statutory rules and regulations pertaining to nursing and practice under nurse protocol and has read and understands the drug dispensing procedure.
3. Been given an opportunity to have questions answered.

Advanced Practice Registered Nurse Signature

Printed Name of APRN

Date

Delegating Physician Signature

Printed Name of Delegating Physician

Date

APPENDIX 1

TEMPLATE Example for Women’s Health

**NURSE PROTOCOL AGREEMENT FOR
ADVANCED PRACTICE REGISTERED NURSES IN PUBLIC HEALTH**

Area of Specialty: Women’s Health

Dangerous Drugs (list or attach a list of the general categories or types of drugs to be ordered; a formulary is optional; list or formulary shall not include controlled substances Schedule III, IV or V).

List may include:

- Contraceptives
 - Drugs for the treatment of bacterial cystitis, sexually transmitted infections and vaginal infections
 - Drugs for the treatment of minor gynecological problems (e.g., amenorrhea, dysmenorrhea)
 - Hormone therapy for the treatment of symptoms of menopause
 - Diaphragm
 - Intrauterine device or system
 - Hormonal implant
 - Hormonal ring
-

Medical Treatments: May order as appropriate for Women’s Health.

Diagnostic Studies (check all that apply):

- Laboratory tests as appropriate
 - X-ray
 - Ultrasound
 - Other (specify): _____
-

Reference Guidelines for Practice: The following references shall be utilized as guidelines for practice, excluding all controlled substances listed in these documents:

1. Joseph S. Esherick, Daniel S. Clark and Evan D. Slater, , *Current Practice Guidelines in Primary Care 2015*, 13th ed., McGraw-Hill Professional Publishing, 2015.
2. Nurse Protocols for Women’s Health, *Nurse Protocols for Registered Professional Nurses in Public Health*, Georgia Department of Public Health, 2016.
3. Nurse Protocols for Sexually Transmitted Diseases (STD), *Nurse Protocols for Registered Professional Nurses in Public Health*, Georgia Department of Public Health, 2016.

4. R. A. Hatcher, et al., *Contraceptive Technology*, 20th revised ed., Physicians Desk Reference Inc, 2011.

Consultation: The delegating physician will be available for immediate consultation by phone, facsimile, pager, and/or e-mail. If the delegating physician is not available, the delegating physician shall designate another physician who concurs with the terms of this agreement.

Patient Evaluation/Follow-up: The frequency and guidelines for patient evaluation/follow-up by the delegating physician will be determined collaboratively between the APRN and the delegating physician. Patients will be evaluated through sampling of record reviews at least quarterly and case conferences as needed.

Documentation: The APRN shall document services provided in accordance with the nurse protocol agreement. The APRN shall document all drugs ordered, dispensed and handled in accordance with the Georgia Nurse Practice Act, the Rules of the Georgia Board of Nursing, Rules and Regulations of the Georgia Board of Pharmacy and DPH requirements.

Record Reviews: A sampling of records shall be reviewed at least once annually. Ideally, it is preferred that record reviews be completed on a quarterly basis throughout each year in order to identify strengths and opportunities for improvement in a timely manner.

This document indicates a mutual agreement between the delegating physician and the APRN who is authorized to practice under a nurse protocol agreement. The APRN, whose signature appears below, has:

1. Been adequately trained and is prepared to perform the delegated medical acts specified in this nurse protocol agreement; and
2. Read and understands all statutory rules and regulations pertaining to nursing practice under nurse protocol and has read and understands the drug dispensing procedure.
3. Been given an opportunity to have questions answered.

Advanced Practice Registered Nurse Signature

Printed Name of APRN

Date: _____

Delegating Physician Signature

Printed Name of Delegating Physician

Date: _____

APPENDIX 2

TEMPLATE Example for HIV

NURSE PROTOCOL AGREEMENT FOR ADVANCED PRACTICE REGISTERED NURSES IN PUBLIC HEALTH

Area of Specialty: Care of HIV-infected adults and adolescents.

Dangerous Drugs (list or attach a list of the general categories or types of drugs to be ordered; a formulary is optional; list or formulary shall not include controlled substances Schedule III, IV or V). May order dangerous drugs for the outpatient treatment of HIV infection and primary care conditions as defined in the reference guidelines listed below.

List may include:

- Antiretroviral Agents
- Drugs for the outpatient management of HIV disease including prophylaxis and/or treatment for opportunistic infections
- Drugs for the treatment of sexually transmitted diseases, tuberculosis, hepatitis, and other infectious diseases
- Drugs for the management of primary care conditions including hypertension, diabetes, asthma, and hyperlipidemia
- Contraceptives
- Hormone therapy for the treatment of symptoms of menopause

Diagnostic Studies (check all that apply):

- Laboratory tests as appropriate
- X-ray
- Ultrasound
- Other(specify): _____

Medical Treatments: May order as appropriate for the area of specialty.

Reference Guidelines for Practice: The following references shall be utilized as guidelines for practice, excluding all controlled substances listed in these documents:

1. AIDS Education and Training Centers (AETC) National Resource Center, *Clinical Manual for the Management of the HIV-Infected Adult*, (Current Edition), <<http://www.aids-etc.org/aetc/aetc?page=cm-00-00>> (June 24, 2015).
2. Jean R. Anderson (ed.), *A Guide to the Clinical Care of Women with HIV*, 2013 ed., <http://www.careacttarget.org> (June 24, 2015).
3. John G. Bartlett and Joel E. Gallant, 2012 *Medical Management of HIV Infection*, 16th ed., Baltimore, Maryland, Johns Hopkins University, 2012. (Current Edition)
4. Centers for Disease Control and Prevention (CDC) and the HIV Medicine Association of the Infectious Diseases Society of America, *Guidelines for the Prevention and Treatment of Opportunistic Infections in HIV-Infected Adults and*

5. Adolescents, April 8, 2015, <http://AIDSinfo.nih.gov> (June 24, 2015).
Department of Health and Human Services (DHHS), *Guidelines on the Use of Antiretroviral Agents in HIV-1-Infected Adults and Adolescents*, April 8, 2015, <http://aidsinfo.nih.gov/contentfiles/AdultandAdolescentGL.pdf> (June 24, 2013).
6. GA DPH, Nurse Protocols for HIV/AIDS-Related, Sexually Transmitted Diseases, and Women's Health, *Nurse Protocols for Registered Professional Nurses in Public Health*, 2016.
7. The North American Menopause Society, *Menopause Practice: A Clinician's Guide*, 5th ed., 2014, <http://www.menopause.org/publications/professional-publications/professional-clinical-textbook> (June 24, 2015).
8. Joseph S. Esherick, Daniel S. Clark and Evan D. Slater, *Current Practice Guidelines in Primary Care 2015*, 13th ed., McGraw-Hill Professional Publishing, 2015.

Consultation: The delegating physician will be available for immediate consultation by phone, facsimile, pager, and/or e-mail. If the delegating physician is not available, the delegating physician shall designate another physician who concurs with the terms of this agreement.

Patient Evaluation/Follow-up: The frequency and guidelines for patient evaluation/follow-up by the delegating physician will be determined collaboratively between the APRN and the delegating physician.

Patient evaluation by the delegating physician may include:

1. All new patients should be evaluated or examined by the delegating physician at least once: patients with CD4 counts less than 200/mm³ examine/evaluate within 3 months; patients with CD4 counts 200-500/mm³ examine/evaluate within 6 months; and patient with CD4 counts greater than 500/mm³ examine/evaluate within 12 months.
2. Patients not responding to routine therapy should be evaluated or examined by the delegating physician within 7 days of when the APRN identifies that the patient is not responding to routine therapy.

Documentation: The APRN shall document services provided in accordance with the nurse protocol agreement. The APRN shall document all drugs ordered, dispensed and handled in accordance with the Georgia Nurse Practice Act, the Rules of the Georgia Board of Nursing, Georgia Board of Pharmacy Rules and Regulations and DPH requirements.

Record Reviews: A sampling of records shall be reviewed at least once annually. Ideally, it is preferred that record reviews be completed on a quarterly basis throughout each year in order to identify strengths and opportunities for improvement in a timely manner.

This document indicates a mutual agreement between the delegating physician and the APRN who is authorized to practice under a nurse protocol agreement. The APRN whose signature appears below has:

1. Been adequately trained and is prepared to perform the delegated medical acts specified in this nurse protocol agreement; and
2. Read and understands all statutory rules and regulations pertaining to nursing practice under nurse protocol and has read and understands the drug

3. dispensing procedure.
 Been given an opportunity to have questions answered.

Advanced Practice Registered Nurse Signature

Printed Name of APRN

Date

Delegating Physician Signature

Printed Name of Delegating Physician

Date

APPENDIX 3

EXAMPLE DRUG FORMULARY FOR ADVANCED PRACTICE REGISTERED NURSES

(Listing of Generic Drugs by Specific Classes)

Antihistamine Agents

Chlorpheniramine maleate
Diphenhydramine HCl
Zyrtec

Antimicrobial Agents

Antifungals

Fluconazole
Griseofulvin
Itraconazole
Ketoconazole
Nystatin
Terbinafine

Cephalosporins

Cefotaxime
Ceftriaxone
Cefuroxime
Cephalexin

Penicillins

Amoxicillin
Ampicillin
Augmentin
Benzathine penicillin G
Penicillin VK

Macrolides

Erythromycin
Azithromycin

Tetracyclines

Doxycycline
Tetracycline

Miscellaneous

Metronidazole
Trimethoprim
/Sulfamethoxazole

Antivirals

Acyclovir
Amantadine
Famcyclovir
Ribavirin
Rimantadine
Valacyclovir

Fluoroquinolones

Ciprofloxacin
Levofloxacin
Moxifloxacin
Ofloxacin

Antituberculosis

Aminosalicylic acid
Capreomycin
Cycloserine
Ethambutol
Ethionamide
Isoniazid

Pyrazinamide
Rifabutin
Rifampin
Rifapentine
Streptomycin

Blood Formation Agents -- Iron Preparations

Ferrous fumarate Ferrous sulfate

Cardiovascular Drugs -- Cardiac Glycoside

Digoxin

Cardiovascular Drugs -- Anti-hypertensive Agents

Angiotensin-Converting Enzyme Inhibitors

Benazepril
Captopril
Enalapril
Fosinopril

Beta-Adrenergic Blockers

Atenolol
Propranolol
Toprol XL

Calcium Channel Blockers

Norvasc
Verapamil

Centrally-Acting

Clonidine
Reserpine

Peripherally-Acting

Prazosin
Reserpine

Vasodilator

Hydralazine

Central Nervous System Agents

Anticonvulsants

Carbamazepine
Gabapentin
Lamotrigine

Analgesics/Antipyretics (Non-narcotic)

Acetaminophen
Aspirin

Nonsteroidal Anti-inflammatory

Ibuprofen
Naproxen

Phenytoin
Tegretol XR
Valproic Acid

Electrolyte, Caloric, and Water Balance

Diuretics

Furosemide
Hydrochlorothiazide
Spironolactone

Replacement Preparations

Ensure
Potassium Chloride

Eye, Ear, Nose and Throat (EENT) Preparations

Antibiotics

Bacitracin
Ciloxan
Erythromycin
Floxin Otic
Gentamycin

Anti-inflammatory

Dexamethasone
Loteprednol
Prednisolone

Mydriatics

Atropine
Homatropine
Tropicamide

Vasoconstrictors

Naphazoline
Oxymetazoline
Phenylephrine
Tetrahydrozoline

Gastrointestinal (GI) Drugs

Antiemetics

Promethazine

Antiflatulents

Simethicone

Laxatives

Castor Oil

Mineral Oil

Psyllium (Metamucil)

Stool Softener

Antidiarrheals

Bismuth subsalicylate

Loperamide

Miscellaneous GI Drugs

Cimetidine

Nizatidine

Famotidine

Ranitidine

Lansoprazole

Sulcrafate

Metoclopramide

Hormones and Synthetic Substitutes

Adrenals

Prednisone

Triamcinolone

Antidiabetic Agents

Glipizide

Glucophage

Glucovance

Glyburide

Insulin

Metformin

Thyroid Agents

Levothyroxine

Respiratory Agents

Bronchodilators

Albuterol

Bitolterol Mesylate

Pirbuterol Acetate

Xanthine Derivatives

Aminophylline

Theophylline

Corticosteroids

Beclomethasone dipropionate

Budesonide turbuhaler

Fluinsolide

Fluticasone propionate

Methylprednisolone

Prednisolone

Prednisone

Triamcinolone acetonide

Anticholinergics

Ipratropium bromide

Membrane Stabilizer

Cromolyn sodium

Nedocromil

Skin and Mucous Membrane Agents

Antibiotics

Bacitracin

Benzoyl Peroxide

Clindamycin

Erythromycin

Mucopirocin

Tetracycline

Antivirals

Acyclovir

Penciclovir

Antifungals

Ciclopirox

Clotrimazole

Ketoconazole

Miconazole

Nystatin

Terbinafine

Tolnafate

Anti-inflammatory Agents

Low Potency

Acemetasone dipropionate
Hydrocortisone

High Potency

Betamethasone dipropionate
Halcinomide
Triamcinolone acetonide 0.5%

Intermediate Potency

Flurandrenulide
Triamcinolone acetonide 0.1%

Highest Potency

Augmented Betamethasone dipropionate (Diprolene)
Halobetasol

APPENDIX 4

TEXTS/REFERENCES USED/RECOMMENDED FOR ADVANCED PRACTICE REGISTERED NURSES

1. AIDS Education and Training Center (AETC), "The Clinical Manual for Management of the HIV-Infected Adult," a living document at <http://www.aids-etc.org/aetc/aetc?page=cm-00-00> (June 24, 2015).
2. American Academy of Pediatrics, *Pediatric Clinical Practice Guidelines & Policies: A Compendium of Evidence-Based Research for Pediatric Practice*, 15th edition, American Academy of Pediatrics, 2015.
3. John G. Bartlett and Joel E. Gallant, *Medical Management of HIV Infection 2012*, Johns Hopkins University, Division of Infectious Diseases, (**Current Edition**)
4. Richard E. Behrman, et al., *Nelson Textbook of Pediatrics*, 19th ed. W. B. Saunders Company, Philadelphia, **2011. (Current Edition)**.
5. Louis M Bell, Peter M Bingham, MD and Esther K Chung, *The 5-Minute Pediatric Consult*, 6th ed., Lippincott Williams & Wilkins, 2012. (**Current Edition**).
6. Rose W. Boynton, *Manual of Ambulatory Pediatrics*, 6th ed., Lippincott Williams & Wilkins, Philadelphia, 2009. (**Current Edition**).
7. Burns, C., Dunn, A., Brady, M., Starr, N., & Blosser, C., 5th ed., *Pediatric primary care (2012)*. Saunders: St. Louis, MO.
8. Frank J Domino, *The 5-Minute Clinical Consult 2014*, 20th ed., Lippincott Williams & Wilkins, 2013.
9. Paul Chan, MD and Margaret T Johnson, MD, *Treatment Guidelines for Medicine and Primary Care 11th ed., 2009, (Current)*.
10. Marilyn W. Edmunds and Maren S. Mayhew, *Procedures for Primary Care Practitioners, 3rd ed.*, Mosby-Year Book, St. Louis, 2009.
11. Fitzpatrick, T.B., et al. (2013). *Color atlas and synopsis of clinical dermatology (7th ed.)* New York: McGraw-Hill.
12. Ralph Gonzales and Jean S Kutner, *Current Practice Guidelines in Primary Care 2011, 10th ed.*, McGraw-Hill Professional Publishing, 2010. (**Current Edition**)
13. Joseph F Hagan, Jr, MD, Judith S Shaw, RN, Paula M Duncan, MD, *Bright Futures: Guidelines for Health Supervision of Infants, Children and Adolescents, 3rd ed.*, American Academy of Pediatrics, 2008. (**Current Edition**)
14. Thomas W. Hale, *Medications and Mother's Milk, 16th ed.*, Pharmaceutical Medical, Amarillo, 2014.
15. R. A. Hatcher, et al., *Contraceptive Technology, 20th revised ed.*, Physicians' Desk Reference Inc, 2011. (**Current Edition**)
16. McCance, K.L., & Heuther, S.E. (2014). *Pathophysiology; The biologic basis for disease in adults & children. (7th Ed)*. Maryland Heights, MO: Mosby.
17. Stephen J. McPhee and Maxine A. Papadakis, (eds.), *Current Medical Diagnosis and Treatment 2015, 54th ed.*, McGraw-Hill Companies, 2015
18. Jay P Sanford, Robert Moellering, George Eliopoulos, et al, editors, *The Sanford Guide To HIV/AIDS Therapy 2015, 23th ed.*, Antimicrobial Therapy, 2015.
19. Seidel, H.M., et al. *Mosby's Guide to Physical Examination, 8th Edition*. Mosby, 2014.

20. **US Preventive Services Task Force, *The Guide to Clinical Preventive Services 2014***. U.S. Department of Health and Human Services, Agency for Healthcare Research and Quality, <http://www.ahrq.gov/professionals/clinicians-providers/index.html> (June 24, 2015)
21. Wright, L. M., & Leahey, M. (2012). *Nurses and families: A guide to family assessment and intervention*, 6th ed., Philadelphia: F. A. Davis. **(Current Edition)**

Pharmacology and Lab:

22. Allen J. Ellsworth, et al., 3rd ed., *Mosby's Medical Drug Reference for Health Professions 2011*, Mosby, St. Louis, 2012.
23. Marilyn W. Edmunds and Maren S. Mayhew, *Pharmacology for the Primary Care Provider*, 4th ed., Mosby Inc, 2013. **(Current Edition)**
24. Richard J. Hamilton , *Tarascon Pocket Pharmacopoeia: 2015 Deluxe Lab Coat Edition*, Jones and Bartlett Publishers, **2014**
25. Kathleen Deska Pagana and Timothy J. Pagana, *Mosby's Diagnostic and Laboratory Test Reference*, 12th ed., Mosby Inc., 2014.
26. Carol K. Taketomo, Jane H. Hodding and Donna M. Kraus, *Lexi-Comp's Pediatric & Neonatal Dosage Handbook*, 20th Revised Edition, Lexi-Comp Inc, 2014.
27. Beatrice B. Turkoski, et al., *Lexi-Comp Drug Information Handbook for Advanced Practice Nursing*, 15th ed., Lexi-Comp Inc, 2014-2015.