

**Table 1. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR1 -- (Q1) How old are you?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
9 years old	%	0.3	0.4	0.2	0.2	0.8	0.0	0.2	0.1	0.4	0.0	0.0
	95% CI	0.3	0.6	0.3	0.4	1.1	0.0	0.3	0.1	0.5	0.0	0.0
	n	4	2	2	1	2	0	1	1	2	0	0
10 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0	0
11 years old	%	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
	95% CI	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
	n	1	1	0	0	0	0	1	0	0	0	0
12 years old	%	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1
	95% CI	0.1	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	2.1
	n	1	0	1	1	0	0	0	0	0	0	1
13 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0	0
14 years old	%	8.3	9.3	7.3	27.5	0.0	0.0	0.0	7.5	10.6	7.4	2.0
	95% CI	2.9	3.3	3.1	5.0	0.0	0.0	0.0	2.9	4.8	4.7	3.7
	n	126	74	52	125	0	0	0	64	44	16	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 1. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR1 -- (Q1) How old are you?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
15 years old	%	26.8	25.8	27.7	61.4	31.8	0.2	0.0	27.7	24.5	29.8	30.1
	95% CI	4.7	5.8	4.7	6.6	4.1	0.4	0.0	5.6	6.7	7.7	14.7
	n	432	221	211	293	136	1	0	238	113	63	16
16 years old	%	24.8	25.0	24.6	10.5	59.0	28.4	0.5	23.8	24.9	27.9	26.1
	95% CI	4.8	4.4	5.8	5.2	4.6	7.2	0.6	4.2	7.6	10.2	11.2
	n	415	214	201	50	253	106	3	219	120	52	21
17 years old	%	20.0	20.3	19.7	0.0	6.8	57.8	24.6	21.9	19.3	15.6	18.8
	95% CI	4.7	5.5	4.7	0.0	2.6	5.8	5.8	5.9	7.1	4.7	9.3
	n	379	186	193	0	29	226	123	183	137	35	22
18 years old	%	17.2	16.9	17.6	0.2	0.8	11.7	66.1	17.5	17.1	16.3	19.7
	95% CI	5.0	5.1	5.4	0.3	0.8	4.8	6.7	6.1	7.2	7.6	8.4
	n	362	174	188	1	3	47	310	163	135	40	24
19 years old or older	%	2.5	2.2	2.7	0.0	0.7	1.9	8.5	1.6	3.4	3.0	2.1
	95% CI	1.1	1.4	1.3	0.0	1.0	1.9	2.5	1.1	1.9	2.5	2.3
	n	55	21	34	0	3	6	46	15	29	8	3
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,775	893	882	471	426	386	484	883	580	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 2. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR2 -- (Q2) What is your sex?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Female	%	49.6	100.0	0.0	48.1	49.8	50.6	50.9	49.0	50.3	48.8	49.4
	95% CI	1.9	0.0	0.0	4.2	4.8	5.3	6.1	3.2	5.5	6.8	9.9
	n	893	893	0	246	212	196	236	446	286	112	42
Male	%	50.4	0.0	100.0	51.9	50.2	49.4	49.1	51.0	49.7	51.2	50.6
	95% CI	1.9	0.0	0.0	4.2	4.8	5.3	6.1	3.2	5.5	6.8	9.9
	n	882	0	882	225	214	190	248	437	294	102	46
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,775	893	882	471	426	386	484	883	580	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size

**Table 3. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR3 -- (Q3) What grade are you in?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
6th	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0	0
7th	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0	0
8th	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0	0
9th	%	30.2	29.1	31.1	100.0	0.0	0.0	0.0	28.2	31.3	34.1	28.0
	95% CI	8.5	8.5	9.5	0.0	0.0	0.0	0.0	8.9	10.8	12.6	17.0
	n	472	246	225	472	0	0	0	236	141	74	16
10th	%	25.7	25.8	25.7	0.0	100.0	0.0	0.0	25.9	25.6	25.5	25.0
	95% CI	9.6	9.8	9.9	0.0	0.0	0.0	0.0	8.7	14.2	8.5	16.6
	n	426	212	214	0	426	0	0	255	114	42	12
11th	%	22.3	22.7	21.9	0.0	0.0	100.0	0.0	23.4	21.5	20.3	23.8
	95% CI	8.0	8.7	7.8	0.0	0.0	0.0	0.0	8.5	11.3	9.6	16.2
	n	386	196	190	0	0	386	0	162	139	49	34

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 3. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR3 -- (Q3) What grade are you in?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
12th	%	21.8	22.4	21.3	0.0	0.0	0.0	100.0	22.5	21.6	20.0	23.2
	95% CI	7.2	7.9	7.4	0.0	0.0	0.0	0.0	8.0	11.2	8.3	9.0
	n	484	236	248	0	0	0	484	229	185	43	26
Ungraded or other grade	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,768	890	877	472	426	386	484	882	579	208	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 4. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR4 -- (Q4) Are you Hispanic or Latino?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
No	%	89.6	89.8	89.5	88.6	90.0	90.8	90.8	100.0	100.0	0.0	100.0
	95% CI	3.3	3.3	3.8	6.0	3.6	3.4	3.3	0.0	0.0	0.0	0.0
	n	1,557	778	779	396	383	336	440	883	580	0	88
Yes, I am Mexican, Mexican American, or Chicano	%	5.3	5.4	5.2	7.0	4.9	4.7	4.3	0.0	0.0	51.2	0.0
	95% CI	2.5	2.6	2.7	4.6	2.6	2.8	2.7	0.0	0.0	13.1	0.0
	n	114	63	51	44	24	25	21	0	0	114	0
Yes, I am Puerto Rican	%	1.2	1.3	1.2	1.4	0.2	1.3	2.0	0.0	0.0	11.8	0.0
	95% CI	0.7	0.7	0.9	1.4	0.3	1.2	1.6	0.0	0.0	6.6	0.0
	n	29	15	14	10	1	8	9	0	0	29	0
Yes, I am Cuban or Cuban American	%	1.1	1.0	1.3	0.2	2.8	0.8	0.7	0.0	0.0	11.0	0.0
	95% CI	0.9	0.8	1.3	0.4	2.4	0.8	0.9	0.0	0.0	9.0	0.0
	n	16	8	8	1	8	3	3	0	0	16	0
Yes, I am some other Hispanic or Latino not listed here	%	2.7	2.5	2.9	2.9	2.2	2.5	2.3	0.0	0.0	26.0	0.0
	95% CI	1.0	1.4	1.0	1.7	1.9	1.2	1.5	0.0	0.0	6.8	0.0
	n	55	26	29	19	9	13	10	0	0	55	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,771	890	881	470	425	385	483	883	580	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 5. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR7 -- (Q6) Have you ever tried cigarette smoking, even one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	35.9	33.2	38.4	27.8	31.7	39.3	48.0	41.6	27.8	43.8	29.2
	95% CI	3.6	3.5	5.1	5.5	6.5	6.2	3.6	4.3	5.8	7.9	10.5
	n	658	303	354	135	143	152	225	375	170	85	25
No	%	64.1	66.8	61.6	72.2	68.3	60.7	52.0	58.4	72.2	56.2	70.8
	95% CI	3.6	3.5	5.1	5.5	6.5	6.2	3.6	4.3	5.8	7.9	10.5
	n	1,015	543	472	309	262	213	229	482	364	111	52
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,673	846	826	444	405	365	454	857	534	196	77

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 6. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR8 -- (Q7) Do you think you will smoke a cigarette in the next year?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	7.3	5.6	9.0	4.4	6.4	7.7	11.7	10.2	3.0	10.7	7.0
	95% CI	2.3	1.8	3.3	1.9	4.4	4.3	4.0	2.4	1.6	4.4	5.9
	n	144	54	90	24	30	29	60	93	19	25	6
Probably yes	%	9.4	9.9	8.9	7.0	10.2	9.3	11.7	12.5	5.2	12.1	6.8
	95% CI	2.3	2.4	3.5	3.5	4.1	2.7	2.6	4.5	2.0	5.0	6.3
	n	185	93	92	43	46	37	57	119	34	24	6
Probably not	%	16.6	15.6	17.7	17.9	17.0	16.9	13.6	19.8	12.7	20.6	10.1
	95% CI	2.6	3.0	2.9	3.8	6.2	3.8	2.3	3.5	2.7	5.4	7.5
	n	291	140	151	82	78	62	67	160	77	44	8
Definitely not	%	66.7	69.0	64.4	70.7	66.4	66.2	63.0	57.6	79.1	56.6	76.2
	95% CI	4.1	4.9	4.9	6.2	8.8	5.5	5.0	3.9	3.9	6.6	9.2
	n	1,155	606	548	323	272	257	300	510	450	121	68
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,775	893	881	472	426	385	484	882	580	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 7. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR9 -- (Q8) Do you think that you will try a cigarette soon?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have already tried smoking cigarettes	%	22.2	21.6	22.9	16.5	20.6	23.4	30.6	30.4	12.1	27.2	17.9
	95% CI	3.4	3.4	4.1	4.6	6.4	3.9	5.7	3.5	3.9	6.4	9.6
	n	434	208	226	88	103	94	146	281	76	57	18
Yes	%	2.4	2.3	2.5	3.7	0.9	1.4	3.2	2.0	2.5	3.6	3.0
	95% CI	1.0	1.5	1.2	2.4	1.0	1.4	1.5	1.1	1.5	2.4	5.1
	n	46	21	25	17	4	7	17	17	16	10	3
No	%	75.4	76.1	74.6	79.8	78.5	75.2	66.2	67.6	85.4	69.2	79.1
	95% CI	3.7	3.9	4.5	5.5	6.0	4.5	5.5	3.3	4.8	7.4	11.1
	n	1,288	661	626	364	317	284	319	581	484	147	67
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,768	890	877	469	424	385	482	879	576	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 8. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR10 -- (Q9) If one of your best friends were to offer you a cigarette,
would you smoke it?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	7.1	5.5	8.6	4.2	6.8	7.6	10.0	9.8	2.8	11.3	6.4
	95% CI	1.2	1.4	1.7	1.8	3.0	2.9	2.8	2.3	1.8	5.7	5.4
	n	141	57	84	24	33	29	53	92	18	24	6
Probably yes	%	8.7	8.5	9.0	8.4	8.9	7.3	10.4	11.0	5.3	12.6	6.8
	95% CI	1.6	2.5	1.9	3.4	4.8	2.8	2.1	1.5	2.3	7.1	4.6
	n	161	78	83	46	38	30	46	96	32	25	7
Probably not	%	18.9	18.6	19.2	18.8	20.1	20.2	16.1	21.8	15.4	22.0	14.4
	95% CI	1.7	2.7	2.3	3.2	4.0	3.4	3.1	2.6	1.8	6.6	7.9
	n	344	170	174	94	91	78	79	188	90	52	12
Definitely not	%	65.3	67.4	63.2	68.6	64.2	64.9	63.4	57.4	76.5	54.0	72.5
	95% CI	3.1	3.2	4.1	6.3	6.2	3.7	5.5	4.2	3.1	6.2	11.0
	n	1,127	586	540	308	263	249	304	506	439	113	63
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,773	891	881	472	425	386	482	882	579	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 9. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR11 -- (Q10) How old were you when you first tried cigarette smoking, even
one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes, not even one or two puffs	%	66.4	69.5	63.5	73.6	71.1	63.0	55.1	59.3	74.8	60.3	77.5
	95% CI	3.6	3.6	4.8	5.7	7.3	5.7	3.7	4.1	5.2	7.1	10.9
	n	1,092	582	510	327	275	233	254	500	399	125	61
8 years old or younger	%	2.8	2.3	3.2	3.1	3.3	1.7	3.0	2.2	2.5	3.7	6.9
	95% CI	0.9	1.3	1.1	1.7	2.3	1.0	1.6	1.2	1.2	2.4	6.4
	n	51	21	30	16	13	7	15	22	13	9	6
9 years old	%	1.3	0.3	2.3	1.3	2.2	1.2	0.5	1.0	2.2	0.3	0.0
	95% CI	0.6	0.4	1.1	1.0	1.3	1.4	0.6	0.9	1.2	0.5	0.0
	n	22	3	19	6	8	5	3	9	12	1	0
10 years old	%	1.2	0.7	1.6	1.5	0.9	0.8	1.3	1.2	1.0	1.6	0.5
	95% CI	0.5	0.6	0.8	0.9	0.9	0.9	1.2	0.7	0.9	1.8	1.0
	n	25	8	17	9	5	4	7	12	8	3	1
11 years old	%	1.3	1.2	1.3	1.7	0.7	1.3	1.2	1.8	1.0	0.3	0.5
	95% CI	0.5	0.5	0.6	1.1	0.7	1.0	1.2	0.8	0.8	0.5	1.1
	n	27	12	15	10	5	5	7	18	7	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 9. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR11 -- (Q10) How old were you when you first tried cigarette smoking, even
one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
12 years old	%	3.5	3.9	3.1	2.9	3.5	4.5	3.1	4.2	3.0	3.9	1.6
	95% CI	1.1	1.3	1.6	1.9	1.3	1.9	1.6	1.9	1.3	2.4	3.1
	n	68	38	30	15	18	20	14	39	20	8	1
13 years old	%	5.0	4.3	5.5	5.7	3.7	4.8	6.0	5.4	2.8	11.7	2.7
	95% CI	0.8	1.1	1.4	1.4	1.7	2.0	1.5	1.5	1.3	6.6	2.3
	n	96	47	48	28	19	18	31	50	21	21	3
14 years old	%	6.0	6.8	5.1	7.4	4.9	4.3	6.6	7.5	4.8	6.6	1.1
	95% CI	1.4	2.5	1.8	3.3	2.5	2.2	2.2	1.5	2.6	2.5	1.5
	n	111	56	55	35	25	17	32	68	26	15	2
15 years old	%	5.1	4.2	5.9	2.3	6.6	5.6	6.2	7.8	2.4	4.7	2.7
	95% CI	1.2	1.2	1.9	1.4	1.6	3.9	1.7	1.8	1.2	3.9	3.8
	n	104	46	58	14	33	24	32	76	16	10	2
16 years old	%	4.6	4.5	4.6	0.4	3.1	7.3	9.3	5.5	3.2	6.1	4.3
	95% CI	1.3	1.4	1.5	0.6	2.8	3.3	2.3	1.5	1.7	4.7	3.7
	n	87	43	44	2	14	29	42	47	22	12	6

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 9. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR11 -- (Q10) How old were you when you first tried cigarette smoking, even
one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
17 years old	%	2.2	1.4	3.0	0.0	0.0	5.1	5.0	3.2	1.5	0.6	2.1
	95% CI	1.5	0.7	2.8	0.0	0.0	5.0	1.9	1.8	1.4	1.1	3.2
	n	34	12	22	0	0	14	20	21	10	1	2
18 years old	%	0.7	0.7	0.8	0.0	0.0	0.5	2.8	0.8	0.8	0.3	0.0
	95% CI	0.4	0.4	0.6	0.0	0.0	0.8	1.6	0.6	0.7	0.6	0.0
	n	17	8	9	0	0	2	15	9	7	1	0
19 years old or older	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,734	876	857	462	415	378	472	871	561	207	85

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 10. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR12 -- (Q11) About how many cigarettes have you smoked in your entire life?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes, not even one or two puffs	%	66.3	69.4	63.5	73.6	70.8	62.7	55.3	58.9	74.7	59.5	79.4
	95% CI	3.7	3.6	4.9	5.9	7.2	5.9	3.7	4.2	5.6	7.5	8.7
	n	1,095	582	513	328	275	233	256	499	400	124	64
1 or more puffs but never a whole cigarette	%	9.2	10.0	8.2	9.5	8.5	8.9	10.0	8.4	9.5	12.2	6.8
	95% CI	1.2	1.6	1.8	3.0	3.4	3.2	2.7	1.9	2.3	5.8	5.1
	n	175	98	76	46	39	40	50	81	60	25	8
1 cigarette	%	3.1	2.9	3.2	3.3	1.9	2.9	3.9	2.3	3.8	4.2	2.6
	95% CI	0.8	1.4	1.0	1.8	1.2	1.6	1.3	1.0	1.4	3.2	3.4
	n	54	22	32	15	10	10	18	19	24	9	2
2 to 5 cigarettes	%	6.6	5.9	7.3	5.4	5.1	8.5	8.0	7.2	6.0	7.2	6.3
	95% CI	1.3	1.6	1.8	2.1	2.7	3.3	2.6	1.8	2.4	5.1	4.5
	n	116	54	62	26	24	31	34	58	39	12	7
6 to 15 cigarettes (about 1/2 a pack total)	%	3.3	2.9	3.8	2.1	3.4	5.2	3.0	4.5	2.3	4.5	0.0
	95% CI	0.8	0.8	1.3	1.2	2.1	2.9	1.7	1.0	1.4	3.0	0.0
	n	65	28	37	11	15	22	16	40	16	9	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 10. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR12 -- (Q11) About how many cigarettes have you smoked in your entire life?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
16 to 25 cigarettes (about 1 pack total)	%	2.7	2.7	2.7	1.9	3.3	1.7	4.1	4.1	1.1	4.1	0.5
	95% CI	0.5	1.3	1.0	1.3	1.5	1.6	1.4	1.4	1.0	4.1	1.0
	n	52	27	25	12	14	7	19	39	6	6	1
26 to 99 cigarettes (more than 1 pack, but less than 5 packs)	%	3.2	2.0	4.5	1.9	3.6	4.5	3.5	5.2	1.4	2.0	1.6
	95% CI	1.4	1.1	2.1	1.1	2.1	3.8	2.1	1.6	1.1	1.8	2.6
	n	66	22	44	12	20	14	20	49	9	5	2
100 or more cigarettes (5 or more packs)	%	5.5	4.3	6.8	2.3	3.4	5.6	12.2	9.4	1.1	6.3	2.8
	95% CI	1.6	1.6	2.1	1.6	2.1	3.3	3.1	2.4	0.9	3.8	3.6
	n	121	46	75	14	20	24	62	91	8	18	3
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,744	879	864	464	417	381	475	876	562	208	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 11. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR13 -- (Q12) During the past 30 days, on how many days did you smoke
cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	88.0	90.3	85.7	91.2	90.8	88.4	80.4	82.9	94.3	84.6	94.5
	95% CI	2.6	3.1	3.1	4.0	5.1	4.2	3.9	2.7	2.2	6.2	4.2
	n	1,464	771	692	405	360	327	368	704	506	168	78
1 or 2 days	%	4.0	2.9	5.1	3.1	2.9	2.9	7.2	5.5	2.0	6.4	1.0
	95% CI	1.2	1.8	1.2	1.2	2.3	1.7	3.5	1.7	1.1	4.9	2.0
	n	72	25	47	17	15	11	28	45	14	11	2
3 to 5 days	%	1.5	1.4	1.6	2.0	1.2	1.4	1.1	2.1	0.5	3.1	0.0
	95% CI	0.7	0.7	1.1	2.2	0.6	1.2	0.8	1.1	0.6	2.3	0.0
	n	31	14	17	11	7	6	7	21	3	7	0
6 to 9 days	%	1.4	0.7	2.0	1.3	0.9	2.4	1.0	1.4	1.5	0.9	0.0
	95% CI	0.8	0.5	1.4	1.2	1.1	2.7	0.7	0.8	1.4	0.8	0.0
	n	22	8	14	8	2	6	6	12	6	3	0
10 to 19 days	%	1.7	1.7	1.7	0.9	1.6	1.6	2.7	2.9	0.5	0.6	1.6
	95% CI	0.6	1.1	1.0	0.8	1.7	1.2	1.2	1.0	0.6	1.2	1.4
	n	33	16	17	5	8	7	12	26	4	1	2
20 to 29 days	%	1.0	0.6	1.5	0.2	0.9	1.2	2.2	1.6	0.4	1.7	0.0
	95% CI	0.6	0.6	0.9	0.3	0.9	1.2	1.9	1.3	0.5	2.1	0.0
	n	21	5	16	1	5	5	10	14	3	4	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 11. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR13 -- (Q12) During the past 30 days, on how many days did you smoke
cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	2.5	2.5	2.4	1.3	1.6	2.1	5.4	3.7	0.7	2.7	2.9
	95% CI	0.8	1.3	1.1	0.9	1.0	1.5	1.9	1.4	0.7	2.6	3.7
	n	56	27	29	8	10	9	29	40	5	7	3
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,699	866	832	455	407	371	460	862	541	201	85

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 12. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR14 -- (Q13) During the past 30 days, on the days you smoked, how many
cigarettes did you smoke per day?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not smoke cigarettes during the past 30 days	%	88.2	90.3	86.1	91.4	90.9	88.4	80.6	83.2	94.2	84.9	94.9
	95% CI	2.5	2.9	3.0	4.0	5.1	4.2	3.6	2.5	2.3	5.9	4.1
	n	1,464	767	696	405	362	327	365	703	507	169	77
Less than 1 cigarette per day	%	2.8	2.5	3.0	2.3	2.8	3.0	2.9	3.1	2.4	4.2	0.0
	95% CI	0.6	1.0	1.1	1.3	2.4	1.9	1.2	1.2	1.2	2.3	0.0
	n	50	23	27	12	12	13	12	25	16	9	0
1 cigarette per day	%	2.3	1.4	3.3	1.4	1.9	1.8	4.7	3.0	1.2	5.2	0.5
	95% CI	1.2	0.9	1.7	0.9	1.3	2.5	3.2	0.9	1.1	4.4	1.0
	n	41	14	27	9	10	5	17	26	6	8	1
2 to 5 cigarettes per day	%	4.9	4.2	5.6	4.0	3.3	5.1	7.4	8.1	1.6	3.7	2.4
	95% CI	1.6	1.4	2.4	2.4	2.4	2.5	2.7	1.9	1.2	2.5	3.1
	n	99	41	58	23	19	19	37	75	11	9	3
6 to 10 cigarettes per day	%	0.8	0.6	1.1	0.4	0.5	0.7	2.1	1.5	0.3	0.3	0.5
	95% CI	0.4	0.5	0.7	0.5	0.5	0.9	1.6	0.9	0.4	0.5	1.0
	n	19	7	12	2	3	3	11	15	2	1	1
11 to 20 cigarettes per day	%	0.3	0.3	0.4	0.1	0.3	0.0	1.0	0.6	0.0	0.6	0.0
	95% CI	0.3	0.4	0.3	0.3	0.4	0.0	0.7	0.5	0.0	0.9	0.0
	n	9	4	5	1	2	0	6	7	0	2	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 12. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR14 -- (Q13) During the past 30 days, on the days you smoked, how many
cigarettes did you smoke per day?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
More than 20 cigarettes per day	%	0.6	0.6	0.7	0.4	0.2	0.8	1.4	0.6	0.3	1.1	1.6
	95% CI	0.4	0.7	0.6	0.4	0.4	0.8	1.0	0.6	0.5	1.9	3.2
	n	13	5	8	2	1	4	6	6	2	3	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,695	861	833	454	409	371	454	857	544	201	83

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 13. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR15 -- (Q14) When was the last time you smoked a cigarette, even one or two
puffs? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes, not even one or two puffs	%	68.4	71.0	65.7	76.8	72.7	63.9	57.1	60.4	77.5	60.9	82.3
	95% CI	3.8	3.8	4.8	5.8	7.9	6.0	4.0	4.1	5.4	7.2	8.2
	n	1,112	588	523	336	278	236	259	508	405	127	63
Earlier today	%	3.6	3.5	3.8	1.6	2.8	3.6	7.6	5.4	1.5	3.6	3.4
	95% CI	1.2	1.5	1.3	1.1	1.5	2.3	2.4	2.0	1.1	3.4	3.6
	n	83	37	46	9	18	15	41	58	11	10	4
Not today but sometime during the past 7 days	%	4.9	3.4	6.3	3.8	3.9	5.7	6.3	7.1	2.6	4.8	1.2
	95% CI	1.0	1.1	1.6	1.9	2.0	2.3	1.8	1.8	1.5	3.1	2.3
	n	91	34	57	22	17	21	30	61	15	13	1
Not during the past 7 days but sometime during the past 30 days	%	2.9	2.8	3.1	2.9	2.2	2.2	4.3	4.1	1.1	6.0	0.5
	95% CI	1.3	1.6	1.5	1.9	1.8	1.5	3.0	1.4	0.9	4.6	1.0
	n	55	26	29	17	11	8	18	36	9	9	1
Not during the past 30 days but sometime during the past 6 months	%	6.7	5.2	8.2	5.1	6.4	8.9	7.0	9.2	4.1	7.1	3.4
	95% CI	1.3	1.2	2.2	2.0	3.0	3.2	3.2	1.9	1.4	5.0	4.3
	n	118	47	71	22	29	35	32	81	20	13	4

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 13. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR15 -- (Q14) When was the last time you smoked a cigarette, even one or two
puffs? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Not during the past 6 months but sometime during the past year	%	3.9	4.1	3.6	3.2	3.9	4.9	3.3	4.9	2.7	5.3	1.0
	95% CI	0.6	1.2	1.0	1.6	2.1	2.1	1.6	1.0	1.2	2.4	1.8
	n	69	37	32	17	20	14	17	40	17	11	1
1 to 4 years ago	%	6.4	6.2	6.6	4.4	5.7	7.1	9.0	7.3	5.4	7.8	3.9
	95% CI	1.1	1.3	1.8	2.4	2.9	2.7	1.5	1.8	1.8	4.8	4.0
	n	127	63	64	22	31	31	42	71	38	14	4
5 or more years ago	%	3.3	3.8	2.7	2.3	2.3	3.7	5.4	1.4	5.0	4.5	4.3
	95% CI	1.0	1.4	1.1	1.3	2.4	1.8	2.3	0.7	1.7	2.4	4.0
	n	63	36	27	11	7	17	28	14	33	10	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,718	868	849	456	411	377	467	869	548	207	83

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 14. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR16 -- (Q15) During the past 30 days, what brand of cigarettes did you
usually smoke? (CHOOSE ONLY ONE ANSWER)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not smoke cigarettes during the past 30 days	%	81.3	85.0	77.8	85.9	84.4	81.6	71.7	75.7	87.9	77.6	91.3
	95% CI	2.9	3.2	3.9	3.9	7.6	5.0	3.2	3.6	4.0	7.0	4.6
	n	1,359	729	630	381	334	307	333	643	479	158	73
I did not smoke a usual brand	%	1.1	0.7	1.4	0.8	2.2	0.6	0.6	1.6	0.2	1.5	1.6
	95% CI	0.4	0.6	0.7	0.8	1.8	1.0	0.9	0.4	0.5	1.7	2.0
	n	16	6	10	4	7	3	2	10	1	3	2
American Spirit	%	0.7	0.5	0.9	0.9	0.7	0.2	0.9	0.6	0.7	0.0	0.0
	95% CI	0.4	0.5	0.8	1.1	0.6	0.4	1.1	0.5	0.7	0.0	0.0
	n	11	4	7	3	4	1	3	5	5	0	0
Camel	%	2.6	2.5	2.7	2.4	1.6	2.9	3.9	4.3	1.2	1.6	1.2
	95% CI	0.9	1.2	1.5	1.4	1.1	2.0	2.2	1.6	1.1	1.4	1.7
	n	53	27	26	12	9	10	22	40	6	5	2
GPC, Basic, or Doral	%	0.1	0.0	0.2	0.3	0.0	0.0	0.1	0.0	0.0	0.8	0.5
	95% CI	0.2	0.0	0.4	0.6	0.0	0.0	0.3	0.0	0.0	1.5	1.0
	n	2	0	2	1	0	0	1	0	0	1	1
Kool	%	0.4	0.3	0.5	0.0	0.0	0.2	1.7	0.1	1.0	0.0	0.0
	95% CI	0.4	0.5	0.5	0.0	0.0	0.4	1.8	0.2	1.0	0.0	0.0
	n	8	3	5	0	0	1	7	1	7	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 14. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR16 -- (Q15) During the past 30 days, what brand of cigarettes did you
usually smoke? (CHOOSE ONLY ONE ANSWER)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Lucky Strike	%	0.2	0.1	0.4	0.7	0.0	0.0	0.2	0.2	0.2	0.9	0.0
	95% CI	0.2	0.2	0.3	0.7	0.0	0.0	0.3	0.3	0.3	1.2	0.0
	n	5	1	4	4	0	0	1	2	1	2	0
Marlboro	%	7.1	5.0	9.2	5.2	5.4	7.4	11.0	12.4	1.2	7.8	3.2
	95% CI	1.9	2.0	2.5	2.8	3.0	3.7	3.6	3.1	0.9	3.4	4.1
	n	138	46	92	28	29	27	52	112	6	16	3
Newport	%	5.3	4.8	5.7	3.7	4.1	6.3	7.7	3.7	6.8	8.7	1.1
	95% CI	1.3	1.4	2.0	2.6	1.8	3.2	2.5	1.3	3.3	5.3	0.4
	n	108	48	59	19	20	28	40	39	49	17	2
Parliament	%	0.1	0.0	0.3	0.0	0.5	0.0	0.1	0.3	0.0	0.3	0.0
	95% CI	0.2	0.0	0.5	0.0	1.0	0.0	0.3	0.5	0.0	0.6	0.0
	n	2	0	2	0	1	0	1	1	0	1	0
Virginia Slims	%	0.1	0.1	0.1	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.0
	95% CI	0.1	0.2	0.2	0.0	0.5	0.0	0.0	0.2	0.0	0.0	0.0
	n	2	1	1	0	2	0	0	2	0	0	0
Some other brand not listed here	%	0.9	1.0	0.9	0.2	0.8	0.8	2.1	1.0	0.8	0.7	1.0
	95% CI	0.5	0.6	0.8	0.4	1.1	0.9	1.6	0.8	0.7	1.0	1.8
	n	21	12	9	2	5	3	11	11	6	2	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 14. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR16 -- (Q15) During the past 30 days, what brand of cigarettes did you
 usually smoke? (CHOOSE ONLY ONE ANSWER)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,725	877	847	454	411	380	473	866	560	205	84

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 15. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR17 -- (Q16) Menthol cigarettes are cigarettes that taste like mint. During
the past 30 days, were the cigarettes that you usually smoked menthol?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not smoke cigarettes during the past 30 days	%	79.4	82.0	77.1	84.1	82.1	79.7	70.0	76.4	84.9	70.2	84.9
	95% CI	3.0	4.9	4.0	4.3	5.9	5.5	3.1	3.1	4.0	10.4	9.1
	n	1,378	728	650	390	340	305	338	669	478	154	70
Yes	%	7.5	6.6	8.3	5.1	6.0	8.6	11.7	11.3	3.1	7.4	4.8
	95% CI	1.8	2.6	1.7	2.4	2.6	4.5	2.9	1.7	1.4	4.8	4.4
	n	150	61	88	29	31	30	59	106	19	17	5
No	%	10.0	9.2	10.7	8.0	8.3	9.6	15.1	10.4	8.3	15.9	7.9
	95% CI	1.9	2.3	2.7	2.9	2.7	4.5	2.2	2.3	3.0	6.2	7.5
	n	192	83	109	40	40	42	69	93	56	33	9
Not sure	%	3.1	2.2	3.9	2.9	3.6	2.1	3.3	2.0	3.7	6.5	2.4
	95% CI	0.6	1.1	1.5	1.3	2.2	1.5	1.8	0.7	1.2	4.1	2.6
	n	50	19	31	12	11	9	17	14	22	10	4
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,770	891	878	471	422	386	483	882	575	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 16. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR19 -- (Q19) When you bought or tried to buy cigarettes in a store during
the past 30 days, were you ever asked to show proof of age?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not try to buy cigarettes in a store during the past 30 days	%	90.6	91.6	89.8	94.9	92.6	91.8	80.8	88.8	95.3	83.1	88.4
	95% CI	2.5	3.7	2.9	2.5	3.4	3.6	3.0	2.3	2.1	8.9	7.4
	n	1,589	818	771	444	394	355	388	781	540	182	77
Yes, I was asked to show proof of age	%	5.3	5.2	5.5	2.2	3.4	3.6	13.8	7.4	1.6	9.4	6.3
	95% CI	1.8	2.7	1.7	1.4	2.3	2.0	4.5	1.7	1.5	7.2	5.4
	n	103	44	59	11	13	14	65	67	13	17	6
No, I was not asked to show proof of age	%	4.1	3.3	4.6	3.0	3.9	4.5	5.4	3.7	3.0	7.5	5.4
	95% CI	1.1	1.4	1.8	1.4	2.0	2.1	2.4	1.2	1.3	4.0	5.4
	n	76	28	47	15	15	17	29	34	21	14	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,768	890	877	470	422	386	482	882	574	213	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 17. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR20 -- (Q20) During the past 30 days, did anyone refuse to sell you
cigarettes because of your age?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not try to buy cigarettes during the past 30 days	%	87.4	89.6	85.5	90.9	89.0	88.1	80.3	87.2	90.5	82.0	80.7
	95% CI	3.3	5.2	3.4	4.9	4.5	4.6	3.4	1.9	3.4	8.8	13.2
	n	1,545	808	737	433	381	341	383	771	513	178	74
Yes	%	2.7	1.6	3.9	1.6	2.9	2.9	3.5	3.2	2.1	4.9	0.5
	95% CI	0.9	0.8	1.5	1.0	2.1	1.8	2.4	1.5	1.5	4.3	1.0
	n	51	11	40	9	12	13	16	28	14	8	1
No	%	9.8	8.9	10.6	7.5	8.1	9.0	16.2	9.6	7.5	13.1	18.8
	95% CI	3.2	4.9	3.1	5.1	4.1	4.0	2.7	2.3	3.0	6.4	13.2
	n	172	71	100	28	29	32	83	83	47	27	13
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,768	890	877	470	422	386	482	882	574	213	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 18. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR21 -- (Q21) Have you ever tried smoking cigars, cigarillos, or little
cigars, even one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	30.2	25.1	35.2	21.7	30.1	32.1	39.7	32.8	27.9	32.1	20.8
	95% CI	3.1	3.8	4.3	5.6	6.3	8.1	5.5	3.5	4.8	8.4	8.7
	n	538	217	320	105	119	123	186	282	170	63	19
No	%	69.8	74.9	64.8	78.3	69.9	67.9	60.3	67.2	72.1	67.9	79.2
	95% CI	3.1	3.8	4.3	5.6	6.3	8.1	5.5	3.5	4.8	8.4	8.7
	n	1,192	664	528	359	294	260	277	587	387	145	67
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,730	881	848	464	413	383	463	869	557	208	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 19. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR22 -- (Q22) How old were you when you first tried smoking a cigar,
cigarillo, or little cigar, even one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigars, cigarillos, or little cigars, even one or two puffs	%	74.2	80.3	68.4	83.1	76.2	71.5	63.5	70.5	78.3	70.9	82.1
	95% CI	2.7	2.9	4.4	4.0	5.9	7.3	3.7	3.1	4.2	7.2	7.0
	n	1,289	712	577	387	319	276	304	623	433	156	69
8 years old or younger	%	1.7	0.9	2.2	1.8	2.1	0.7	2.3	1.1	1.7	2.2	3.2
	95% CI	0.5	0.8	0.7	1.6	1.1	0.8	1.3	0.9	0.6	1.8	3.3
	n	30	9	20	6	9	4	11	9	11	5	3
9 years old	%	1.0	0.2	1.7	0.0	2.1	0.9	0.5	0.7	1.5	0.9	0.0
	95% CI	0.4	0.3	0.8	0.0	1.7	0.8	0.5	0.7	0.9	1.1	0.0
	n	16	2	14	0	8	4	3	5	8	3	0
10 years old	%	1.0	0.4	1.6	1.5	1.1	0.2	1.0	1.0	0.8	1.8	0.5
	95% CI	0.5	0.5	1.0	1.1	1.0	0.4	0.9	0.8	0.6	2.2	1.0
	n	18	3	15	7	5	1	5	9	5	3	1
11 years old	%	0.6	0.6	0.6	0.3	1.5	0.5	0.2	0.4	0.5	2.4	0.0
	95% CI	0.3	0.2	0.6	0.4	0.6	0.9	0.4	0.4	0.6	0.8	0.0
	n	9	3	6	2	4	2	1	4	3	2	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 19. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR22 -- (Q22) How old were you when you first tried smoking a cigar,
cigarillo, or little cigar, even one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
12 years old	%	1.5	1.0	2.0	1.3	2.0	0.7	2.1	1.7	1.3	2.0	0.5
	95% CI	0.5	0.7	1.1	1.1	1.7	1.0	1.9	0.6	0.8	2.3	1.1
	n	31	9	22	8	10	3	10	16	9	5	1
13 years old	%	3.0	2.4	3.7	2.8	4.5	3.4	1.0	2.6	3.0	5.6	1.7
	95% CI	0.9	1.2	1.2	1.8	1.8	1.7	0.7	1.0	1.6	4.6	3.3
	n	52	22	30	15	18	13	5	25	15	10	1
14 years old	%	4.1	3.8	4.4	5.8	3.9	2.8	2.9	4.2	4.5	3.8	2.1
	95% CI	1.3	1.3	1.9	2.5	1.9	1.7	1.4	1.3	2.1	3.2	2.7
	n	78	35	43	29	18	11	18	38	28	9	3
15 years old	%	4.6	3.4	5.8	2.4	4.7	5.8	5.9	7.0	2.8	3.3	0.0
	95% CI	0.7	1.4	1.5	1.6	1.0	1.6	1.5	1.2	1.2	2.9	0.0
	n	83	31	52	12	20	21	29	56	20	7	0
16 years old	%	4.2	3.5	4.9	0.5	1.5	8.8	7.8	6.1	1.9	3.5	5.4
	95% CI	1.3	1.2	1.9	0.5	1.5	4.0	1.8	2.1	1.2	2.5	5.1
	n	83	34	49	3	7	34	39	54	15	9	5

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 19. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR22 -- (Q22) How old were you when you first tried smoking a cigar,
cigarillo, or little cigar, even one or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
17 years old	%	2.9	2.6	3.2	0.2	0.3	4.0	8.7	3.7	2.4	2.2	2.2
	95% CI	1.3	1.2	2.0	0.4	0.4	2.7	2.6	1.6	1.7	3.8	3.2
	n	55	24	31	1	2	13	39	32	19	2	2
18 years old	%	1.0	0.9	1.1	0.0	0.0	0.6	4.0	0.8	1.0	1.4	2.2
	95% CI	0.3	0.5	0.6	0.0	0.0	0.9	1.6	0.5	0.8	1.6	2.4
	n	20	7	13	0	0	2	18	7	7	3	3
19 years old or older	%	0.2	0.0	0.4	0.3	0.2	0.2	0.1	0.3	0.2	0.0	0.0
	95% CI	0.2	0.0	0.4	0.6	0.3	0.4	0.3	0.4	0.5	0.0	0.0
	n	4	0	4	1	1	1	1	3	1	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,768	891	876	471	421	385	483	881	574	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 20. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR23 -- (Q23) During the past 30 days, on how many days did you smoke
cigars, cigarillos, or little cigars?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	88.7	91.1	86.5	91.4	90.4	85.7	86.6	87.5	89.8	89.5	90.5
	95% CI	1.7	2.2	2.8	2.7	4.5	6.0	5.4	2.8	2.4	4.9	6.8
	n	1,543	809	734	425	375	334	404	773	497	186	78
1 or 2 days	%	4.9	3.7	6.0	3.5	5.2	5.0	6.0	5.7	3.3	6.5	5.3
	95% CI	1.2	1.1	1.6	1.9	3.5	2.4	3.7	1.7	1.6	4.4	6.3
	n	83	32	50	16	20	18	27	45	21	11	5
3 to 5 days	%	2.3	1.9	2.8	1.9	1.8	4.3	1.5	3.0	2.1	1.4	0.5
	95% CI	1.2	0.9	2.0	1.4	1.3	3.5	1.0	2.1	1.0	1.8	1.0
	n	39	16	23	9	8	13	9	22	13	3	1
6 to 9 days	%	0.9	0.6	1.2	1.1	0.6	0.5	1.4	1.1	0.9	0.4	0.0
	95% CI	0.4	0.4	0.8	1.0	0.5	0.7	1.0	0.8	0.7	0.7	0.0
	n	17	7	10	5	3	2	7	10	6	1	0
10 to 19 days	%	1.5	1.3	1.7	0.8	0.7	2.2	2.7	1.5	1.8	0.3	1.5
	95% CI	0.7	0.8	0.9	0.8	0.7	1.7	1.4	1.3	0.8	0.5	3.0
	n	27	11	16	4	3	8	12	13	12	1	1
20 to 29 days	%	0.7	0.8	0.7	1.1	0.4	0.4	0.8	0.2	1.3	1.0	0.6
	95% CI	0.6	1.1	0.5	1.7	0.5	0.6	0.8	0.3	1.4	1.5	1.1
	n	11	4	7	3	2	2	4	2	6	2	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 20. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR23 -- (Q23) During the past 30 days, on how many days did you smoke
cigars, cigarillos, or little cigars?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.9	0.7	1.2	0.1	0.9	1.9	1.1	1.0	0.8	1.0	1.6
	95% CI	0.6	0.8	0.8	0.3	1.1	1.9	1.1	0.8	0.7	1.2	3.0
	n	15	4	11	1	3	6	5	7	4	3	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,735	883	851	463	414	383	468	872	559	207	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 21. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR26 -- (Q26) Have you ever used chewing tobacco, snuff, or dip, such as
Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen, even just a small amount?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	15.7	8.8	22.6	13.2	15.8	15.7	18.8	22.7	8.5	14.5	11.4
	95% CI	3.4	2.9	5.8	5.2	5.3	4.9	4.4	3.7	3.6	7.9	6.2
	n	303	80	223	73	72	62	94	211	51	28	12
No	%	84.3	91.2	77.4	86.8	84.2	84.3	81.2	77.3	91.5	85.5	88.6
	95% CI	3.4	2.9	5.8	5.2	5.3	4.9	4.4	3.7	3.6	7.9	6.2
	n	1,432	799	633	392	339	319	378	661	511	181	72
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,735	879	856	465	411	381	472	872	562	209	84

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 22. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR27 -- (Q27) How old were you when you used chewing tobacco, snuff, or dip
for the first time?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never used chewing tobacco, snuff, or dip	%	85.4	93.9	77.2	87.1	84.7	86.4	83.6	78.2	94.0	84.0	91.8
	95% CI	3.2	1.8	5.7	4.6	5.0	5.5	4.4	3.9	2.0	5.9	6.7
	n	1,460	822	638	393	342	325	396	671	529	175	78
8 years old or younger	%	1.7	1.1	2.2	2.3	1.8	1.3	1.1	2.1	1.3	1.8	0.0
	95% CI	0.7	0.4	1.4	1.5	1.1	1.2	1.1	1.3	0.9	2.0	0.0
	n	33	12	21	11	10	6	6	20	7	5	0
9 years old	%	0.8	0.3	1.2	0.4	1.5	0.2	0.5	0.9	0.8	0.6	0.0
	95% CI	0.4	0.3	0.8	0.2	1.2	0.3	0.5	0.8	0.5	0.8	0.0
	n	13	3	10	2	6	1	3	6	5	2	0
10 years old	%	1.3	1.0	1.6	1.0	0.7	1.7	2.0	1.5	0.9	1.0	0.5
	95% CI	0.7	1.1	1.0	0.9	1.2	1.8	1.8	1.0	0.9	1.6	1.0
	n	23	5	18	6	2	4	11	12	7	2	1
11 years old	%	0.5	0.2	0.8	0.6	0.2	0.0	1.4	0.6	0.3	0.0	1.1
	95% CI	0.3	0.3	0.5	0.6	0.3	0.0	0.9	0.4	0.3	0.0	2.2
	n	12	3	9	3	1	0	8	7	3	0	1
12 years old	%	0.9	0.1	1.7	1.0	1.4	0.5	0.3	1.4	0.2	1.7	0.0
	95% CI	0.4	0.2	0.9	0.9	1.1	0.9	0.6	0.8	0.3	1.8	0.0
	n	19	1	18	6	8	2	2	15	1	3	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 22. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR27 -- (Q27) How old were you when you used chewing tobacco, snuff, or dip
for the first time?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
13 years old	%	1.5	0.4	2.6	2.0	2.0	0.6	1.3	2.5	0.0	3.6	0.0
	95% CI	0.5	0.5	1.0	1.2	1.7	0.6	1.2	1.2	0.0	3.3	0.0
	n	31	3	28	11	10	3	7	25	0	6	0
14 years old	%	3.1	1.2	5.1	2.9	4.1	3.4	2.2	5.4	0.5	3.5	2.4
	95% CI	1.4	0.9	2.3	2.0	1.9	2.2	1.2	2.4	0.4	4.3	4.7
	n	60	12	48	17	17	15	11	50	4	4	2
15 years old	%	2.5	1.1	3.8	1.7	2.8	3.1	2.2	4.0	0.7	3.2	1.1
	95% CI	0.9	0.6	1.5	1.6	1.6	1.9	1.6	1.1	0.9	1.8	1.9
	n	49	12	37	10	15	12	11	37	4	7	1
16 years old	%	1.2	0.2	2.1	0.0	0.4	2.3	2.5	2.1	0.3	0.3	1.0
	95% CI	0.7	0.4	1.4	0.0	0.6	1.6	1.8	1.1	0.5	0.5	2.0
	n	23	2	21	0	2	8	13	18	2	1	2
17 years old	%	0.6	0.3	1.0	0.2	0.4	0.6	1.4	0.9	0.5	0.0	0.5
	95% CI	0.4	0.3	0.7	0.4	0.6	0.8	1.3	0.7	0.5	0.0	1.0
	n	13	3	10	1	2	3	7	9	3	0	1
18 years old	%	0.4	0.1	0.6	0.0	0.0	0.0	1.7	0.3	0.2	0.3	1.6
	95% CI	0.2	0.3	0.3	0.0	0.0	0.0	0.8	0.4	0.5	0.6	3.0
	n	7	2	5	0	0	0	7	4	1	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 22. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR27 -- (Q27) How old were you when you used chewing tobacco, snuff, or dip
for the first time?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
19 years old or older	%	0.2	0.0	0.2	0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.0
	95% CI	0.3	0.0	0.3	1.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0
	n	2	0	1	2	0	0	0	0	1	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,745	880	864	462	415	379	482	874	567	206	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 23. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR28 -- (Q28) During the past 30 days, on how many days did you use chewing
tobacco, snuff, or dip?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	94.6	98.4	90.8	95.6	92.6	96.4	93.4	91.3	97.7	96.9	95.1
	95% CI	1.5	1.2	2.9	2.4	2.7	2.5	3.3	1.6	1.1	2.0	5.1
	n	1,632	868	764	440	379	367	439	792	550	200	81
1 or 2 days	%	1.7	0.5	2.8	1.0	2.7	0.4	2.7	2.7	0.5	0.6	3.3
	95% CI	0.5	0.5	0.9	0.9	1.5	0.5	1.0	1.0	0.6	0.9	4.4
	n	31	6	25	6	11	2	12	24	3	2	2
3 to 5 days	%	0.5	0.1	0.9	0.7	0.9	0.2	0.2	0.7	0.4	0.4	0.0
	95% CI	0.3	0.2	0.5	0.8	0.9	0.4	0.4	0.5	0.6	0.8	0.0
	n	10	1	9	3	5	1	1	7	2	1	0
6 to 9 days	%	0.6	0.7	0.5	0.5	0.5	0.9	0.6	0.9	0.4	0.7	0.0
	95% CI	0.5	0.9	0.4	0.6	0.7	1.7	0.7	0.8	0.6	1.0	0.0
	n	10	3	7	3	2	1	4	6	2	2	0
10 to 19 days	%	0.7	0.0	1.3	0.4	0.4	0.7	1.3	1.2	0.3	0.0	0.0
	95% CI	0.5	0.0	1.0	0.5	0.5	1.0	2.0	0.9	0.5	0.0	0.0
	n	12	0	12	2	3	3	4	10	2	0	0
20 to 29 days	%	0.6	0.0	1.3	0.7	0.9	0.7	0.3	1.2	0.0	0.7	0.5
	95% CI	0.4	0.0	0.8	1.0	0.8	0.7	0.4	0.8	0.0	1.4	1.0
	n	14	0	14	4	5	3	2	12	0	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 23. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR28 -- (Q28) During the past 30 days, on how many days did you use chewing
tobacco, snuff, or dip?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	1.3	0.3	2.4	1.2	1.9	0.8	1.5	2.1	0.7	0.6	1.1
	95% CI	0.6	0.4	1.0	0.9	1.4	0.8	0.9	0.9	0.9	0.8	2.2
	n	29	2	27	6	10	4	9	22	4	2	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,738	880	858	464	415	381	471	873	563	208	85

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 24. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR31 -- (Q31) Have you ever tried smoking tobacco in a pipe, even one or two
puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	12.4	10.2	14.4	9.2	12.3	11.8	17.5	14.8	9.4	9.9	16.2
	95% CI	1.9	1.6	3.7	2.2	2.8	5.0	4.0	2.9	3.7	5.7	8.6
	n	216	82	133	41	54	41	79	123	56	22	14
No	%	87.6	89.8	85.6	90.8	87.7	88.2	82.5	85.2	90.6	90.1	83.8
	95% CI	1.9	1.6	3.7	2.2	2.8	5.0	4.0	2.9	3.7	5.7	8.6
	n	1,519	793	726	418	360	340	394	751	505	182	74
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,735	875	859	459	414	381	473	874	561	204	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 25. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR32 -- (Q32) During the past 30 days, on how many days did you smoke
tobacco in a pipe?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	94.1	94.9	93.6	95.2	92.6	96.2	92.1	94.7	94.8	92.9	90.1
	95% CI	1.2	1.3	1.7	1.9	2.9	2.6	3.0	2.0	2.8	2.9	7.7
	n	1,668	851	817	449	393	373	445	837	544	198	80
1 or 2 days	%	2.3	2.4	2.1	1.7	3.1	0.7	3.7	2.2	2.1	1.3	4.6
	95% CI	0.8	1.3	0.9	1.0	1.8	0.8	1.9	0.8	1.7	1.3	5.6
	n	39	19	20	9	12	3	15	22	10	3	3
3 to 5 days	%	1.6	1.4	1.9	1.7	2.4	1.3	1.1	1.5	2.0	1.7	0.0
	95% CI	0.5	0.7	0.9	1.4	1.5	1.2	0.8	1.1	1.4	1.6	0.0
	n	26	8	18	7	8	4	7	11	10	5	0
6 to 9 days	%	1.1	1.1	1.1	0.7	1.0	1.2	1.5	0.8	0.9	1.3	3.7
	95% CI	0.9	1.7	0.8	0.8	1.5	1.7	1.4	1.2	0.8	2.5	4.3
	n	14	5	9	3	2	2	7	3	6	1	4
10 to 19 days	%	0.3	0.1	0.6	0.0	0.4	0.7	0.5	0.6	0.0	0.7	0.0
	95% CI	0.3	0.2	0.5	0.0	0.4	0.8	0.7	0.5	0.0	1.3	0.0
	n	7	1	6	0	2	3	2	6	0	1	0
20 to 29 days	%	0.1	0.0	0.3	0.0	0.4	0.0	0.1	0.1	0.0	1.0	0.0
	95% CI	0.1	0.0	0.2	0.0	0.6	0.0	0.3	0.2	0.0	0.8	0.0
	n	3	0	3	0	2	0	1	1	0	2	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 25. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR32 -- (Q32) During the past 30 days, on how many days did you smoke
 tobacco in a pipe?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.4	0.1	0.6	0.7	0.2	0.0	0.9	0.1	0.2	1.1	1.6
	95% CI	0.5	0.2	0.6	1.4	0.3	0.0	1.1	0.1	0.2	1.7	3.0
	n	7	1	5	2	1	0	4	1	2	2	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,764	885	878	470	420	385	481	881	572	212	88

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 26. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR33 -- (Q33) Have you ever tried smoking any of the following, even one or
two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never smoked bidis (small brown cigarettes wrapped in a leaf) or kreteks (clove cigarettes)	%	94.5	96.0	93.2	96.0	93.2	95.6	93.0	94.7	95.3	91.4	96.9
	95% CI	1.0	2.5	1.6	1.5	3.2	1.6	2.6	0.9	2.2	3.0	3.1
	n	1,660	856	804	450	394	367	442	834	541	193	84
Bidis	%	1.5	0.9	2.0	1.7	1.1	1.5	1.7	1.1	1.9	2.0	1.0
	95% CI	0.5	0.7	0.9	0.9	0.9	0.8	1.1	0.5	0.8	1.8	1.9
	n	29	8	21	9	4	7	9	11	11	5	2
Kreteks	%	1.5	1.2	1.8	0.7	1.8	1.0	2.1	1.5	1.4	2.3	0.0
	95% CI	0.7	1.1	0.7	0.9	1.7	0.7	1.5	0.8	0.9	3.0	0.0
	n	27	9	18	2	7	5	12	13	11	3	0
I have tried both bidis and kreteks	%	2.6	1.9	3.0	1.6	3.9	1.8	3.2	2.7	1.4	4.2	2.1
	95% CI	0.7	1.4	1.3	1.2	1.5	1.6	1.6	0.7	1.1	3.5	3.2
	n	44	13	30	8	15	6	15	21	8	10	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,760	886	873	469	420	385	478	879	571	211	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 27. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR34 -- (Q34) During the past 30 days, on how many days did you smoke bidis?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	98.2	98.9	97.6	98.5	98.5	98.3	97.1	98.5	98.6	97.6	95.7
	95% CI	0.7	0.9	0.9	1.4	1.3	1.7	1.4	0.6	0.9	2.1	4.4
	n	1,703	868	835	452	409	376	458	864	552	196	84
1 or 2 days	%	0.5	0.2	0.7	0.4	0.0	0.5	1.1	0.5	0.4	0.3	1.0
	95% CI	0.3	0.2	0.5	0.5	0.0	0.6	0.5	0.4	0.5	0.6	0.4
	n	11	2	9	2	0	2	7	5	3	1	2
3 to 9 days	%	0.3	0.4	0.1	0.0	0.1	0.9	0.2	0.6	0.0	0.0	0.0
	95% CI	0.4	0.8	0.2	0.0	0.3	1.7	0.3	0.8	0.0	0.0	0.0
	n	3	1	2	0	1	1	1	3	0	0	0
10 to 19 days	%	0.3	0.2	0.5	0.0	0.9	0.0	0.6	0.2	0.3	0.0	1.7
	95% CI	0.4	0.2	0.6	0.0	1.2	0.0	0.8	0.5	0.5	0.0	3.3
	n	5	2	3	0	2	0	3	1	3	0	1
20 to 29 days	%	0.1	0.0	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.3	0.0
	95% CI	0.1	0.0	0.2	0.0	0.0	0.0	0.4	0.1	0.0	0.5	0.0
	n	2	0	2	0	0	0	2	1	0	1	0
All 30 days	%	0.7	0.3	0.9	1.1	0.5	0.3	0.8	0.1	0.7	1.9	1.6
	95% CI	0.4	0.3	0.6	1.3	0.4	0.5	0.9	0.2	0.7	1.6	3.0
	n	12	3	8	4	3	2	3	1	4	5	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 27. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR34 -- (Q34) During the past 30 days, on how many days did you smoke bidis?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,736	876	859	458	415	381	474	875	562	203	88

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 28. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR35 -- (Q35) During the past 30 days, on how many days did you smoke clove
cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	95.8	97.2	94.6	96.0	95.0	97.5	95.1	97.2	95.9	89.9	96.7
	95% CI	1.1	2.0	1.8	1.4	2.7	1.8	2.5	0.9	2.0	5.5	4.1
	n	1,696	869	827	453	403	377	456	860	547	195	85
1 or 2 days	%	1.6	0.8	2.5	1.4	2.2	1.3	1.2	1.1	1.7	4.4	1.1
	95% CI	0.6	0.7	1.3	0.9	1.8	1.0	0.8	0.9	0.9	5.1	2.1
	n	26	7	19	6	6	6	7	8	11	6	1
3 to 9 days	%	0.7	1.1	0.4	1.1	0.5	0.0	1.2	0.6	0.6	2.2	0.0
	95% CI	0.6	1.1	0.3	1.0	1.1	0.0	0.8	0.6	0.6	2.8	0.0
	n	13	8	5	5	1	0	7	4	5	4	0
10 to 19 days	%	0.7	0.0	1.1	0.8	0.6	0.0	1.2	0.4	0.4	1.3	0.5
	95% CI	0.5	0.0	0.8	1.1	0.6	0.0	1.4	0.4	0.5	2.7	1.1
	n	12	0	11	3	3	0	6	5	2	2	1
20 to 29 days	%	0.5	0.6	0.4	0.6	0.0	0.9	0.6	0.6	0.5	0.4	0.0
	95% CI	0.4	0.8	0.3	0.7	0.0	1.6	0.6	0.8	0.5	0.7	0.0
	n	7	3	4	3	0	1	3	2	4	1	0
All 30 days	%	0.7	0.3	1.1	0.2	1.6	0.3	0.7	0.2	0.8	1.8	1.7
	95% CI	0.4	0.3	0.9	0.4	1.4	0.5	0.8	0.3	0.7	1.6	3.3
	n	14	3	11	1	7	2	4	2	6	5	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 28. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR35 -- (Q35) During the past 30 days, on how many days did you smoke clove
cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,768	890	877	471	420	386	483	881	575	213	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 29. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR36 -- (Q36) Have you ever tried smoking tobacco in a water pipe, even one
or two puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	15.1	14.4	15.6	10.8	15.7	15.1	20.4	17.2	11.2	16.4	19.9
	95% CI	2.8	3.4	3.8	3.0	4.1	4.2	3.8	5.9	3.9	6.2	9.5
	n	249	120	128	50	56	55	87	133	66	30	18
No	%	84.9	85.6	84.4	89.2	84.3	84.9	79.6	82.8	88.8	83.6	80.1
	95% CI	2.8	3.4	3.8	3.0	4.1	4.2	3.8	5.9	3.9	6.2	9.5
	n	1,510	767	743	419	359	330	395	743	506	183	70
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,759	887	871	469	415	385	482	876	572	213	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 30. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR37 -- (Q37) During the past 30 days, on how many days did you smoke
tobacco in a water pipe?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	91.9	92.2	91.9	95.1	90.5	93.9	87.5	92.0	92.2	90.2	93.8
	95% CI	1.4	2.7	1.4	2.0	2.8	4.0	1.9	1.3	3.2	3.9	6.0
	n	1,633	831	802	449	385	364	428	819	530	192	83
1 or 2 days	%	3.7	3.9	3.6	2.2	3.1	3.5	6.9	4.2	3.4	3.9	3.2
	95% CI	1.0	1.9	1.1	1.7	2.8	2.5	3.3	1.2	1.9	2.6	4.4
	n	63	29	34	10	12	13	28	34	17	10	2
3 to 5 days	%	1.5	1.3	1.7	0.4	2.0	0.3	3.2	1.7	1.5	1.4	0.5
	95% CI	0.5	0.8	0.7	0.6	1.1	0.4	2.3	0.6	0.9	1.6	0.9
	n	29	14	15	2	9	2	15	13	12	3	1
6 to 9 days	%	1.1	1.3	1.0	0.7	1.7	1.2	1.1	0.9	1.5	0.8	1.0
	95% CI	0.7	0.6	0.8	1.2	2.2	1.6	1.1	0.4	1.7	1.1	2.0
	n	15	6	9	4	4	2	5	5	7	2	1
10 to 19 days	%	0.7	0.3	1.0	0.8	0.8	0.9	0.1	0.8	0.4	1.7	0.0
	95% CI	0.5	0.5	0.8	1.1	1.0	0.9	0.3	0.8	0.8	2.1	0.0
	n	11	2	9	3	3	4	1	6	2	3	0
20 to 29 days	%	0.3	0.6	0.1	0.0	1.2	0.0	0.1	0.1	0.4	1.3	0.0
	95% CI	0.4	0.8	0.1	0.0	1.5	0.0	0.3	0.1	0.8	2.5	0.0
	n	4	3	1	0	3	0	1	1	2	1	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 30. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable GAR37 -- (Q37) During the past 30 days, on how many days did you smoke
 tobacco in a water pipe?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.7	0.4	0.7	0.8	0.7	0.2	1.0	0.4	0.5	0.8	1.6
	95% CI	0.4	0.5	0.5	0.7	0.6	0.4	1.1	0.2	0.7	1.0	3.0
	n	12	4	7	3	4	1	4	4	4	2	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,767	889	877	471	420	386	482	882	574	213	88

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 31. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR38 -- (Q38) Have you ever tried smoking e-cigarettes, even one or two
puffs?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	15.7	12.2	19.0	12.3	13.8	18.3	20.0	21.5	10.3	14.1	7.9
	95% CI	2.2	2.5	3.1	3.1	4.2	4.6	3.7	3.4	3.0	7.0	4.8
	n	293	112	180	62	65	69	96	191	62	28	10
No	%	84.3	87.8	81.0	87.7	86.2	81.7	80.0	78.5	89.7	85.9	92.1
	95% CI	2.2	2.5	3.1	3.1	4.2	4.6	3.7	3.4	3.0	7.0	4.8
	n	1,474	778	696	409	355	316	387	690	512	185	78
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,767	890	876	471	420	385	483	881	574	213	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 32. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR39 -- (Q39) During the past 30 days, on how many days did you smoke
e-cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	91.5	93.0	90.2	93.3	90.8	91.2	90.3	89.5	93.9	92.8	92.9
	95% CI	1.3	1.9	2.2	2.3	3.2	3.7	3.2	1.5	1.9	2.5	6.6
	n	1,593	824	769	432	377	349	429	786	528	193	78
1 or 2 days	%	3.4	2.4	4.3	2.6	3.0	4.4	3.9	4.9	1.9	2.4	3.3
	95% CI	1.2	1.2	1.5	1.4	2.2	2.5	1.6	2.4	1.2	2.0	3.9
	n	64	23	41	14	17	16	17	44	10	6	4
3 to 5 days	%	2.7	2.7	2.4	2.9	2.4	2.1	2.8	3.4	1.4	3.2	0.5
	95% CI	1.0	2.3	0.9	2.0	2.0	1.9	1.7	1.8	0.8	2.6	1.0
	n	42	17	24	10	9	6	16	24	8	7	1
6 to 9 days	%	1.2	0.6	1.8	0.5	1.8	1.4	1.2	1.1	1.2	0.4	2.8
	95% CI	0.5	0.9	1.0	0.7	2.0	1.2	0.9	0.9	1.1	0.7	4.0
	n	19	3	16	3	5	4	7	10	6	1	2
10 to 19 days	%	0.7	0.6	0.8	0.3	0.8	0.7	1.0	0.8	0.7	0.4	0.0
	95% CI	0.3	0.4	0.4	0.4	0.7	0.7	0.8	0.5	0.6	0.8	0.0
	n	16	7	9	2	5	3	6	9	6	1	0
20 to 29 days	%	0.3	0.2	0.3	0.0	0.4	0.4	0.3	0.2	0.3	0.3	0.6
	95% CI	0.2	0.3	0.3	0.0	0.5	0.5	0.4	0.3	0.4	0.6	1.2
	n	6	2	4	0	2	2	2	2	2	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 32. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable GAR39 -- (Q39) During the past 30 days, on how many days did you smoke
 e-cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.4	0.6	0.2	0.4	0.8	0.0	0.3	0.1	0.7	0.4	0.0
	95% CI	0.3	0.5	0.3	0.5	0.8	0.0	0.4	0.2	0.7	0.8	0.0
	n	7	5	2	2	3	0	2	1	4	1	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,747	881	865	463	418	380	479	876	564	210	86

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 33. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR38 -- (Q42) How easy would it be for you to get tobacco products if you
wanted some?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Very easy	%	44.7	43.8	45.5	28.8	39.6	51.9	65.3	51.4	39.7	39.2	33.3
	95% CI	3.3	4.7	3.7	5.4	4.7	7.2	4.2	4.3	4.3	10.1	10.1
	n	837	410	426	143	180	192	320	467	245	85	34
Somewhat easy	%	30.8	31.5	30.1	39.4	32.1	29.6	18.4	32.5	27.5	33.5	35.9
	95% CI	2.5	4.9	2.9	7.1	5.8	6.5	2.7	2.3	3.3	7.2	6.5
	n	511	264	247	181	132	107	87	274	142	69	26
Not easy at all	%	24.5	24.7	24.4	31.8	28.3	18.5	16.2	16.1	32.8	27.3	30.7
	95% CI	3.1	4.3	3.2	4.6	6.2	7.5	4.7	3.0	4.2	8.0	11.4
	n	405	212	193	143	104	81	75	138	178	57	28
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,753	886	866	467	416	380	482	879	565	211	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 34. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR39 -- (Q43) Do you believe that tobacco companies try to get young people
under 18 to use tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	54.2	55.6	52.9	58.7	56.3	48.6	51.4	54.8	51.3	60.4	57.2
	95% CI	3.0	3.5	3.3	5.6	5.5	4.0	5.5	4.8	5.3	7.6	9.4
	n	960	505	455	282	244	187	243	495	293	121	46
No	%	45.8	44.4	47.1	41.3	43.7	51.4	48.6	45.2	48.7	39.6	42.8
	95% CI	3.0	3.5	3.3	5.6	5.5	4.0	5.5	4.8	5.3	7.6	9.4
	n	799	380	418	186	176	197	236	386	278	88	41
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,759	885	873	468	420	384	479	881	571	209	87

%=Percentage, CI=Confidence Interval, n=Cell Size

**Table 35. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR40 -- (Q44) When you are using the Internet, how often do you see ads for
tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not use the Internet	%	5.1	3.6	6.7	5.2	4.7	5.5	5.2	3.0	7.1	5.7	7.2
	95% CI	2.2	2.0	3.1	1.9	4.0	3.6	2.2	1.4	3.9	3.0	5.6
	n	83	29	54	22	15	22	24	23	37	12	9
Never	%	26.6	22.9	30.3	27.4	26.0	29.6	23.5	28.5	23.8	33.6	19.1
	95% CI	1.8	3.0	2.3	3.1	4.1	4.1	3.5	2.8	3.4	7.3	7.3
	n	454	199	255	129	99	116	108	230	135	69	17
Rarely	%	35.2	37.6	32.9	34.6	32.4	34.7	38.7	36.5	37.8	26.6	24.4
	95% CI	3.0	3.6	4.1	5.3	4.8	5.7	3.1	4.5	5.0	8.3	12.8
	n	622	326	296	158	145	125	189	323	214	60	22
Sometimes	%	25.1	28.1	22.2	22.8	27.6	25.6	25.1	25.0	23.6	23.0	40.3
	95% CI	2.9	3.1	3.2	2.4	4.5	6.0	3.1	5.4	4.4	5.6	13.3
	n	461	258	203	111	120	107	122	238	137	54	32
Most of the time	%	4.9	5.2	4.5	6.6	5.7	1.6	4.9	4.8	4.9	5.4	4.0
	95% CI	1.2	1.7	1.1	2.5	2.7	1.9	1.6	2.1	2.1	3.5	4.7
	n	93	54	39	35	26	6	26	49	30	10	3
Always	%	3.1	2.6	3.4	3.3	3.6	2.9	2.6	2.2	2.9	5.7	5.0
	95% CI	0.8	1.0	1.3	1.6	1.9	1.9	1.0	1.2	1.3	5.4	3.8
	n	50	21	28	14	14	9	13	17	19	8	5

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 35. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR40 -- (Q44) When you are using the Internet, how often do you see ads for
tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,763	887	875	469	419	385	482	880	572	213	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 36. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR41 -- (Q45) When you read newspapers or magazines, how often do you see
ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not read newspapers or magazines	%	28.8	22.5	35.0	31.7	30.9	25.4	25.5	26.5	31.5	27.8	28.4
	95% CI	3.1	3.8	3.4	5.7	5.8	6.4	4.7	3.4	4.7	6.8	10.2
	n	490	196	294	141	125	102	120	237	170	56	23
Never	%	14.0	11.8	16.1	11.8	16.0	15.0	13.8	13.2	14.4	15.2	14.1
	95% CI	1.7	2.0	2.2	3.0	5.5	2.8	3.7	2.0	3.1	6.9	5.8
	n	239	109	130	55	60	57	67	110	81	31	14
Rarely	%	23.3	26.2	20.2	20.9	21.1	29.0	22.9	25.5	21.9	21.0	18.3
	95% CI	2.2	3.2	2.1	4.1	5.8	5.5	4.3	4.2	4.7	6.3	8.6
	n	398	223	174	98	84	104	109	204	127	48	17
Sometimes	%	23.7	28.1	19.3	24.9	22.3	21.9	24.8	25.5	21.0	24.2	27.5
	95% CI	3.1	4.9	2.7	4.0	7.1	4.8	5.0	2.3	4.3	7.8	15.1
	n	431	249	182	121	103	83	121	239	115	55	21
Most of the time	%	6.8	8.4	5.2	7.1	6.0	6.0	8.2	7.1	7.1	4.8	6.4
	95% CI	1.9	3.5	1.6	2.7	3.5	2.8	2.6	2.4	2.4	2.7	6.1
	n	135	85	50	36	31	26	42	72	46	11	6
Always	%	3.6	3.0	4.3	3.6	3.7	2.6	4.7	2.2	4.1	6.9	5.3
	95% CI	0.9	1.3	1.5	1.2	1.9	1.9	2.5	0.8	2.1	3.0	4.5
	n	63	25	38	17	14	9	23	16	30	11	5

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 36. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR41 -- (Q45) When you read newspapers or magazines, how often do you see
 ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,756	887	868	468	417	381	482	878	569	212	86

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 37. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR44 -- (Q48) When you go to a convenience store, supermarket, or gas
station, how often do you see ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I never go to a convenience store, supermarket, or gas station	%	12.1	8.4	15.5	14.4	9.8	13.3	10.2	6.3	17.6	15.2	12.8
	95% CI	3.5	3.1	4.7	6.3	6.1	4.7	3.4	1.6	6.3	6.4	8.0
	n	193	72	120	58	30	51	53	50	98	29	13
Never	%	7.6	6.1	9.1	7.8	7.4	7.7	7.4	5.3	9.9	7.8	8.5
	95% CI	2.1	1.7	4.1	2.3	4.8	2.6	3.1	1.5	3.6	4.3	7.7
	n	115	43	72	31	24	27	33	39	48	16	9
Rarely	%	8.6	9.3	8.0	9.4	6.8	9.5	9.0	6.9	9.2	9.7	16.6
	95% CI	1.8	3.0	1.8	4.5	2.0	2.7	2.3	2.5	3.0	7.0	7.9
	n	134	72	62	37	23	36	38	53	56	18	7
Sometimes	%	15.7	17.3	14.2	13.4	18.9	14.2	16.7	14.9	15.1	13.6	27.2
	95% CI	2.7	3.6	3.3	3.9	5.6	3.0	4.8	2.5	2.9	4.4	14.2
	n	275	147	128	68	75	57	73	130	91	32	21
Most of the time	%	24.6	26.6	22.7	27.8	22.3	25.3	22.2	29.6	20.8	23.9	14.0
	95% CI	2.6	3.9	3.1	3.5	4.7	5.6	3.2	2.9	3.5	5.3	7.9
	n	449	245	204	135	104	94	115	263	116	55	14

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 37. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR44 -- (Q48) When you go to a convenience store, supermarket, or gas
station, how often do you see ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Always	%	31.5	32.5	30.6	27.2	34.7	30.0	34.5	37.1	27.3	29.8	21.0
	95% CI	3.8	4.5	4.6	6.7	6.6	3.4	7.1	4.2	4.6	8.0	11.4
	n	592	306	286	139	163	118	168	345	160	63	22
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,758	885	872	468	419	383	480	880	569	213	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 38. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR45 -- (Q49) During the past 30 days, how often did you see an ad for
cigarettes or smokeless tobacco that was outdoors on a billboard or could be seen from outside
a store?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not see an ad for cigarettes or smokeless tobacco during the past 30 days	%	29.6	25.1	33.8	33.3	26.7	31.1	26.2	20.7	36.1	33.9	45.1
	95% CI	3.5	4.1	4.0	5.0	8.8	5.3	5.7	3.2	4.2	6.8	13.5
	n	481	208	272	142	94	122	120	166	208	69	33
Never	%	9.4	8.1	10.8	11.3	8.5	7.2	9.8	7.5	10.3	13.8	9.2
	95% CI	2.1	3.2	2.1	3.9	3.9	2.6	2.5	2.5	3.2	3.9	7.6
	n	156	71	85	47	34	29	44	66	52	25	11
Rarely	%	18.0	21.0	15.1	17.9	17.3	17.8	19.7	20.0	17.2	13.9	17.6
	95% CI	1.7	2.6	2.1	4.1	4.2	5.2	2.4	2.1	4.4	4.4	7.9
	n	309	174	135	87	73	59	90	167	93	34	15
Sometimes	%	21.4	22.5	20.4	17.2	23.4	24.0	22.5	26.7	17.6	17.6	14.6
	95% CI	2.4	4.2	3.1	4.8	4.6	5.8	5.3	2.0	3.6	4.8	7.7
	n	397	210	187	87	106	92	111	242	98	42	15

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 38. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR45 -- (Q49) During the past 30 days, how often did you see an ad for
cigarettes or smokeless tobacco that was outdoors on a billboard or could be seen from outside
a store?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Most of the time	%	11.3	12.8	10.0	11.4	11.9	10.5	11.6	14.4	9.3	9.8	4.5
	95% CI	2.6	3.2	2.5	4.3	3.8	2.6	3.0	4.1	3.1	5.3	4.3
	n	226	126	100	60	61	40	64	138	58	24	5
Always	%	10.2	10.5	9.9	8.8	12.3	9.4	10.2	10.6	9.6	11.0	8.9
	95% CI	2.3	3.5	2.5	2.5	4.0	3.4	2.6	2.9	2.8	6.0	8.0
	n	192	97	95	46	52	41	52	102	61	19	8
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,761	886	874	469	420	383	481	881	570	213	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 39. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR46 -- (Q50) When you watch TV or go to the movies, how often do you see
actors and actresses using cigarettes or other tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not watch TV or go to the movies	%	8.0	5.3	10.4	8.4	7.2	7.6	8.7	4.5	10.5	10.5	11.5
	95% CI	2.9	3.0	3.5	4.7	4.1	4.1	2.4	1.1	4.9	6.6	9.2
	n	129	41	87	31	23	30	44	36	58	21	11
Never	%	9.5	7.1	11.8	11.9	9.6	5.2	10.5	8.4	11.3	7.3	7.7
	95% CI	1.8	1.6	2.9	3.3	4.3	2.3	2.3	2.6	3.6	3.9	6.3
	n	151	56	95	46	34	23	48	67	58	15	9
Rarely	%	18.4	19.3	17.5	19.1	19.2	17.3	17.2	16.8	19.5	22.2	17.9
	95% CI	2.0	2.6	4.2	4.3	6.9	2.5	2.7	2.7	4.2	4.8	13.5
	n	302	162	140	79	68	66	86	139	108	44	10
Sometimes	%	39.1	39.3	38.9	35.7	38.3	44.7	39.4	45.8	31.2	36.0	43.4
	95% CI	3.0	2.2	4.5	6.7	4.8	7.4	5.3	3.4	4.0	6.5	15.3
	n	699	345	354	182	174	160	181	401	179	81	35
Most of the time	%	17.6	20.2	15.1	16.2	19.9	16.2	18.6	18.4	17.7	16.0	15.9
	95% CI	3.0	2.8	3.8	5.9	6.5	4.2	2.5	3.8	4.2	8.1	7.7
	n	346	206	140	89	97	66	94	186	111	31	18
Always	%	7.5	8.9	6.2	8.8	5.9	8.9	5.5	6.0	9.9	8.0	3.6
	95% CI	1.2	1.8	1.5	2.6	1.9	1.9	1.8	1.3	2.0	3.5	4.0
	n	134	76	58	42	23	37	30	51	57	20	5

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 39. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR46 -- (Q50) When you watch TV or go to the movies, how often do you see
 actors and actresses using cigarettes or other tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,761	886	874	469	419	382	483	880	571	212	88

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 40. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR48 -- (Q52) A warning label tells you if a product is harmful to you and
can be either a picture or words. During the past 30 days, how often did you see a warning
label on a cigarette pack?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not see a cigarette pack during the past 30 days	%	61.0	61.5	60.3	63.9	61.2	60.9	56.7	54.5	70.0	56.8	60.7
	95% CI	3.2	3.7	4.2	5.2	5.7	3.6	4.1	5.8	5.3	8.3	16.7
	n	1,036	535	500	291	245	229	266	465	388	121	57
Never	%	7.2	7.3	7.1	9.6	7.0	6.6	4.7	3.6	8.4	11.5	15.7
	95% CI	1.4	3.1	2.5	3.5	2.0	3.2	2.0	1.9	2.9	5.7	15.2
	n	117	59	58	36	28	28	25	33	49	23	10
Rarely	%	5.5	5.4	5.6	4.8	5.9	5.7	5.6	5.1	6.0	5.6	6.1
	95% CI	1.5	2.2	1.6	2.1	2.2	2.6	2.1	1.7	2.4	3.7	8.6
	n	103	48	55	24	21	26	31	47	36	14	5
Sometimes	%	5.1	5.1	5.1	6.3	5.9	2.4	5.3	5.6	3.7	8.2	4.9
	95% CI	1.0	1.1	1.5	1.8	2.4	1.3	2.1	1.4	1.9	3.4	4.8
	n	93	46	47	30	28	9	26	51	21	17	4
Most of the time	%	4.2	4.2	4.3	4.2	3.9	4.2	4.9	4.8	3.1	6.7	3.6
	95% CI	1.4	1.5	1.6	2.3	1.8	1.8	2.8	1.8	1.9	3.1	4.4
	n	80	36	44	23	16	16	25	44	17	15	4
Always	%	17.0	16.6	17.5	11.3	16.0	20.1	22.8	26.4	8.8	11.1	9.1
	95% CI	2.5	2.5	3.5	4.3	5.0	3.6	3.9	3.6	2.3	5.3	6.2
	n	328	158	170	65	81	72	108	236	60	22	8

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 40. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR48 -- (Q52) A warning label tells you if a product is harmful to you and
 can be either a picture or words. During the past 30 days, how often did you see a warning
 label on a cigarette pack?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,757	882	874	469	419	380	481	876	571	212	88

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 41. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR49 -- (Q53) During the past 30 days, how often did you see a warning label
on a smokeless tobacco product?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not see a smokeless tobacco product during the past 30 days	%	67.9	70.2	65.6	70.8	68.5	68.0	63.5	63.1	75.3	64.1	64.7
	95% CI	3.4	3.4	4.2	5.4	5.4	3.5	5.2	4.3	5.8	6.9	13.6
	n	1,159	612	546	324	277	256	298	535	424	136	57
Never	%	7.4	7.3	7.5	9.2	7.6	6.0	5.7	4.0	9.6	11.9	9.5
	95% CI	1.8	2.5	3.0	3.2	3.0	3.4	2.3	1.2	4.0	4.7	4.3
	n	127	63	64	41	27	26	32	34	56	27	8
Rarely	%	4.7	5.4	4.0	4.3	5.6	5.0	3.8	3.9	5.5	6.4	2.1
	95% CI	1.3	2.3	1.1	2.6	2.8	2.5	2.0	1.2	3.1	3.4	3.3
	n	83	49	34	22	22	19	20	37	29	14	2
Sometimes	%	4.7	4.9	4.4	5.4	4.2	3.4	5.3	3.5	3.6	7.9	13.4
	95% CI	1.1	2.2	1.4	3.0	1.2	1.4	1.9	1.2	1.7	3.7	12.5
	n	78	35	43	20	17	13	27	35	20	12	10
Most of the time	%	3.4	2.7	4.1	2.7	2.8	4.2	4.4	5.1	1.8	2.3	2.9
	95% CI	0.9	1.0	1.2	1.4	1.0	1.8	2.0	1.2	1.3	1.1	3.8
	n	65	25	40	13	14	18	20	44	12	6	3

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 41. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR49 -- (Q53) During the past 30 days, how often did you see a warning label
on a smokeless tobacco product?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Always	%	12.0	9.6	14.4	7.6	11.3	13.4	17.2	20.4	4.2	7.4	7.5
	95% CI	2.8	2.4	4.2	3.6	4.4	3.9	3.3	3.1	2.0	3.6	4.6
	n	245	101	144	46	63	49	85	191	29	17	8
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,757	885	871	466	420	381	482	876	570	212	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 42. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR50 -- (Q54) During the past 12 months, did you buy or receive anything
that has a tobacco company name or picture on it?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	14.6	14.5	14.4	11.7	12.2	16.4	19.2	16.9	11.2	14.3	15.3
	95% CI	2.3	2.5	3.1	3.3	3.3	4.4	3.1	2.8	4.2	7.5	7.3
	n	271	128	142	59	56	59	95	152	71	31	14
No	%	85.4	85.5	85.6	88.3	87.8	83.6	80.8	83.1	88.8	85.7	84.7
	95% CI	2.3	2.5	3.1	3.3	3.3	4.4	3.1	2.8	4.2	7.5	7.3
	n	1,474	754	720	403	359	319	387	722	492	180	72
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,745	882	862	462	415	378	482	874	563	211	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 43. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR51 -- (Q55) How likely is it that you would ever use or wear
something-such as a lighter, T-shirt, hat, or sunglasses-that has a tobacco company name or
picture on it?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Very likely	%	9.9	7.0	12.5	7.4	11.9	9.3	11.7	9.3	10.3	9.6	10.1
	95% CI	2.2	2.2	2.3	2.1	5.3	4.0	3.2	2.3	3.6	6.9	7.2
	n	173	60	112	34	45	36	58	84	60	17	9
Somewhat likely	%	13.5	14.4	12.7	13.4	14.5	14.0	12.2	14.2	11.8	12.9	16.7
	95% CI	1.9	2.0	2.8	3.4	3.8	2.9	2.4	2.1	3.6	5.4	7.6
	n	228	116	112	66	57	49	55	120	63	29	14
Somewhat unlikely	%	13.6	13.2	14.0	12.6	13.9	11.8	16.5	16.1	11.1	16.4	7.9
	95% CI	1.7	2.6	2.0	3.6	2.9	3.8	2.8	2.1	3.0	4.8	5.7
	n	255	127	128	65	65	50	74	149	65	32	9
Very unlikely	%	63.0	65.4	60.7	66.6	59.6	64.9	59.6	60.4	66.8	61.0	65.4
	95% CI	4.0	3.9	4.7	5.4	6.0	6.5	3.2	3.5	6.7	7.7	11.3
	n	1,096	580	516	303	250	245	292	524	378	133	55
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,752	883	868	468	417	380	479	877	566	211	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 44. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR56 -- (Q56) During the past 12 months, did any doctor, dentist, or nurse
ask you if you use tobacco of any kind?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not see a doctor, dentist, or nurse during the past 12 months	%	15.9	14.2	17.3	13.3	17.6	19.2	14.4	11.0	19.4	19.9	17.4
	95% CI	3.3	3.7	3.8	4.1	5.1	6.3	2.7	4.0	4.0	7.1	10.1
	n	262	108	153	62	61	69	70	98	106	36	17
Yes	%	29.9	33.0	26.9	26.5	26.5	29.8	39.1	34.0	26.1	28.6	29.5
	95% CI	3.0	4.2	3.3	4.8	5.0	4.4	6.3	2.9	4.4	5.2	9.9
	n	541	303	238	121	120	111	187	294	163	60	24
No	%	45.5	43.5	47.6	51.3	45.5	44.8	37.4	44.5	46.7	46.9	44.4
	95% CI	3.9	5.1	5.2	4.3	6.2	6.6	6.2	4.3	6.4	6.4	12.4
	n	806	400	406	242	199	174	185	402	255	104	39
Not sure	%	8.7	9.3	8.2	8.9	10.4	6.2	9.1	10.5	7.8	4.6	8.8
	95% CI	1.5	1.9	1.6	2.7	2.4	2.8	2.1	1.4	3.0	1.8	7.2
	n	144	74	70	42	39	24	39	84	44	11	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,753	885	867	467	419	378	481	878	568	211	85

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 45. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR57 -- (Q57) During the past 12 months, did any doctor, dentist, or nurse
advise you not to use tobacco of any kind?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not see a doctor, dentist, or nurse during the past 12 months	%	16.9	14.3	19.3	15.9	16.0	18.3	18.0	10.3	21.8	23.0	23.4
	95% CI	3.8	3.9	4.3	5.5	4.2	5.8	3.3	4.3	3.7	6.1	12.5
	n	286	115	170	75	55	71	84	97	118	45	22
Yes	%	22.9	24.1	21.9	22.6	21.9	22.3	24.9	25.4	22.4	20.3	14.5
	95% CI	2.2	4.0	2.3	3.2	5.1	2.4	3.8	3.3	3.6	6.6	7.1
	n	407	219	188	105	97	89	114	220	127	43	15
No	%	50.2	52.6	47.8	52.6	49.4	50.1	47.7	53.2	47.4	49.5	45.0
	95% CI	5.3	6.5	5.6	6.3	10.6	5.0	3.8	7.3	6.0	5.8	9.9
	n	887	470	417	240	225	184	234	466	270	109	37
Not sure	%	10.0	9.0	11.1	8.8	12.6	9.3	9.3	11.1	8.5	7.2	17.1
	95% CI	1.6	2.5	2.0	3.2	6.4	4.0	3.9	1.5	2.6	3.0	11.8
	n	168	78	90	47	42	34	44	93	49	15	11
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,748	882	865	467	419	378	476	876	564	212	85

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 46. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR54 -- (Q58) Do you want to stop smoking cigarettes for good?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not smoke now	%	86.5	88.3	84.6	90.9	86.5	86.0	81.0	81.6	92.4	82.9	93.8
	95% CI	2.3	2.7	2.7	3.5	4.5	4.6	3.2	2.4	3.0	5.6	4.2
	n	1,447	752	694	404	348	316	373	698	495	171	74
Yes	%	6.7	5.6	7.7	4.0	7.1	5.6	10.9	9.4	3.1	8.6	2.7
	95% CI	1.6	2.1	1.9	1.9	2.9	2.5	1.8	1.9	1.7	3.2	3.8
	n	126	51	75	24	28	21	52	86	22	13	3
No	%	6.9	6.1	7.7	5.0	6.4	8.5	8.1	9.0	4.5	8.5	3.6
	95% CI	1.4	1.5	1.7	2.6	2.3	3.6	2.5	1.3	2.4	4.7	2.4
	n	131	55	76	25	32	32	41	81	25	20	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,704	858	845	453	408	369	466	865	542	204	82

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 47. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR55 -- (Q59) I plan to stop smoking cigarettes for good within the next . .
. (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not smoke now	%	82.9	84.6	81.2	84.3	84.8	83.8	78.7	79.7	88.1	78.8	83.1
	95% CI	2.9	4.3	2.7	4.7	4.7	5.0	3.1	2.6	3.6	8.4	13.4
	n	1,449	753	695	395	354	321	375	700	497	167	77
7 days	%	3.2	3.0	3.5	4.1	2.5	4.3	1.3	2.9	3.0	3.0	8.0
	95% CI	1.1	1.3	1.6	2.4	1.6	2.8	1.1	1.1	1.6	2.8	12.2
	n	50	20	30	17	11	14	7	24	16	7	3
30 days	%	1.8	1.3	2.3	2.1	2.2	1.3	1.1	1.4	1.7	4.1	0.0
	95% CI	0.8	1.0	1.4	1.3	2.0	1.1	0.8	0.6	0.9	3.4	0.0
	n	29	10	19	9	7	6	6	12	10	6	0
6 months	%	2.3	1.9	2.6	2.6	1.5	1.3	3.6	2.8	1.3	3.1	2.7
	95% CI	0.9	1.0	1.2	1.2	1.2	0.8	2.0	1.5	1.1	2.3	3.4
	n	47	18	29	14	5	6	21	28	7	8	3
1 year	%	3.2	3.0	3.4	2.4	3.4	1.9	5.3	4.6	2.0	3.2	1.5
	95% CI	0.8	1.8	1.7	1.3	1.1	1.2	1.7	1.2	1.3	4.2	3.0
	n	58	25	33	12	15	8	22	41	12	4	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 47. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR55 -- (Q59) I plan to stop smoking cigarettes for good within the next . .
. (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not plan to stop smoking cigarettes within the next year	%	6.6	6.3	7.0	4.5	5.5	7.4	10.1	8.8	4.0	7.8	4.7
	95% CI	1.8	1.9	2.2	2.0	2.9	2.9	3.5	3.3	2.0	3.5	2.4
	n	126	59	67	22	28	27	49	74	28	19	4
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,759	885	873	469	420	382	480	879	570	211	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 48. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR56 -- (Q60) During the past 12 months, how many times have you stopped
smoking for one day or longer because you were trying to quit smoking cigarettes for good?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I did not smoke during the past 12 months	%	82.4	84.9	80.0	86.0	85.2	81.6	75.2	75.7	90.4	79.0	90.3
	95% CI	3.2	3.5	4.4	4.0	5.5	5.7	4.6	3.0	3.2	6.2	6.6
	n	1,374	720	654	385	336	300	349	643	494	158	72
I did not try to quit during the past 12 months	%	7.5	6.6	8.4	6.1	6.4	7.6	10.6	10.5	4.6	8.2	1.2
	95% CI	2.1	2.5	2.4	3.0	4.1	3.9	3.4	2.9	1.7	3.6	2.5
	n	134	57	77	28	31	25	50	89	25	18	1
1 time	%	3.3	3.2	3.4	2.4	2.8	3.0	5.2	4.4	1.3	2.8	5.4
	95% CI	1.2	1.7	1.6	1.3	1.5	1.4	2.5	1.7	0.9	2.1	5.3
	n	67	31	36	13	14	13	26	44	10	7	4
2 times	%	1.9	1.6	2.1	1.5	1.7	2.1	2.5	2.4	1.1	2.8	1.1
	95% CI	0.5	0.8	0.8	1.2	1.1	1.7	1.4	0.8	0.8	1.6	2.2
	n	39	17	22	7	9	8	15	22	7	8	2
3 to 5 times	%	1.6	1.3	1.9	0.8	1.3	2.3	2.6	2.1	1.4	1.0	0.8
	95% CI	0.7	0.5	1.1	1.0	1.3	1.3	1.5	0.8	1.3	1.7	1.5
	n	33	13	20	4	6	10	13	21	8	3	1
6 to 9 times	%	0.8	0.5	1.2	1.3	0.7	0.3	0.9	1.1	0.2	2.5	0.0
	95% CI	0.4	0.4	0.6	0.8	0.9	0.5	0.7	0.6	0.3	1.9	0.0
	n	18	6	12	7	4	1	6	12	1	5	0

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 48. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR56 -- (Q60) During the past 12 months, how many times have you stopped
smoking for one day or longer because you were trying to quit smoking cigarettes for good?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
10 or more times	%	2.5	2.0	3.0	1.9	1.9	3.1	3.1	3.7	0.9	3.6	1.1
	95% CI	0.9	1.0	1.3	1.8	1.3	1.6	2.9	1.0	0.8	4.4	1.5
	n	43	17	26	10	9	11	12	31	6	4	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,708	861	847	454	409	368	471	862	551	203	82

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 49. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR57 -- (Q61) When you last tried to quit for good, how long did you stay
off cigarettes? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes	%	78.7	81.2	76.3	83.8	81.2	77.3	70.7	71.3	88.3	70.9	86.7
	95% CI	3.5	3.5	4.5	4.7	6.1	5.9	4.1	3.5	3.5	6.0	6.3
	n	1,310	683	626	371	321	287	327	608	476	146	71
I have never tried to quit	%	7.7	6.2	9.1	6.8	6.9	7.6	10.0	11.2	4.3	5.7	5.1
	95% CI	2.5	1.8	3.7	1.9	5.9	4.1	3.0	3.8	1.6	3.2	4.8
	n	138	55	83	32	32	27	47	92	24	15	6
Less than a day	%	1.8	1.0	2.6	2.2	1.6	1.2	2.3	1.4	1.3	6.7	0.0
	95% CI	0.9	0.7	1.5	1.4	1.6	1.2	1.1	1.0	1.2	4.7	0.0
	n	32	10	22	11	4	6	11	14	8	10	0
1 to 7 days	%	2.4	1.7	3.1	0.8	2.9	3.3	2.9	3.6	1.1	2.5	1.7
	95% CI	0.6	0.9	1.0	0.7	1.4	1.1	1.5	1.1	0.9	2.1	2.1
	n	47	18	29	4	13	12	17	33	5	7	2
More than 7 days but less than 30 days	%	1.7	2.3	1.2	1.1	0.9	1.0	3.9	2.3	1.0	0.9	3.0
	95% CI	0.7	1.3	0.6	0.9	0.8	0.5	2.4	1.0	0.7	1.4	3.8
	n	34	21	13	6	6	5	16	21	8	2	3
More than 30 days but less than 6 months	%	2.6	2.4	2.9	2.3	1.4	3.6	3.3	3.7	1.2	4.0	1.8
	95% CI	1.0	0.9	1.8	1.2	1.0	1.8	2.5	1.2	1.0	4.6	2.3
	n	54	23	31	14	9	15	15	37	9	6	2

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 49. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR57 -- (Q61) When you last tried to quit for good, how long did you stay
off cigarettes? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
More than 6 months but less than 1 year	%	1.8	1.9	1.8	1.5	1.4	1.8	2.9	2.6	0.4	3.7	1.8
	95% CI	0.5	1.1	0.8	1.2	1.1	1.4	1.2	1.1	0.6	2.3	3.4
	n	34	20	14	8	7	7	12	24	3	6	1
1 year or more	%	3.2	3.3	3.2	1.6	3.6	4.2	4.0	3.9	2.3	5.4	0.0
	95% CI	0.8	1.1	1.1	1.2	1.6	2.0	1.9	1.2	1.0	3.9	0.0
	n	66	35	31	10	18	16	22	37	17	12	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,715	865	849	456	410	375	467	866	550	204	85

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 50. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR58 -- (Q62) Are you seriously thinking about quitting the use of all
tobacco?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never used tobacco	%	76.1	79.2	72.9	81.6	76.1	76.8	68.2	70.1	83.6	72.4	78.6
	95% CI	3.2	4.1	4.1	3.1	6.8	7.3	4.1	3.0	2.7	7.1	10.9
	n	1,308	698	609	380	314	292	319	605	468	156	70
Yes, within the next 30 days	%	4.6	4.2	5.1	5.2	4.1	3.9	5.1	4.3	3.5	6.8	8.3
	95% CI	1.3	2.0	2.0	2.6	2.0	2.6	2.1	1.6	1.7	5.6	12.3
	n	81	36	45	24	16	14	26	43	21	13	3
Yes, within the next 6 months	%	3.7	3.7	3.6	2.8	3.0	3.6	5.4	4.4	3.2	3.6	2.1
	95% CI	1.2	1.5	1.2	1.4	1.4	2.6	2.7	2.2	1.4	3.1	3.3
	n	67	30	37	14	9	14	28	38	20	7	2
Yes, within longer than 6 months	%	4.5	4.6	4.4	2.8	5.3	3.9	6.6	5.6	3.1	6.8	2.1
	95% CI	1.1	2.3	2.0	1.7	2.2	1.8	2.6	1.5	1.3	4.9	3.3
	n	84	38	46	14	26	14	30	51	19	12	2
I am not thinking about quitting the use of all tobacco	%	11.1	8.2	14.0	7.6	11.4	11.8	14.7	15.6	6.5	10.5	8.9
	95% CI	2.4	2.2	3.8	2.2	5.9	5.3	2.6	4.6	1.3	4.9	6.3
	n	203	77	126	35	51	43	73	129	41	22	10
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,743	879	863	467	416	377	476	866	569	210	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 51. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR64 -- (Q64) Have you ever called the Georgia Tobacco Quit Line to quit
smoking?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	4.8	2.8	6.4	4.7	4.3	3.7	6.0	3.0	5.5	7.0	7.5
	95% CI	1.2	1.6	1.6	2.4	2.4	2.5	2.4	2.3	2.4	3.6	5.7
	n	81	27	53	21	16	17	26	23	34	16	6
No	%	95.2	97.2	93.6	95.3	95.7	96.3	94.0	97.0	94.5	93.0	92.5
	95% CI	1.2	1.6	1.6	2.4	2.4	2.5	2.4	2.3	2.4	3.6	5.7
	n	1,670	854	816	446	399	365	453	853	532	195	82
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,751	881	869	467	415	382	479	876	566	211	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 52. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR65 -- (Q65) Have you seen any information (i.e. brochures, pamphlets,
etc.) advertising the Georgia Tobacco Quit Line?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	15.2	16.1	14.1	16.6	15.9	11.0	16.9	12.4	15.4	19.9	23.2
	95% CI	2.4	3.1	3.6	2.7	4.3	3.6	3.6	4.0	3.3	7.0	15.7
	n	262	133	128	72	65	44	80	117	88	38	16
No	%	84.8	83.9	85.9	83.4	84.1	89.0	83.1	87.6	84.6	80.1	76.8
	95% CI	2.4	3.1	3.6	2.7	4.3	3.6	3.6	4.0	3.3	7.0	15.7
	n	1,494	752	742	396	354	337	400	761	479	174	72
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,756	885	870	468	419	381	480	878	567	212	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 53. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR60 -- (Q66) During the past 7 days, on how many days did someone smoke
tobacco products in your home while you were there?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	76.3	75.9	76.5	76.4	77.2	79.7	72.3	71.1	82.1	79.6	73.6
	95% CI	2.4	3.2	4.4	6.2	3.6	3.5	3.2	3.2	3.0	8.1	15.9
	n	1,300	664	635	344	310	302	341	611	451	162	68
1 day	%	2.8	2.2	3.4	1.8	4.1	1.9	3.7	2.9	1.8	3.7	3.9
	95% CI	1.1	1.2	1.5	1.2	2.2	1.1	1.2	1.6	1.1	3.7	4.3
	n	52	21	31	11	16	8	17	27	13	7	3
2 days	%	2.7	2.6	2.9	2.0	3.3	3.2	2.2	2.6	3.4	2.4	1.0
	95% CI	1.0	1.3	1.0	1.0	2.2	2.0	1.5	1.7	1.3	2.1	1.8
	n	42	18	24	9	10	11	11	17	19	5	1
3 days	%	1.8	1.4	2.2	1.7	1.7	1.4	2.3	2.3	0.8	2.5	2.8
	95% CI	0.8	0.8	1.1	1.7	1.6	1.4	1.3	1.0	0.9	2.5	3.5
	n	37	16	21	10	8	7	11	22	5	7	3
4 days	%	1.7	0.6	2.9	3.1	0.9	1.6	1.0	1.7	2.0	0.4	2.2
	95% CI	0.7	0.4	1.4	2.2	0.7	1.4	0.9	0.8	1.2	0.7	3.2
	n	28	6	22	13	4	5	6	13	12	1	2
5 days	%	0.9	1.0	0.9	1.0	1.0	1.0	0.8	1.2	0.7	0.3	2.1
	95% CI	0.5	0.8	0.5	1.0	1.1	1.2	0.5	0.7	0.7	0.6	4.1
	n	17	7	10	4	4	4	5	10	5	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 53. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR60 -- (Q66) During the past 7 days, on how many days did someone smoke
tobacco products in your home while you were there?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
6 days	%	0.7	1.1	0.3	1.8	0.2	0.0	0.7	0.2	0.3	0.7	6.6
	95% CI	0.7	1.6	0.4	2.5	0.3	0.0	0.8	0.3	0.4	1.4	12.6
	n	7	4	3	3	1	0	3	2	2	1	1
7 days	%	13.0	15.2	10.9	12.3	11.7	11.3	17.0	17.9	8.9	10.5	7.7
	95% CI	1.5	2.2	2.5	2.8	3.4	3.3	2.5	2.3	1.5	3.7	5.9
	n	253	140	113	67	60	41	83	168	55	23	7
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,736	876	859	461	413	378	477	870	562	207	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 54. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR61 -- (Q67) During the past 7 days, on how many days did you ride in a
vehicle where someone was smoking a tobacco product?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	74.0	72.7	75.1	75.2	76.5	73.9	69.6	66.5	79.8	78.9	84.2
	95% CI	3.5	4.6	4.0	5.8	6.0	4.6	4.4	5.2	3.4	7.0	16.0
	n	1,250	629	620	337	304	286	318	559	443	162	77
1 day	%	5.9	5.5	6.3	5.1	5.7	6.5	6.6	6.8	4.5	7.2	4.0
	95% CI	1.2	1.7	1.6	2.1	2.9	2.1	1.7	1.6	2.1	3.4	5.0
	n	106	48	58	25	23	24	33	58	26	17	3
2 days	%	4.4	4.5	4.4	4.4	3.9	4.3	5.2	5.3	4.3	3.9	0.5
	95% CI	0.9	1.3	1.4	1.6	2.4	1.4	1.8	1.4	1.5	2.2	0.9
	n	89	46	43	25	19	15	29	56	21	11	1
3 days	%	2.8	2.8	2.7	1.9	2.9	3.0	3.7	3.7	2.1	2.9	0.5
	95% CI	0.8	1.1	1.0	1.2	1.6	1.9	1.5	1.2	1.3	2.0	1.0
	n	58	31	27	11	16	11	20	35	15	7	1
4 days	%	2.2	2.4	2.1	1.8	2.4	1.8	3.2	3.1	2.0	0.7	0.5
	95% CI	0.6	1.0	0.9	1.1	1.6	1.3	1.8	1.0	1.0	1.3	1.1
	n	44	23	21	9	11	6	18	28	14	1	1
5 days	%	1.7	1.2	2.2	2.3	1.0	1.7	1.8	2.4	1.4	0.3	1.1
	95% CI	0.6	0.7	0.8	1.3	1.0	1.3	1.3	1.0	0.8	0.6	2.2
	n	34	13	21	13	6	6	9	22	10	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 54. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR61 -- (Q67) During the past 7 days, on how many days did you ride in a
vehicle where someone was smoking a tobacco product?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
6 days	%	0.9	1.4	0.5	0.5	0.9	1.4	1.1	0.9	0.9	2.1	0.0
	95% CI	0.4	0.7	0.3	0.8	1.3	1.3	1.1	0.8	0.7	2.8	0.0
	n	15	9	6	3	2	5	5	7	5	3	0
7 days	%	8.0	9.4	6.6	8.7	6.7	7.5	8.8	11.3	5.0	4.0	9.1
	95% CI	1.8	3.0	2.0	2.9	2.7	3.2	3.3	2.6	1.4	2.9	12.6
	n	159	87	72	44	39	29	46	113	32	10	4
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,755	886	868	467	420	382	478	878	566	212	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 55. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR62 -- (Q68) During the past 7 days, on how many days did you breathe the
smoke from someone who was smoking a tobacco product at your school, including school
buildings, school grounds, and school parking lots?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	75.5	73.5	77.4	76.5	76.5	76.0	73.6	74.0	77.8	72.3	79.8
	95% CI	3.0	4.9	2.8	6.5	4.0	5.1	4.5	3.4	3.0	8.1	15.9
	n	1,309	655	653	356	318	287	346	644	434	151	72
1 day	%	7.8	8.3	7.2	8.0	8.0	8.1	5.8	7.5	7.3	9.9	5.2
	95% CI	1.2	1.4	1.6	3.5	2.2	2.2	2.0	2.6	1.6	5.9	4.3
	n	131	70	61	34	30	33	31	64	41	19	5
2 days	%	3.4	3.1	3.6	2.3	3.2	3.1	5.4	3.5	3.1	3.8	2.6
	95% CI	1.0	1.1	1.3	1.4	1.7	1.6	2.6	1.0	1.9	2.4	3.6
	n	62	30	32	13	12	14	23	31	19	9	2
3 days	%	3.0	2.9	3.2	3.2	3.5	2.9	2.2	2.6	2.5	7.4	2.7
	95% CI	0.8	1.0	1.4	1.5	2.4	2.2	1.5	1.4	1.3	3.9	3.6
	n	55	24	31	17	14	11	12	22	14	16	3
4 days	%	1.8	1.2	2.4	1.4	1.9	0.8	3.1	2.2	1.6	2.2	0.0
	95% CI	0.5	0.7	0.8	1.0	1.0	0.9	1.5	0.9	1.1	2.5	0.0
	n	36	14	22	6	9	3	17	21	11	4	0
5 days	%	2.0	2.5	1.6	1.6	2.5	1.7	2.3	1.9	2.6	1.1	1.2
	95% CI	0.8	1.5	0.8	1.0	1.5	1.3	1.0	0.9	1.5	1.4	1.7
	n	39	20	19	7	10	7	14	21	13	3	2

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 55. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR62 -- (Q68) During the past 7 days, on how many days did you breathe the
smoke from someone who was smoking a tobacco product at your school, including school
buildings, school grounds, and school parking lots?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
6 days	%	0.7	1.0	0.4	1.7	0.2	0.2	0.6	0.5	0.1	0.3	6.5
	95% CI	0.6	1.6	0.5	2.4	0.3	0.3	0.9	0.6	0.2	0.7	12.3
	n	7	3	4	3	1	1	2	4	1	1	1
7 days	%	5.8	7.5	4.1	5.2	4.3	7.2	7.0	7.8	4.9	3.0	2.0
	95% CI	1.8	2.8	1.3	1.9	2.6	4.2	2.7	2.7	1.6	1.8	3.2
	n	110	66	44	29	25	25	31	69	30	9	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,749	882	866	465	419	381	476	876	563	212	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 56. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR63 -- (Q69) During the past 7 days, on how many days did you breathe the
smoke from someone who was smoking tobacco products in the place where you work?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not have a job	%	75.7	75.9	75.4	85.0	78.1	73.6	62.5	71.0	82.7	72.8	74.8
	95% CI	3.1	4.1	2.7	3.9	4.9	7.4	4.1	4.5	4.4	7.7	11.4
	n	1,312	679	632	390	329	284	303	627	454	159	65
I have a job but did not work in the past 7 days	%	4.5	3.7	5.3	2.1	3.9	6.9	5.8	6.1	3.2	4.6	0.5
	95% CI	1.3	1.8	1.4	1.3	1.4	5.6	1.4	1.9	1.3	3.2	1.0
	n	71	25	46	10	14	20	26	42	19	9	1
0 days	%	11.5	12.5	10.5	7.8	9.7	10.6	19.2	13.5	8.6	10.4	12.9
	95% CI	1.3	2.2	1.7	2.7	3.0	3.0	2.9	2.5	2.9	3.8	8.8
	n	206	111	95	37	38	40	90	123	49	22	9
1 day	%	2.5	2.3	2.6	1.1	2.0	3.1	4.4	2.8	1.5	3.0	5.3
	95% CI	0.9	1.5	0.8	0.9	0.7	2.3	2.3	1.4	1.0	3.6	5.1
	n	41	17	24	6	6	10	19	22	10	4	5
2 days	%	1.3	1.2	1.4	1.5	0.8	1.6	1.4	1.4	0.9	1.9	2.1
	95% CI	0.7	0.9	0.8	1.7	0.8	1.1	1.0	0.8	0.8	2.1	4.2
	n	24	10	14	5	4	7	8	13	6	4	1
3 days	%	1.5	2.2	0.8	0.2	2.3	1.4	2.6	1.2	1.5	3.0	0.5
	95% CI	0.4	1.1	0.6	0.3	2.2	1.0	2.1	0.9	1.2	3.4	1.1
	n	23	16	7	1	7	5	10	9	8	4	1

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 56. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR63 -- (Q69) During the past 7 days, on how many days did you breathe the
smoke from someone who was smoking tobacco products in the place where you work?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
4 days	%	1.0	0.3	1.7	0.9	1.5	0.4	1.3	1.1	0.8	1.1	2.3
	95% CI	0.7	0.3	1.3	0.9	1.9	0.8	1.6	0.8	0.8	1.5	3.4
	n	19	4	15	5	7	2	5	10	5	2	2
5 days	%	0.6	0.5	0.7	0.2	0.6	1.4	0.4	1.2	0.0	0.4	0.0
	95% CI	0.6	0.6	0.7	0.3	0.8	1.4	0.8	1.4	0.0	0.7	0.0
	n	10	4	6	1	2	6	1	9	0	1	0
6 days	%	0.2	0.1	0.3	0.3	0.1	0.2	0.2	0.3	0.0	0.9	0.0
	95% CI	0.1	0.2	0.2	0.1	0.3	0.4	0.3	0.3	0.0	0.3	0.0
	n	5	1	4	2	1	1	1	3	0	2	0
7 days	%	1.3	1.2	1.3	1.1	1.0	0.9	2.3	1.4	0.8	2.0	1.6
	95% CI	0.6	0.7	0.8	0.6	1.0	1.1	1.3	0.8	0.9	1.9	3.1
	n	27	11	16	5	6	4	12	16	5	5	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,738	878	859	462	414	379	475	874	556	212	85

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 57. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race**

**Analysis Variable CR64 -- (Q70) During the past 7 days, on how many days did you breathe the
smoke from someone who was smoking tobacco products in an indoor or outdoor public place?
Examples of indoor public places are school buildings, stores, restaurants, and sports arenas.
Examples**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
0 days	%	69.0	63.6	74.3	69.6	71.7	68.3	65.3	63.9	76.4	60.8	74.8
	95% CI	3.6	6.8	3.8	6.4	7.7	3.3	5.9	3.3	3.7	10.1	14.8
	n	1,165	547	617	307	278	258	316	543	419	130	65
1 day	%	9.3	10.3	8.4	10.2	9.1	9.1	8.8	10.0	7.1	11.1	13.7
	95% CI	2.0	2.9	1.8	3.7	3.6	2.5	2.1	2.2	2.2	4.7	12.6
	n	169	91	78	47	45	37	40	88	44	26	10
2 days	%	5.9	6.8	5.1	6.1	4.1	7.2	6.9	7.1	4.7	8.2	2.2
	95% CI	1.0	1.2	1.7	1.9	2.0	2.9	1.5	1.0	1.9	5.1	3.2
	n	113	64	49	32	22	27	32	65	28	17	3
3 days	%	4.7	5.1	4.3	4.3	4.6	5.0	5.1	5.0	4.2	6.3	3.1
	95% CI	0.8	0.9	1.5	1.8	1.5	1.6	1.9	1.5	1.3	4.2	2.6
	n	95	48	47	24	22	21	28	50	28	12	5
4 days	%	2.4	2.8	1.9	2.8	1.6	1.6	3.6	1.9	2.7	1.5	3.6
	95% CI	0.7	1.4	0.8	1.3	1.7	1.2	2.0	1.0	1.1	1.4	5.1
	n	45	26	19	14	6	7	18	19	18	4	2

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 57. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race**

**Analysis Variable CR64 -- (Q70) During the past 7 days, on how many days did you breathe the
smoke from someone who was smoking tobacco products in an indoor or outdoor public place?
Examples of indoor public places are school buildings, stores, restaurants, and sports arenas.
Examples**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
5 days	%	1.5	2.2	0.8	1.8	0.9	1.4	1.9	2.2	0.9	1.5	0.0
	95% CI	0.7	1.2	0.6	1.2	0.7	1.4	1.1	1.1	0.9	1.3	0.0
	n	32	23	9	9	6	6	11	23	5	4	0
6 days	%	0.8	0.6	1.0	0.7	0.3	0.9	1.5	1.0	0.3	2.3	0.0
	95% CI	0.5	0.6	0.8	0.6	0.4	1.0	1.5	0.6	0.5	3.0	0.0
	n	17	7	10	4	2	4	7	10	2	5	0
7 days	%	6.4	8.7	4.1	4.6	7.7	6.5	7.0	8.8	3.7	8.3	2.5
	95% CI	1.3	2.7	1.4	1.9	2.8	4.1	2.6	1.5	1.6	3.0	3.3
	n	116	77	39	28	40	21	26	80	21	12	3
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,752	883	868	465	421	381	478	878	565	210	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 58. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR65 -- (Q71) Inside your home (not counting decks, garages, or porches) is
smoking . . .**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Always allowed	%	10.3	10.2	10.2	10.5	10.4	7.5	12.3	8.2	12.3	9.8	9.1
	95% CI	2.3	3.4	2.4	3.9	2.5	4.6	4.0	2.0	4.4	4.7	6.2
	n	189	92	96	52	44	28	63	82	73	18	11
Allowed only at some times or in some places	%	10.1	11.1	9.1	10.7	10.0	9.8	9.4	11.1	9.1	9.6	11.3
	95% CI	1.3	2.1	1.9	2.1	3.0	3.0	2.1	2.8	2.2	5.0	6.9
	n	178	92	86	53	41	37	46	96	52	20	10
Never allowed	%	79.6	78.8	80.7	78.8	79.6	82.8	78.3	80.8	78.6	80.6	79.6
	95% CI	2.4	3.1	3.6	4.3	3.0	5.0	3.9	3.6	3.9	6.9	9.8
	n	1,378	700	678	360	335	313	366	699	439	169	65
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,745	884	860	465	420	378	475	877	564	207	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 59. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR66 -- (Q72) In the vehicles that you and family members who live with you
own or lease, is smoking . . .**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Always allowed	%	13.5	13.2	13.7	14.6	12.5	12.2	14.3	16.5	10.8	11.1	11.2
	95% CI	2.3	3.1	3.1	4.1	3.5	4.5	2.5	3.7	3.9	4.8	7.2
	n	262	125	136	76	62	48	74	157	69	20	13
Sometimes allowed	%	13.6	13.0	14.2	14.1	12.3	13.0	15.0	15.2	11.8	11.0	15.6
	95% CI	1.8	2.3	2.6	3.4	3.4	2.7	2.4	2.5	2.5	5.0	9.0
	n	249	123	126	70	50	52	76	138	72	24	13
Never allowed	%	72.9	73.9	72.1	71.2	75.2	74.8	70.7	68.3	77.4	78.0	73.3
	95% CI	3.0	3.6	4.2	4.9	4.5	5.0	3.2	4.9	4.4	5.5	10.0
	n	1,236	635	601	320	308	279	325	580	424	165	61
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,747	883	863	466	420	379	475	875	565	209	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 60. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR73 -- (Q73) Which of these best describes smoking where you work? Smoking
is . . .**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I do not have a job	%	76.2	77.3	75.0	84.8	82.0	73.2	60.3	72.1	83.4	73.6	64.9
	95% CI	3.8	4.8	3.9	4.3	4.8	6.0	5.4	5.0	4.6	8.1	16.8
	n	1,321	689	631	400	345	278	292	637	458	155	61
Never allowed where I work	%	10.1	10.3	9.8	6.6	7.9	13.1	14.3	11.5	7.7	9.1	15.2
	95% CI	2.4	3.5	2.8	2.9	3.4	5.6	4.1	2.8	3.1	5.2	7.1
	n	173	84	89	28	34	44	66	92	47	19	14
Allowed but only at some times or in some places	%	9.5	8.8	10.2	6.1	5.1	10.1	18.7	11.8	5.8	11.3	12.9
	95% CI	1.9	2.1	2.3	2.1	2.1	3.8	4.8	3.3	2.4	5.6	11.2
	n	179	81	98	25	23	41	89	110	38	23	8
Always allowed where I work	%	4.3	3.5	5.0	2.5	5.0	3.6	6.7	4.6	3.0	5.9	7.0
	95% CI	1.0	1.6	1.3	1.4	2.6	2.1	2.8	2.0	1.2	3.5	6.8
	n	75	29	46	13	18	16	28	39	20	12	4
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,748	883	864	466	420	379	475	878	563	209	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 61. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR68 -- (Q75) How many of your four closest friends smoke cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
None	%	59.4	59.9	58.9	62.6	59.2	59.1	56.1	52.7	65.6	62.5	66.4
	95% CI	4.2	6.5	4.4	6.3	8.0	6.6	7.1	4.0	5.1	8.7	16.7
	n	1,000	521	478	281	233	223	260	452	364	123	55
One	%	13.4	14.5	12.4	12.4	12.7	14.7	14.5	16.6	11.2	10.4	7.3
	95% CI	1.7	2.7	1.8	3.6	4.3	4.1	2.6	3.2	1.7	5.3	3.0
	n	234	124	110	53	60	52	68	141	63	19	9
Two	%	8.7	7.6	9.8	6.8	9.6	7.5	11.0	10.8	6.8	8.6	4.7
	95% CI	2.2	1.9	3.3	3.4	4.4	3.5	3.8	2.3	3.1	5.6	5.8
	n	161	72	89	36	46	27	51	100	38	18	4
Three	%	4.7	5.1	4.3	4.1	2.7	6.9	5.9	6.6	3.8	2.5	0.6
	95% CI	1.7	2.1	1.9	2.9	2.3	2.9	2.4	1.6	3.5	2.0	1.1
	n	82	45	37	21	10	24	27	56	18	7	1
Four	%	5.3	5.0	5.7	4.4	4.4	5.7	7.2	7.3	2.8	6.4	4.7
	95% CI	1.6	1.7	1.9	2.6	2.4	2.9	2.5	2.2	1.6	4.4	3.5
	n	108	50	58	26	24	20	37	68	19	18	3
Not sure	%	8.4	8.0	8.9	9.7	11.4	6.2	5.2	6.0	9.7	9.6	16.3
	95% CI	1.5	2.9	1.9	3.7	3.6	2.6	1.7	1.6	2.3	4.3	13.9
	n	138	62	76	42	42	26	26	50	54	22	10

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 61. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR68 -- (Q75) How many of your four closest friends smoke cigarettes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,723	874	848	459	415	372	469	867	556	207	82

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 62. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR69 -- (Q76) How many of your four closest friends use chewing tobacco,
snuff, or dip?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
None	%	71.0	76.4	65.6	70.0	70.2	70.7	73.5	60.4	80.6	76.3	81.2
	95% CI	4.0	4.1	5.3	5.8	6.4	5.7	7.2	4.4	3.4	7.9	9.0
	n	1,204	660	543	316	276	264	342	516	453	158	69
One	%	9.8	8.3	11.3	10.5	9.6	10.6	7.9	14.6	5.0	7.2	6.4
	95% CI	2.1	2.5	2.6	3.0	2.4	4.2	3.7	2.7	1.6	3.7	5.1
	n	183	78	105	53	46	39	43	134	26	15	6
Two	%	6.0	4.9	7.1	5.8	6.2	6.0	6.2	9.5	2.9	4.5	3.1
	95% CI	1.7	1.9	1.9	2.7	2.8	2.8	2.0	2.7	1.2	4.2	3.3
	n	121	50	71	30	34	26	31	91	19	8	3
Three	%	2.9	2.4	3.3	3.9	2.4	1.5	3.4	4.6	1.8	0.9	0.5
	95% CI	1.1	1.2	1.4	2.5	1.3	1.4	1.6	1.9	1.1	0.8	0.9
	n	52	22	30	18	12	7	15	37	11	3	1
Four	%	3.4	1.9	4.9	2.3	3.4	4.7	3.5	6.4	0.3	2.3	1.6
	95% CI	1.1	1.0	2.0	1.4	1.6	3.1	2.8	1.8	0.5	2.1	2.5
	n	66	17	49	13	20	16	17	56	2	6	2
Not sure	%	7.0	6.3	7.7	7.5	8.1	6.5	5.5	4.5	9.4	8.8	7.2
	95% CI	1.2	1.7	1.7	2.4	3.0	3.0	1.8	1.3	2.3	3.5	6.5
	n	124	57	67	36	31	28	29	42	54	20	7

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 62. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable CR69 -- (Q76) How many of your four closest friends use chewing tobacco,
 snuff, or dip?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,750	884	865	466	419	380	477	876	565	210	88

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 63. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR70 -- (Q77) In your opinion, inside your home, smoking tobacco products
should . . .**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Always be allowed	%	6.7	4.8	8.3	6.0	7.0	8.3	5.9	5.6	6.3	7.9	10.6
	95% CI	1.6	2.0	2.4	2.8	3.0	3.8	2.3	1.4	2.8	3.7	6.3
	n	110	36	73	27	23	32	28	43	39	14	10
Be allowed only at some times or in some places	%	12.4	11.9	12.8	11.4	12.0	10.3	15.7	14.6	9.2	13.7	11.9
	95% CI	2.4	4.0	2.2	4.2	2.2	3.0	5.5	2.7	2.4	4.5	15.0
	n	221	107	114	54	51	42	71	129	58	26	7
Never be allowed	%	80.9	83.3	78.8	82.7	81.0	81.4	78.4	79.8	84.5	78.3	77.5
	95% CI	3.0	5.5	3.6	5.2	4.2	5.7	5.6	2.8	4.4	5.7	16.0
	n	1,417	741	676	384	346	305	377	703	469	168	71
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,748	884	863	465	420	379	476	875	566	208	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 64. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR71 -- (Q78) In your opinion, in their vehicles, people should . . .**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Always allow smoking	%	10.0	8.6	11.2	9.3	7.7	9.9	13.8	8.7	9.2	11.4	20.0
	95% CI	2.2	2.2	4.3	4.1	2.9	3.7	5.6	2.9	3.4	4.2	12.7
	n	173	71	101	40	29	40	63	77	62	18	14
Sometimes allow smoking	%	15.2	16.0	14.4	13.2	14.4	13.4	20.7	17.5	13.5	13.9	9.2
	95% CI	2.4	2.6	3.0	3.9	4.0	2.9	3.2	2.8	3.3	5.5	6.5
	n	288	146	142	67	65	53	102	161	81	35	9
Never allow smoking	%	74.8	75.5	74.4	77.6	77.9	76.7	65.5	73.8	77.3	74.7	70.8
	95% CI	3.3	3.9	4.9	6.5	4.1	4.0	4.6	3.3	5.3	7.5	12.9
	n	1,272	662	610	354	324	283	307	628	421	152	64
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,733	879	853	461	418	376	472	866	564	205	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 65. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR72 -- (Q79) Do you think that breathing smoke from other people's
cigarettes or other tobacco products is . . . ?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Very harmful to one's health	%	69.7	73.5	65.8	71.4	66.3	71.1	69.9	67.7	73.0	64.3	72.6
	95% CI	2.0	3.9	2.6	4.2	4.4	5.2	3.6	2.6	2.7	7.4	13.3
	n	1,206	650	555	330	275	271	325	590	411	134	63
Somewhat harmful to one's health	%	20.3	18.6	21.9	20.3	20.7	19.5	20.0	24.1	15.7	23.5	14.1
	95% CI	3.2	4.1	3.1	4.3	5.8	6.5	3.2	3.1	3.7	4.8	13.1
	n	363	168	195	92	97	70	101	216	86	49	10
Not very harmful to one's health	%	4.6	2.9	6.4	3.4	6.7	3.4	5.3	4.8	3.9	5.9	6.3
	95% CI	1.4	1.2	2.7	2.0	1.8	1.6	2.8	2.0	1.6	2.1	6.3
	n	92	30	62	19	29	17	27	46	25	14	6
Not harmful at all to one's health	%	5.4	5.0	5.9	4.8	6.3	6.0	4.7	3.4	7.5	6.2	6.9
	95% CI	1.6	2.4	1.6	2.0	4.7	3.2	1.2	1.1	3.2	5.2	6.2
	n	81	33	48	19	17	22	23	23	38	12	8
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,742	881	860	460	418	380	476	875	560	209	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 66. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR73 -- (Q80) Do you think smoking cigarettes makes young people look cool
or fit in?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	6.7	4.9	8.2	5.6	6.8	7.4	7.4	4.9	7.2	7.2	11.8
	95% CI	1.5	1.9	2.2	2.4	4.3	2.8	3.1	1.3	2.9	3.1	15.7
	n	106	31	74	19	24	27	36	40	43	13	7
Probably yes	%	9.1	6.6	11.6	9.4	9.3	8.2	8.6	9.6	8.5	8.5	10.8
	95% CI	2.3	2.5	2.6	2.9	3.8	2.1	4.8	3.1	2.4	4.5	8.3
	n	160	64	96	48	36	33	41	88	44	19	9
Probably not	%	13.3	11.0	15.6	12.4	16.3	11.0	13.3	14.7	11.6	15.1	11.8
	95% CI	2.0	2.1	3.1	3.1	3.3	3.6	3.0	2.8	2.9	3.7	4.7
	n	232	93	139	60	71	38	62	126	66	28	11
Definitely not	%	70.9	77.5	64.6	72.6	67.6	73.3	70.7	70.8	72.8	69.2	65.7
	95% CI	1.8	1.8	3.4	4.1	6.7	2.7	3.3	2.7	4.1	5.5	16.8
	n	1,245	695	550	338	287	280	337	621	410	148	59
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,743	883	859	465	418	378	476	875	563	208	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 67. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR74 -- (Q81) Do you think young people who smoke cigarettes have more
friends?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	8.0	6.8	8.9	8.5	5.9	9.7	7.9	6.2	9.1	10.1	9.1
	95% CI	1.5	1.8	2.3	2.0	2.8	3.7	2.8	2.1	2.3	4.0	4.8
	n	137	59	77	40	24	35	37	49	55	21	10
Probably yes	%	17.0	17.4	16.7	16.8	18.9	18.9	13.1	16.1	17.0	22.2	14.9
	95% CI	2.1	2.7	2.6	4.5	4.2	4.4	3.8	2.4	3.2	8.1	7.9
	n	307	158	149	87	80	73	65	143	99	52	12
Probably not	%	32.3	31.5	33.2	32.0	33.1	29.1	35.3	36.0	28.6	31.9	31.4
	95% CI	2.1	3.6	3.6	5.8	4.3	4.6	4.7	3.5	3.1	6.7	12.2
	n	562	282	280	146	146	105	163	314	153	68	26
Definitely not	%	42.7	44.3	41.2	42.7	42.0	42.3	43.7	41.7	45.4	35.8	44.6
	95% CI	1.5	3.3	2.7	4.9	5.4	4.9	3.3	3.7	3.6	6.7	16.5
	n	733	377	356	190	167	163	210	368	254	66	39
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,739	876	862	463	417	376	475	874	561	207	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 68. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR75 -- (Q82) How strongly do you agree with the statement 'All tobacco
products are dangerous'?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Strongly agree	%	61.0	62.5	59.5	64.2	53.9	64.2	61.6	59.3	63.4	59.0	59.4
	95% CI	3.1	4.2	5.8	5.5	4.3	3.5	6.4	3.1	3.7	9.2	12.7
	n	1,069	565	503	298	233	242	292	522	368	117	54
Agree	%	26.3	25.4	27.2	22.9	30.0	25.5	27.6	30.4	22.2	25.4	25.1
	95% CI	3.1	3.7	4.9	6.4	5.7	4.2	6.5	3.2	5.6	6.9	13.6
	n	456	214	242	106	128	91	129	262	116	57	20
Disagree	%	6.8	6.4	7.2	6.6	8.0	5.7	6.7	6.3	6.3	9.1	9.8
	95% CI	1.1	2.1	0.9	2.3	3.5	2.7	1.8	1.5	1.4	3.4	5.7
	n	127	59	68	32	33	26	34	58	38	21	9
Strongly disagree	%	5.9	5.7	6.1	6.3	8.1	4.7	4.1	4.0	8.1	6.4	5.7
	95% CI	1.1	1.7	2.0	2.5	1.9	1.8	1.6	1.0	2.2	5.5	4.4
	n	91	42	49	28	24	20	19	32	40	13	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,743	880	862	464	418	379	474	874	562	208	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 69. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR76 -- (Q83) During the past 12 months, have your parents or guardians
talked with you, even once, about not using any type of tobacco product?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	36.3	34.7	37.8	40.6	34.3	36.3	32.9	39.2	31.3	42.0	37.4
	95% CI	2.4	3.3	3.6	6.1	3.8	5.4	3.2	3.9	4.5	4.4	13.9
	n	659	316	342	201	158	139	158	351	184	91	30
No	%	63.7	65.3	62.2	59.4	65.7	63.7	67.1	60.8	68.7	58.0	62.6
	95% CI	2.4	3.3	3.6	6.1	3.8	5.4	3.2	3.9	4.5	4.4	13.9
	n	1,082	563	519	263	259	237	318	522	379	116	57
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,741	879	861	464	417	376	476	873	563	207	87

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 70. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR77 -- (Q84) During the past 12 months, have you been involved in any
organized activities to keep people your age from using any form of tobacco product?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	13.1	12.7	13.2	15.9	10.5	10.5	14.3	10.1	15.6	10.5	22.6
	95% CI	1.9	2.7	2.4	4.8	4.2	4.3	3.5	1.9	4.1	6.7	15.7
	n	222	101	120	66	38	46	70	90	92	19	19
No	%	86.9	87.3	86.8	84.1	89.5	89.5	85.7	89.9	84.4	89.5	77.4
	95% CI	1.9	2.7	2.4	4.8	4.2	4.3	3.5	1.9	4.1	6.7	15.7
	n	1,518	776	742	398	377	331	406	785	469	189	67
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,740	877	862	464	415	377	476	875	561	208	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 71. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR85 -- (Q85) Have you ever attended a Tobacco-Free Schools' Youth Summit?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	11.5	10.0	12.8	12.5	12.4	9.0	11.0	7.0	16.2	10.8	12.1
	95% CI	2.5	2.3	3.2	5.3	3.2	4.1	4.4	2.3	3.7	4.0	7.3
	n	199	88	110	55	45	39	58	64	97	21	12
No	%	73.7	74.5	73.1	68.0	71.1	80.8	78.1	81.3	65.9	72.4	71.1
	95% CI	2.8	3.8	4.0	5.7	4.6	6.3	7.1	3.1	4.0	6.7	17.0
	n	1,300	666	634	324	310	296	366	708	369	154	64
Not sure	%	14.8	15.5	14.1	19.5	16.5	10.2	10.9	11.7	17.8	16.8	16.7
	95% CI	1.7	2.8	2.1	6.0	3.3	4.0	5.2	2.7	3.0	5.3	13.4
	n	243	126	117	86	62	42	51	103	94	35	10
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,742	880	861	465	417	377	475	875	560	210	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 72. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR86 -- (Q86) Have you ever been part of a tobacco-free (by all school
students, staff, and visitors) coalition/youth group?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	20.1	19.9	20.1	24.8	15.1	18.1	21.3	14.6	24.2	22.3	29.3
	95% CI	2.6	3.8	2.8	5.3	4.2	3.2	5.6	2.5	5.2	5.3	17.7
	n	350	166	183	112	61	71	103	133	147	47	20
No	%	79.9	80.1	79.9	75.2	84.9	81.9	78.7	85.4	75.8	77.7	70.7
	95% CI	2.6	3.8	2.8	5.3	4.2	3.2	5.6	2.5	5.2	5.3	17.7
	n	1,379	708	671	349	352	304	369	739	406	160	66
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,729	874	854	461	413	375	472	872	553	207	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 73. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR87 -- (Q87) Have you ever participated in any trainings with the
tobacco-free (by all school students, staff, and visitors) coalition/youth group?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never participated in a tobacco-free coalition/youth group	%	44.8	45.2	44.3	43.9	44.1	44.8	47.5	47.8	40.4	46.2	46.0
	95% CI	3.2	3.0	4.7	5.2	9.2	3.3	5.2	3.8	6.5	5.4	11.3
	n	777	404	372	197	192	170	217	420	223	89	40
Yes	%	11.1	11.9	10.3	11.2	11.1	8.8	13.1	8.5	14.7	7.2	14.5
	95% CI	2.4	3.2	2.8	4.4	4.6	2.9	3.6	2.8	4.1	4.0	6.4
	n	205	109	96	56	44	37	67	82	90	18	13
No	%	35.1	33.6	36.7	32.4	34.1	41.9	32.1	35.7	35.8	34.7	31.3
	95% CI	3.3	3.2	4.8	4.4	5.4	5.5	3.6	5.0	4.4	4.7	11.8
	n	592	283	309	145	141	146	154	298	193	73	27
Not sure	%	9.0	9.3	8.8	12.5	10.7	4.5	7.3	8.1	9.2	11.9	8.2
	95% CI	2.0	3.4	2.0	4.2	4.0	3.0	2.6	2.7	2.8	3.5	4.6
	n	148	72	76	57	39	20	32	70	48	24	4
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,722	868	853	455	416	373	470	870	554	204	84

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 74. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR88 -- (Q88) Have you ever presented/advocated to any school boards or
city council members for tobacco-free (by all school students, staff, and visitors) causes?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	9.2	7.4	10.9	10.3	8.2	8.3	9.0	5.2	10.8	12.8	17.9
	95% CI	1.7	2.5	2.5	3.1	3.5	3.2	3.3	2.2	3.0	6.0	16.3
	n	156	56	99	44	28	35	46	50	66	25	10
No	%	90.8	92.6	89.1	89.7	91.8	91.7	91.0	94.8	89.2	87.2	82.1
	95% CI	1.7	2.5	2.5	3.1	3.5	3.2	3.3	2.2	3.0	6.0	16.3
	n	1,581	820	761	418	388	340	430	824	492	184	76
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,737	876	860	462	416	375	476	874	558	209	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 75. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR78 -- (Q89) During this school year, were you taught in any of your
classes about why you should not use tobacco products?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	39.1	39.8	38.3	65.1	29.9	30.3	23.5	38.7	38.5	38.1	46.9
	95% CI	4.7	5.7	5.0	6.6	3.8	6.8	4.8	7.9	5.4	7.2	12.5
	n	656	345	310	303	121	117	113	332	200	88	33
No	%	60.9	60.2	61.7	34.9	70.1	69.7	76.5	61.3	61.5	61.9	53.1
	95% CI	4.7	5.7	5.0	6.6	3.8	6.8	4.8	7.9	5.4	7.2	12.5
	n	1,080	530	550	158	295	258	363	543	358	119	53
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,736	875	860	461	416	375	476	875	558	207	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 76. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR79 -- (Q90) During the past 30 days, to your knowledge, has anyone,
including yourself, smoked a tobacco product on school property when he or she was not
supposed to?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	33.2	33.5	32.8	30.6	30.6	38.4	34.0	41.8	26.1	27.9	21.1
	95% CI	5.9	5.7	6.4	7.2	6.2	8.8	8.5	9.3	4.1	10.0	8.4
	n	572	291	280	136	140	134	159	353	141	55	21
No	%	66.8	66.5	67.2	69.4	69.4	61.6	66.0	58.2	73.9	72.1	78.9
	95% CI	5.9	5.7	6.4	7.2	6.2	8.8	8.5	9.3	4.1	10.0	8.4
	n	1,153	580	573	323	276	237	314	519	413	149	65
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,725	871	853	459	416	371	473	872	554	204	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 77. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable CR80 -- (Q91) During the past 30 days, to your knowledge, has anyone,
including yourself, used some other type of tobacco product (that is, one that is not smoked)
on school property when he or she was not supposed to?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	35.2	33.2	37.0	35.0	33.9	36.9	35.2	46.3	25.9	28.3	19.7
	95% CI	4.9	4.5	5.9	6.5	8.2	6.2	7.5	4.3	4.5	11.7	8.9
	n	650	311	338	167	171	139	170	428	139	60	20
No	%	64.8	66.8	63.0	65.0	66.1	63.1	64.8	53.7	74.1	71.7	80.3
	95% CI	4.9	4.5	5.9	6.5	8.2	6.2	7.5	4.3	4.5	11.7	8.9
	n	1,074	560	514	289	245	232	304	444	413	146	66
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,724	871	852	456	416	371	474	872	552	206	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 78. Weighted Frequency Report for Georgia
 Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
 Reported by Gender, Grade and Race
 Analysis Variable GAR92 -- (Q92) Has a doctor or nurse ever told you that you have asthma?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	25.6	25.9	25.2	25.5	22.8	29.2	24.7	23.6	30.1	20.8	17.3
	95% CI	3.1	4.5	4.1	5.7	4.2	5.6	4.0	5.7	3.7	8.4	5.6
	n	417	211	205	108	89	103	114	192	168	37	16
No	%	67.7	68.7	67.0	66.4	69.1	66.0	70.4	72.5	62.2	70.5	65.6
	95% CI	3.1	5.1	3.7	5.8	6.0	5.8	4.2	4.5	4.6	6.5	11.9
	n	1,205	620	585	318	300	249	334	644	344	151	62
Not sure	%	6.6	5.4	7.9	8.1	8.1	4.8	4.9	3.9	7.7	8.7	17.1
	95% CI	1.2	1.8	2.4	2.5	3.6	2.9	1.3	2.1	2.7	3.5	9.5
	n	108	40	68	34	27	20	26	38	42	19	8
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,730	871	858	460	416	372	474	874	554	207	86

%=Percentage, CI=Confidence Interval, n=Cell Size
 Use caution in interpreting cell sizes less than 35

**Table 79. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR93 -- (Q93) Do you still have asthma?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
I have never had asthma	%	56.5	58.2	54.7	54.9	57.7	56.9	57.1	62.6	48.9	54.7	59.0
	95% CI	2.2	2.6	3.7	4.3	9.6	5.9	4.1	4.2	5.4	5.3	10.2
	n	1,004	531	472	262	258	211	268	555	281	114	48
Yes	%	16.8	16.6	17.0	19.9	15.6	13.3	17.6	14.4	21.6	12.4	13.9
	95% CI	1.9	2.7	1.8	4.5	4.6	2.4	5.1	2.5	3.5	5.9	8.5
	n	278	138	140	85	59	54	80	122	114	26	15
No	%	19.1	18.2	20.0	18.3	17.1	23.3	17.4	17.8	19.2	25.6	16.9
	95% CI	1.8	2.9	2.5	3.5	4.7	5.6	1.6	3.7	3.8	7.0	7.3
	n	309	140	169	79	64	82	81	141	101	50	16
Not sure	%	7.6	7.1	8.3	6.9	9.5	6.5	7.8	5.3	10.2	7.3	10.2
	95% CI	1.9	2.5	2.4	2.2	3.8	2.9	2.2	2.5	2.4	4.1	7.8
	n	131	60	71	32	33	26	40	54	54	15	7
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,722	869	852	458	414	373	469	872	550	205	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 80. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race
Analysis Variable GAR94 -- (Q94) Does your school have a tobacco-free policy?**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
Yes	%	70.6	70.4	70.7	66.6	69.3	69.5	79.2	81.9	61.8	60.3	59.7
	95% CI	3.9	4.1	4.7	6.0	9.0	8.2	6.1	4.1	6.0	6.0	12.8
	n	1,236	630	605	313	305	251	363	708	350	119	55
No	%	8.9	9.2	8.7	8.4	9.5	8.7	9.1	5.6	9.8	13.6	17.4
	95% CI	1.9	2.4	2.7	3.0	3.2	3.6	3.1	1.6	3.0	5.8	9.5
	n	155	76	79	39	31	37	47	46	59	29	18
Not sure	%	20.5	20.4	20.6	25.1	21.2	21.8	11.7	12.5	28.3	26.1	22.9
	95% CI	3.6	4.0	4.3	6.4	7.8	6.9	4.3	3.0	6.1	6.4	13.7
	n	335	167	168	108	77	84	63	117	145	57	13
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,726	873	852	460	413	372	473	871	554	205	86

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Table 81. Weighted Frequency Report for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column
Reported by Gender, Grade and Race**

**Analysis Variable RACE -- RACE (1=WHITE) (2=BLACK OR AFRICAN AMERICAN) (3=HISPANIC OR LATINO)
(4=OTHER)**

		Gender/Grade/Race										
		Total	Female	Male	9th	10th	11th	12th	White	Black or African American	Hispanic or Latino	Other
White	%	45.1	44.7	45.6	42.6	45.6	47.3	46.4	100.0	0.0	0.0	0.0
	95% CI	10.7	11.2	10.7	13.5	16.6	15.9	13.4	0.0	0.0	0.0	0.0
	n	883	446	437	236	255	162	229	883	0	0	0
Black or African American	%	38.1	38.7	37.5	39.9	38.1	36.7	37.6	0.0	100.0	0.0	0.0
	95% CI	9.9	11.9	9.3	14.0	14.6	11.5	14.9	0.0	0.0	0.0	0.0
	n	580	286	294	141	114	139	185	0	580	0	0
Hispanic or Latino	%	10.4	10.2	10.6	11.5	10.1	9.2	9.2	0.0	0.0	100.0	0.0
	95% CI	3.3	3.3	3.8	6.1	3.7	3.4	3.3	0.0	0.0	0.0	0.0
	n	214	112	102	74	42	49	43	0	0	214	0
Other	%	6.4	6.4	6.4	6.0	6.2	6.8	6.8	0.0	0.0	0.0	100.0
	95% CI	2.1	2.9	2.0	2.6	2.9	5.3	3.4	0.0	0.0	0.0	0.0
	n	88	42	46	16	12	34	26	0	0	0	88
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,765	886	879	467	423	384	483	883	580	214	88

%=Percentage, CI=Confidence Interval, n=Cell Size
Use caution in interpreting cell sizes less than 35

**Weighted Frequency Table of Contents for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
Alphabetic Table of Contents (by Analysis Variable)**

Analysis Variable (Description)	Table Number
CR1 (How old are you?).....	1
CR10 (If one of your best friends were to offer you a cigarette, would you smoke it?)	8
CR11 (How old were you when you first tried cigarette smoking, even one or two puffs?).....	9
CR12 (About how many cigarettes have you smoked in your entire life?)	10
CR13 (During the past 30 days, on how many days did you smoke cigarettes?).....	11
CR14 (During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?)	12
CR15 (When was the last time you smoked a cigarette, even one or two puffs? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)).....	13
CR16 (During the past 30 days, what brand of cigarettes did you usually smoke? (CHOOSE ONLY ONE ANSWER))	14
CR17 (Menthol cigarettes are cigarettes that taste like mint. During the past 30 days, were the cigarettes that you usually smo)	15
CR2 (What is your sex?)	2
CR20 (During the past 30 days, did anyone refuse to sell you cigarettes because of your age?).....	17
CR21 (Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?)	18
CR22 (How old were you when you first tried smoking a cigar, cigarillo, or little cigar, even one or two puffs?).....	19
CR23 (During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?)	20
CR26 (Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copen)	21
CR27 (How old were you when you used chewing tobacco, snuff, or dip for the first time?)	22
CR28 (During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip?).....	23
CR3 (What grade are you in?)	3
CR31 (Have you ever tried smoking tobacco in a pipe, even one or two puffs?).....	24
CR32 (During the past 30 days, on how many days did you smoke tobacco in a pipe?)	25
CR33 (Have you ever tried smoking any of the following, even one or two puffs?).....	26
CR34 (During the past 30 days, on how many days did you smoke bidis?)	27
CR35 (During the past 30 days, on how many days did you smoke clove cigarettes?).....	28

**Weighted Frequency Table of Contents for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
Alphabetic Table of Contents (by Analysis Variable)**

Analysis Variable (Description)	Table Number
CR38 (How easy would it be for you to get tobacco products if you wanted some?)	33
CR39 (Do you believe that tobacco companies try to get young people under 18 to use tobacco products?).....	34
CR4 (Are you Hispanic or Latino?)	4
CR40 (When you are using the Internet, how often do you see ads for tobacco products?).....	35
CR41 (When you read newspapers or magazines, how often do you see ads or promotions for cigarettes and other tobacco products?)	36
CR44 (When you go to a convenience store, supermarket, or gas station, how often do you see ads or promotions for cigarettes an)	37
CR45 (During the past 30 days, how often did you see an ad for cigarettes or smokeless tobacco that was outdoors on a billboard)	38
CR46 (When you watch TV or go to the movies, how often do you see actors and actresses using cigarettes or other tobacco produc)	39
CR48 (A warning label tells you if a product is harmful to you and can be either a picture or words. During the past 30 days, h)	40
CR49 (During the past 30 days, how often did you see a warning label on a smokeless tobacco product?).....	41
CR50 (During the past 12 months, did you buy or receive anything that has a tobacco company name or picture on it?)	42
CR51 (How likely is it that you would ever use or wear something-such as a lighter, T-shirt, hat, or sunglasses-that has a toba)	43
CR54 (Do you want to stop smoking cigarettes for good?)	46
CR55 (I plan to stop smoking cigarettes for good within the next . . . (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)).....	47
CR56 (During the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit)	48
CR57 (When you last tried to quit for good, how long did you stay off cigarettes? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS))...	49
CR58 (Are you seriously thinking about quitting the use of all tobacco?)	50
CR60 (During the past 7 days, on how many days did someone smoke tobacco products in your home while you were there?).....	53
CR61 (During the past 7 days, on how many days did you ride in a vehicle where someone was smoking a tobacco product?)	54
CR62 (During the past 7 days, on how many days did you breathe the smoke from someone who was smoking a tobacco product at your)	55
CR63 (During the past 7 days, on how many days did you breathe the smoke from someone who was smoking tobacco products in the p)	56
CR64 (During the past 7 days, on how many days did you breathe the smoke from someone who was smoking tobacco products in an in)	57
CR65 (Inside your home (not counting decks, garages, or porches) is smoking . . .)	58

**Weighted Frequency Table of Contents for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
Alphabetic Table of Contents (by Analysis Variable)**

Analysis Variable (Description)	Table Number
CR66 (In the vehicles that you and family members who live with you own or lease, is smoking . . .).....	59
CR68 (How many of your four closest friends smoke cigarettes?)	61
CR69 (How many of your four closest friends use chewing tobacco, snuff, or dip?).....	62
CR7 (Have you ever tried cigarette smoking, even one or two puffs?)	5
CR70 (In your opinion, inside your home, smoking tobacco products should . . .).....	63
CR71 (In your opinion, in their vehicles, people should . . .)	64
CR72 (Do you think that breathing smoke from other people's cigarettes or other tobacco products is . . .?).....	65
CR73 (Do you think smoking cigarettes makes young people look cool or fit in?)	66
CR74 (Do you think young people who smoke cigarettes have more friends?).....	67
CR75 (How strongly do you agree with the statement 'All tobacco products are dangerous'?)	68
CR76 (During the past 12 months, have your parents or guardians talked with you, even once, about not using any type of tobacco)	69
CR77 (During the past 12 months, have you been involved in any organized activities to keep people your age from using any form)	70
CR78 (During this school year, were you taught in any of your classes about why you should not use tobacco products?).....	75
CR79 (During the past 30 days, to your knowledge, has anyone, including yourself, smoked a tobacco product on school property w)	76
CR8 (Do you think you will smoke a cigarette in the next year?).....	6
CR80 (During the past 30 days, to your knowledge, has anyone, including yourself, used some other type of tobacco product (that)	77
CR9 (Do you think that you will try a cigarette soon?).....	7
GAR19 (When you bought or tried to buy cigarettes in a store during the past 30 days, were you ever asked to show proof of age?)	16
GAR36 (Have you ever tried smoking tobacco in a water pipe, even one or two puffs?).....	29
GAR37 (During the past 30 days, on how many days did you smoke tobacco in a water pipe?)	30
GAR38 (Have you ever tried smoking e-cigarettes, even one or two puffs?).....	31
GAR39 (During the past 30 days, on how many days did you smoke e-cigarettes?)	32
GAR56 (During the past 12 months, did any doctor, dentist, or nurse ask you if you use tobacco of any kind?).....	44

**Weighted Frequency Table of Contents for Georgia
Region 1 (State) Public High Schools -- Based on Standard Survey YTS2013
Alphabetic Table of Contents (by Analysis Variable)**

Analysis Variable (Description)	Table Number
GAR57 (During the past 12 months, did any doctor, dentist, or nurse advise you not to use tobacco of any kind?)	45
GAR64 (Have you ever called the Georgia Tobacco Quit Line to quit smoking?).....	51
GAR65 (Have you seen any information (i.e. brochures, pamphlets, etc.) advertising the Georgia Tobacco Quit Line?)	52
GAR73 (Which of these best describes smoking where you work? Smoking is . . .).....	60
GAR85 (Have you ever attended a Tobacco-Free Schools' Youth Summit?)	71
GAR86 (Have you ever been part of a tobacco-free (by all school students, staff, and visitors) coalition/youth group?).....	72
GAR87 (Have you ever participated in any trainings with the tobacco-free (by all school students, staff, and visitors) coalitio)	73
GAR88 (Have you ever presented/advocated to any school boards or city council members for tobacco-free (by all school students,)	74
GAR92 (Has a doctor or nurse ever told you that you have asthma?)	78
GAR93 (Do you still have asthma?).....	79
GAR94 (Does your school have a tobacco-free policy?)	80
RACE (RACE (1=WHITE) (2=BLACK OR AFRICAN AMERICAN) (3=HISPANIC OR LATINO) (4=OTHER)).....	81