

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Injury and Violence												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet														
96.9	97.0					85.9	85.6	88.8	87.3	87.1	89.3	Decreased, 1991-2013	Decreased, 1991-2003 No change, 2003-2013	No change
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else														
25.7	25.7					9.4	9.6	8.7	9.9	12.8	8.1	Decreased, 1991-2013	Decreased, 1991-2003 No change, 2003-2013	No change
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol														
35.6	35.6					24.0	26.7	23.9	20.4	24.3	20.6	Decreased, 1991-2013	No quadratic change	No change
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days														
27.2	27.7					18.7	22.1	19.5	18.8	22.8	18.5	Decreased, 1991-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Injury and Violence												Linear Change*	Quadratic Change*	Change from 2011-2013 †	
Health Risk Behavior and Percentages															
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013				
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days															
	14.5					5.0	7.5	5.3	6.0	8.6	4.1		Decreased, 1993-2013	Decreased, 1993-2005 No change, 2005-2013	Decreased
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school															
	6.5					4.6	8.1	5.8	6.9	9.0	7.3		No linear change	No quadratic change	No change
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months															
	9.1					8.2	8.3	8.1	8.2	11.7	7.2		No linear change	No quadratic change	No change
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months															
39.4	40.8					31.4	33.8	34.0	32.3	33.1	21.4		Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	Decreased
QN19: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse															
4.0	3.9					3.2	3.7	4.6	3.5	4.9	2.3		No linear change	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Injury and Violence												Linear Change*	Quadratic Change*	Change from 2011-2013 †	
Health Risk Behavior and Percentages															
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013				
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months															
	16.0					11.1	12.1	13.1	11.7	11.9	10.3		Decreased, 1993-2013	No quadratic change	No change
QN24: Percentage of students who had ever been bullied on school property during the past 12 months															
										19.1	19.5		No linear change	Not available [§]	No change
QN25: Percentage of students who had ever been electronically bullied during the past 12 months															
										13.6	13.9		No linear change	Not available	No change
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months															
						28.5	29.1	29.8	28.8	30.6	28.0		No linear change	No quadratic change	No change
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months															
25.4	23.9					16.4	17.4	15.5	13.7	15.5	14.3		Decreased, 1991-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Injury and Violence		Health Risk Behavior and Percentages										Linear Change*	Quadratic Change*	Change from 2011-2013 †
		1991	1993	1995	1997	1999	2001	2003	2005	2007	2009			
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months														
16.0	19.3					13.0	14.9	12.4	13.0	12.8	12.2	Decreased, 1991-2013	No quadratic change	No change
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months														
6.1	11.4					8.5	7.8	7.9	8.3	10.8	8.8	No linear change	No quadratic change	No change
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse														
1.8	3.2					3.0	2.2	2.5	3.2	3.6	3.4	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Tobacco Use														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs														
69.4	66.9					60.1	56.1	56.9	49.2	47.1	40.4	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	Decreased
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years														
23.8	26.7					18.9	14.9	14.5	11.9	12.2	10.3	Decreased, 1991-2013	No quadratic change	No change
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days														
23.8	24.3					20.9	17.2	18.6	16.9	17.0	12.8	Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	No change
QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days														
11.0	10.5					8.7	7.0	6.9	6.3	7.5	4.4	Decreased, 1991-2013	No quadratic change	Decreased
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days														
16.3	12.3					12.6	11.9	7.4	6.7	10.3	7.0	Decreased, 1991-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Tobacco Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN35: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days														
						18.0	16.9	17.9	17.2	18.1	14.8	No linear change	No quadratic change	No change
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days														
	8.2					6.2	5.2	5.2	4.7	6.4	2.5	Decreased, 1993-2013	No quadratic change	Decreased
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months														
						59.4	57.3	58.0	56.3	48.6	54.0	Decreased, 2003-2013	No quadratic change	No change
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						7.6	7.4	8.4	8.5	9.6	9.5	Increased, 2003-2013	No quadratic change	No change
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days														
						13.9	15.1	16.1	13.7	17.8	13.5	No linear change	No change, 2003-2007 No change, 2007-2013	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Total Tobacco Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						26.1	24.1	26.2	23.4	22.7	19.4	Decreased, 2003-2013	No change, 2003-2007 Decreased, 2007-2013	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Alcohol and Other Drug Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life														
76.7	75.5					72.2	73.2	73.6	67.9	66.1	59.2	Decreased, 1991-2013	No change, 1991-2007 Decreased, 2007-2013	Decreased
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years														
29.8	32.4					29.5	26.8	23.9	20.7	23.0	18.1	Decreased, 1991-2013	No change, 1991-2003 Decreased, 2003-2013	Decreased
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days														
47.2	44.1					37.7	39.9	37.7	34.3	34.6	27.9	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	Decreased
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days														
26.6	24.8					19.8	20.8	19.0	18.8	17.5	13.3	Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	Decreased
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days														
								37.0	35.6	40.9	42.5	Increased, 2007-2013	Not available [§]	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Alcohol and Other Drug Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN47: Percentage of students who used marijuana one or more times during their life														
24.0	27.0					38.1	38.7	38.1	36.6	37.9	35.9	Increased, 1991-2013	Increased, 1991-2003 No change, 2003-2013	No change
QN48: Percentage of students who tried marijuana for the first time before age 13 years														
5.5	6.3					9.3	8.2	8.1	8.0	10.2	9.0	Increased, 1991-2013	No quadratic change	No change
QN49: Percentage of students who used marijuana one or more times during the past 30 days														
10.9	14.0					19.5	18.9	19.6	18.3	21.2	20.3	Increased, 1991-2013	Increased, 1991-2003 No change, 2003-2013	No change
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life														
3.3	3.2					7.1	8.3	6.0	5.9	6.7	7.0	Increased, 1991-2013	Increased, 1991-2003 No change, 2003-2013	No change
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life														
						12.3	14.9	11.4	11.6	13.2	9.9	Decreased, 2003-2013	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Total Alcohol and Other Drug Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN54: Percentage of students who used ecstasy one or more times during their life												No linear change	No quadratic change	No change
						8.3	5.3	7.7	6.5	8.5	7.1			
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months												Increased, 1993-2013	Increased, 1993-2009 Decreased, 2009-2013	Decreased
	21.2					33.3	30.7	32.0	32.9	32.1	26.5			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Total Sexual Behaviors												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection														
86.0	86.8					93.6	91.8	90.6	89.4	87.6	87.0	Increased, 1991-2013	Increased, 1991-2003 Decreased, 2003-2013	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [§]														
						14.9	14.8	18.0	14.7	15.8	17.1	No linear change	No quadratic change	No change
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) [§]														
						11.0	12.3	13.7	12.3	15.0	12.7	No linear change	No quadratic change	No change
QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days														
						12.6	11.6	12.5	12.0	14.8	16.6	Increased, 2003-2013	No change, 2003-2009 Increased, 2009-2013	No change
QN69: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days														
						8.7	6.5	7.5	7.1	6.9	8.3	No linear change	No quadratic change	No change
QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days														
						6.0	5.2	5.8	5.6	7.3	8.0	Increased, 2003-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days														
						76.5	78.9	78.0	78.6	75.6	75.9	No linear change	No quadratic change	No change
QN72: Percentage of students who ate fruit one or more times during the past seven days														
						81.0	82.9	83.1	85.1	85.7	86.3	Increased, 2003-2013	No quadratic change	No change
QN73: Percentage of students who ate green salad one or more times during the past seven days														
						63.3	60.2	60.2	57.4	57.5	56.2	Decreased, 2003-2013	No quadratic change	No change
QN74: Percentage of students who ate potatoes one or more times during the past seven days														
						63.7	60.0	59.8	62.3	62.4	62.1	No linear change	No quadratic change	No change
QN75: Percentage of students who ate carrots one or more times during the past seven days														
						38.4	37.0	37.0	38.2	38.8	39.0	No linear change	No quadratic change	No change
QN76: Percentage of students who ate other vegetables one or more times during the past seven days														
						82.6	81.9	82.0	81.1	79.4	79.1	Decreased, 2003-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days												No linear change	No quadratic change	No change
						16.8	18.1	19.0	17.1	20.6	18.3			
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days												No linear change	No quadratic change	No change
						26.4	31.0	28.9	29.4	30.8	29.1			
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						9.0	6.4	7.3	6.5	6.6	6.3			
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days												No linear change	No quadratic change	No change
						55.0	56.7	58.4	57.7	57.1	56.9			
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days												No linear change	No quadratic change	No change
						17.0	20.4	19.5	19.0	21.6	18.8			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days														
						11.3	10.0	12.6	10.8	13.3	11.4	No linear change	No quadratic change	No change
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days														
						6.8	6.8	7.4	7.9	8.3	8.4	Increased, 2003-2013	No quadratic change	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days														
						59.2	55.5	57.3	59.4	56.9	54.8	No linear change	No quadratic change	No change
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days														
						24.5	22.0	24.6	24.7	24.8	23.8	No linear change	No quadratic change	No change
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days														
						7.0	6.8	7.9	6.5	9.4	8.0	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total												Linear Change*	Quadratic Change*	Change from 2011-2013 †						
Weight Management and Dietary Behaviors																				
Health Risk Behavior and Percentages																				
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013									
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days												34.0	29.7	28.2	24.4	Decreased, 2007-2013	Not available [§]	Decreased		
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days												15.7	16.5	18.1	22.5	Increased, 2007-2013	Not available	Increased		
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days												25.0	21.0	20.4	17.0	Decreased, 2007-2013	Not available	No change		
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days												15.0	12.3	12.5	9.6	Decreased, 2007-2013	Not available	Decreased		
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days												13.0	11.2	9.2	8.2	7.7	8.9	Decreased, 2003-2013	Decreased, 2003-2009 No change, 2009-2013	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days												Increased, 2003-2013	No quadratic change	No change
						21.9	23.7	24.9	25.5	27.0	25.8			
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						36.1	34.4	33.6	31.7	29.9	30.1			
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						23.8	22.4	21.2	19.2	17.4	16.6			
QN79: Percentage of students who ate breakfast on all of the past seven days												No linear change	Not available [§]	No change
									33.0	32.5	32.4			
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days												Increased, 2009-2013	Not available	No change
									12.9	16.1	15.9			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Physical Activity												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days												Increased, 2005-2013	Not available [§]	No change
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days												Decreased, 2005-2013	Not available	No change
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days												Increased, 2005-2013	Not available	No change
QN81: Percentage of students who watched three or more hours per day of TV on an average school day												Decreased, 2003-2013	No change, 2003-2007 Decreased, 2007-2013	No change
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day												Increased, 2005-2013	Not available	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Physical Activity		Health Risk Behavior and Percentages										Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school														
40.4	40.7					36.8	42.1	42.4	43.6	46.2	49.7	Increased, 1991-2013	No change, 1991-2003 Increased, 2003-2013	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school														
35.4	33.7					29.1	35.9	34.3	29.8	29.7	33.6	No linear change	No quadratic change	No change
QN84: Percentage of students who played on one or more sports teams during the past 12 months														
						53.1	55.9	51.9	54.3	52.4	55.7	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Total Other	Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma														
							20.3	22.1	26.0	26.8	24.6	Increased, 2005-2013	Not available [§]	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Total Site-Added	Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011				2013
QN108: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months															
										67.2	64.9	67.1	No linear change	Not available [§]	No change
QN109: Percentage of students who have had one or more cavities in their permanent teeth															
										62.0	62.6	57.4	Decreased, 2009-2013	Not available	Decreased
QN110: Percentage of students whose teeth or mouth have been painful or sore one or more times during the past 12 months															
										52.5	50.3	49.5	No linear change	Not available	No change
QN111: Percentage of students who have missed school because of problems with their teeth or mouth one or more times during the past 12 months															
										16.8	15.8	17.3	No linear change	Not available	No change
QN112: Percentage of students who went to an emergency room or urgent care center for problems with their teeth or mouth one or more times during the past 12 months															
										8.1	8.5	9.5	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet														
96.2	97.3					87.5	89.9	90.0	86.9	87.7	90.4	Decreased, 1991-2013	Decreased, 1991-2009 Increased, 2009-2013	No change
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else														
30.5	30.9					11.6	10.7	11.0	12.6	13.2	8.9	Decreased, 1991-2013	Decreased, 1991-2003 No change, 2003-2013	No change
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol														
36.6	37.1					24.4	26.9	24.7	19.9	24.6	20.7	Decreased, 1991-2013	No quadratic change	No change
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days														
46.4	43.0					31.4	33.3	29.9	29.5	32.3	30.2	Decreased, 1991-2013	Decreased, 1991-2003 No change, 2003-2013	No change
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days														
	21.2					7.7	8.9	6.8	8.8	11.4	5.5	Decreased, 1993-2013	Decreased, 1993-2005 No change, 2005-2013	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male Injury and Violence												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school														
	7.4					4.8	6.6	5.0	7.1	9.6	7.4	No linear change	No quadratic change	No change
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months														
	11.5					9.8	9.9	10.1	11.6	13.5	9.4	No linear change	No quadratic change	No change
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months														
47.5	45.0					40.3	43.0	40.1	40.6	39.8	28.1	Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	Decreased
QN19: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse														
5.8	5.2					4.8	5.1	5.2	4.7	5.2	3.7	Decreased, 1991-2013	No quadratic change	No change
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months														
	19.7					14.5	15.7	17.2	14.2	14.5	12.4	Decreased, 1993-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male															
Injury and Violence															
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013				
QN24: Percentage of students who had ever been bullied on school property during the past 12 months												No linear change	Not available [§]	No change	
										16.8	17.9				
QN25: Percentage of students who had ever been electronically bullied during the past 12 months												No linear change	Not available	No change	
										9.4	11.2				
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months												No linear change	No quadratic change	No change	
						22.1	22.2	22.5	21.6	22.6	22.4				
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months												Decreased, 1991-2013	No quadratic change	No change	
17.3	17.6					13.1	11.5	12.4	9.9	11.7	12.5				
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months												No linear change	No quadratic change	No change	
10.9	13.8					11.4	11.9	10.9	11.5	11.5	11.3				

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male
Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months														
3.8	7.4					8.2	5.4	7.2	6.4	10.0	8.7	Increased, 1991-2013	No quadratic change	No change
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse														
1.4	1.3					3.0	2.0	2.6	2.7	3.8	3.7	Increased, 1991-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male Tobacco Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs														
72.3	68.1					64.0	58.4	60.2	53.2	47.2	42.1	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	No change
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years														
28.3	28.9					22.2	17.9	18.2	14.9	13.2	13.7	Decreased, 1991-2013	No quadratic change	No change
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days														
25.7	24.7					23.2	18.9	20.7	19.5	19.1	13.7	Decreased, 1991-2013	No quadratic change	No change
QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days														
12.3	10.2					10.0	8.3	7.1	6.7	8.4	5.1	Decreased, 1991-2013	No quadratic change	Decreased
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days														
20.9	13.1					15.7	17.2	9.8	8.9	10.0	10.9	Decreased, 1991-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male Tobacco Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †							
Health Risk Behavior and Percentages																					
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013										
QN35: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days												20.6	21.1	21.8	25.2	21.8	19.8	No linear change	No quadratic change	No change	
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days												8.4	7.5	5.7	5.5	6.2	6.9	2.9	Decreased, 1993-2013	No quadratic change	Decreased
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months												55.1	56.8	56.8	57.0	47.0	53.8	No linear change	No quadratic change	No change	
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days												13.9	12.4	14.8	14.4	14.8	15.7	No linear change	No quadratic change	No change	
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days												18.5	19.7	20.7	17.6	22.0	16.2	No linear change	No quadratic change	Decreased	

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male Tobacco Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						31.7	29.0	31.1	28.3	27.1	22.8	Decreased, 2003-2013	No change, 2003-2007 Decreased, 2007-2013	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male														
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life														
79.7	77.7					73.5	71.4	73.6	65.2	63.8	55.5	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	Decreased
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years														
37.7	37.4					34.5	28.6	27.6	23.8	23.7	20.5	Decreased, 1991-2013	No change, 1991-2003 Decreased, 2003-2013	No change
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days														
50.1	47.1					39.5	38.8	38.5	33.7	32.4	25.0	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	Decreased
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days														
30.9	29.1					23.2	21.6	21.0	20.7	17.7	13.8	Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	No change
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days														
								29.1	29.6	32.4	38.1	Increased, 2007-2013	Not available [§]	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male														
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN47: Percentage of students who used marijuana one or more times during their life														
27.6	31.7					43.1	40.4	42.7	40.1	39.2	38.0	Increased, 1991-2013	Increased, 1991-2003 Decreased, 2003-2013	No change
QN48: Percentage of students who tried marijuana for the first time before age 13 years														
7.6	7.6					13.6	11.2	11.1	10.6	11.8	12.3	Increased, 1991-2013	No quadratic change	No change
QN49: Percentage of students who used marijuana one or more times during the past 30 days														
13.1	17.0					23.7	20.3	22.3	21.0	22.5	21.3	Increased, 1991-2013	Increased, 1991-2003 No change, 2003-2013	No change
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life														
4.2	3.8					7.8	9.6	6.8	7.6	8.2	8.0	Increased, 1991-2013	Increased, 1991-2003 No change, 2003-2013	No change
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life														
						12.9	12.8	12.5	13.6	12.5	11.2	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN54: Percentage of students who used ecstasy one or more times during their life												No linear change	No quadratic change	No change
						9.3	6.2	8.4	8.5	10.7	8.7			
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months												No linear change	Increased, 1993-2007 Decreased, 2007-2013	No change
	25.9					38.4	34.1	37.7	36.6	33.1	31.0			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male
Sexual Behaviors

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection														
85.3	87.9					92.6	90.5	88.8	86.8	86.8	85.7	No linear change	Increased, 1991-2003 Decreased, 2003-2013	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [§]														
						15.0	14.9	17.4	13.7	16.6	17.4	No linear change	No quadratic change	No change
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) [§]														
						15.4	15.0	16.5	14.3	18.2	14.1	No linear change	No quadratic change	Decreased
QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days														
						9.2	7.8	8.1	9.8	9.5	11.4	No linear change	No quadratic change	No change
QN69: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days														
						6.7	4.9	6.4	6.5	5.7	8.0	No linear change	No quadratic change	No change
QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days														
						4.4	3.8	4.5	5.5	4.8	8.6	Increased, 2003-2013	No quadratic change	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days														
						78.1	79.8	78.3	78.5	76.4	74.1	Decreased, 2003-2013	No quadratic change	No change
QN72: Percentage of students who ate fruit one or more times during the past seven days														
						80.7	82.6	81.2	82.5	85.7	85.4	Increased, 2003-2013	No quadratic change	No change
QN73: Percentage of students who ate green salad one or more times during the past seven days														
						61.3	54.9	55.8	51.8	55.2	52.0	Decreased, 2003-2013	No quadratic change	No change
QN74: Percentage of students who ate potatoes one or more times during the past seven days														
						64.7	60.1	60.7	63.9	63.1	63.6	No linear change	No quadratic change	No change
QN75: Percentage of students who ate carrots one or more times during the past seven days														
						40.4	36.6	39.3	39.9	42.8	40.9	No linear change	No quadratic change	No change
QN76: Percentage of students who ate other vegetables one or more times during the past seven days														
						81.2	80.8	80.2	80.2	78.0	77.9	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days												No linear change	No quadratic change	Decreased
						20.0	19.9	21.4	20.2	23.4	19.4			
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days												No linear change	No quadratic change	No change
						30.3	33.0	31.9	30.2	33.8	29.0			
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days												No linear change	No quadratic change	No change
						9.4	6.8	8.5	7.9	6.7	7.2			
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days												No linear change	No quadratic change	No change
						57.6	58.4	60.6	60.2	60.5	58.2			
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days												No linear change	No quadratic change	No change
						19.2	23.7	21.1	20.4	24.0	20.3			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days														
						12.4	10.9	13.3	13.6	14.9	12.1	No linear change	No quadratic change	No change
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days														
						7.2	7.5	8.9	9.7	9.0	8.6	No linear change	No quadratic change	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days														
						58.7	54.1	56.8	61.0	57.1	54.5	No linear change	No quadratic change	No change
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days														
						24.9	21.8	25.0	27.6	26.7	23.9	No linear change	No quadratic change	No change
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days														
						8.2	7.1	9.3	8.0	10.2	8.5	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male																				
Weight Management and Dietary Behaviors																				
Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †							
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013									
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days												36.2	32.3	31.6	25.6	Decreased, 2007-2013	Not available [§]	Decreased		
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days												13.5	17.3	18.0	21.7	Increased, 2007-2013	Not available	No change		
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days												26.3	22.5	23.9	17.6	Decreased, 2007-2013	Not available	Decreased		
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days												16.0	12.9	14.9	10.4	Decreased, 2007-2013	Not available	Decreased		
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days												19.1	16.0	13.1	12.1	10.9	10.9	Decreased, 2003-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Male														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days												Increased, 2003-2013	No quadratic change	No change
						16.0	15.3	18.5	19.9	20.3	20.5			
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						44.3	44.1	39.2	38.6	37.3	35.1			
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						31.7	30.4	27.6	25.6	23.0	21.1			
QN79: Percentage of students who ate breakfast on all of the past seven days												No linear change	Not available [§]	No change
									36.0	36.0	35.8			
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days												No linear change	Not available	No change
									14.3	16.3	17.1			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male Physical Activity												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days														
						43.7	57.2	54.1	53.2	52.4		Increased, 2005-2013	Not available [§]	No change
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days														
						18.0	12.8	12.4	13.2	15.7		No linear change	Not available	No change
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days														
						23.8	36.4	33.0	36.1	34.5		Increased, 2005-2013	Not available	No change
QN81: Percentage of students who watched three or more hours per day of TV on an average school day														
						44.2	42.6	43.4	38.4	34.2	31.4	Decreased, 2003-2013	No quadratic change	No change
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day														
						24.2	27.4	26.3	30.7	35.5		Increased, 2005-2013	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male Physical Activity												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school														
49.9	50.8					47.3	52.0	53.8	51.2	55.6	59.1	No linear change	No change, 1991-2003 Increased, 2003-2013	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school														
43.2	42.7					37.7	44.5	43.9	32.9	37.7	38.7	No linear change	No quadratic change	No change
QN84: Percentage of students who played on one or more sports teams during the past 12 months														
						58.7	63.9	59.6	61.9	57.9	60.8	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male Other	Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
	QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma													
							19.6	24.3	27.1	26.0	24.2	Increased, 2005-2013	Not available [§]	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Male Site-Added												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN108: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months												No linear change	Not available [§]	No change
QN109: Percentage of students who have had one or more cavities in their permanent teeth												Decreased, 2009-2013	Not available	No change
QN110: Percentage of students whose teeth or mouth have been painful or sore one or more times during the past 12 months												No linear change	Not available	No change
QN111: Percentage of students who have missed school because of problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change
QN112: Percentage of students who went to an emergency room or urgent care center for problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet														
97.7	96.7					83.6	79.6	87.7	87.7	86.7	88.2	Decreased, 1991-2013	Decreased, 1991-2003 Increased, 2003-2013	No change
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else														
20.7	20.7					7.1	8.5	6.5	6.9	12.0	7.2	Decreased, 1991-2013	Decreased, 1991-2005 No change, 2005-2013	No change
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol														
34.7	34.3					23.5	26.4	23.0	20.9	23.7	20.2	Decreased, 1991-2013	No quadratic change	No change
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days														
8.4	12.9					6.2	10.7	9.2	8.6	13.0	6.4	No linear change	No quadratic change	Decreased
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days														
	8.0					2.3	6.0	3.6	3.3	5.4	2.3	Decreased, 1993-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school														
	5.8					4.5	9.6	6.5	6.6	7.9	6.7	No linear change	No quadratic change	No change
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months														
	6.8					6.4	6.6	5.8	4.7	9.2	4.6	No linear change	No quadratic change	No change
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months														
31.3	36.9					22.4	24.7	27.6	24.2	25.9	14.3	Decreased, 1991-2013	No quadratic change	Decreased
QN19: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse														
2.1	2.6					1.6	2.3	3.9	2.4	3.9	1.0	No linear change	No quadratic change	Decreased
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months														
	12.4					7.6	8.5	8.7	9.2	8.7	7.7	Decreased, 1993-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female Injury and Violence												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN24: Percentage of students who had ever been bullied on school property during the past 12 months												No linear change	Not available [§]	No change
										21.3	21.1			
QN25: Percentage of students who had ever been electronically bullied during the past 12 months												No linear change	Not available	No change
										17.5	16.4			
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months												No linear change	No quadratic change	Decreased
						35.0	36.1	37.1	35.9	38.5	33.6			
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months												Decreased, 1991-2013	No quadratic change	No change
33.1	30.1					19.8	23.4	18.6	17.5	19.1	16.0			
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months												Decreased, 1991-2013	No quadratic change	No change
20.9	24.6					14.5	17.8	13.9	14.4	14.1	13.0			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

**Female
Injury and Violence**

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months														
8.2	15.3					8.7	10.0	8.3	10.1	10.9	8.4	Decreased, 1991-2013	No quadratic change	No change
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse														
2.0	5.0					3.0	2.5	2.3	3.6	3.2	3.0	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female Tobacco Use														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs														
66.3	65.7					56.3	53.7	53.6	45.4	46.8	38.5	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	Decreased
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years														
19.3	24.6					15.6	12.0	10.7	9.0	10.4	6.5	Decreased, 1991-2013	Decreased, 1991-2003 Decreased, 2003-2013	Decreased
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days														
21.8	24.0					18.7	15.4	16.5	14.6	14.5	11.8	Decreased, 1991-2013	No quadratic change	No change
QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days														
9.5	10.9					7.4	5.7	6.7	6.0	6.4	3.8	Decreased, 1991-2013	No quadratic change	No change
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days														
10.8	11.6					8.9	5.5	4.7	4.0	9.2	2.1	Decreased, 1991-2013	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female Tobacco Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †	
Health Risk Behavior and Percentages															
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013				
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days															
	8.0					4.9	4.7	4.8	3.4	5.4	1.9		Decreased, 1993-2013	No quadratic change	Decreased
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days															
						1.3	2.3	1.8	2.6	3.8	2.8		Increased, 2003-2013	No quadratic change	No change
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days															
						9.3	10.5	11.5	9.7	13.1	10.5		No linear change	No quadratic change	No change
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days															
						20.6	19.2	21.4	19.0	18.3	16.1		Decreased, 2003-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Female Alcohol and Other Drug Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life														
73.6	73.5					70.9	75.0	73.7	70.6	68.2	62.8	Decreased, 1991-2013	No change, 1991-2007 Decreased, 2007-2013	No change
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years														
22.0	27.5					24.4	24.9	20.1	17.5	21.9	15.5	Decreased, 1991-2013	No change, 1991-2003 Decreased, 2003-2013	Decreased
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days														
44.1	41.3					36.0	41.0	37.0	35.0	36.3	30.3	Decreased, 1991-2013	No quadratic change	No change
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days														
22.3	20.7					16.4	19.9	17.0	16.9	17.0	12.7	Decreased, 1991-2013	No quadratic change	No change
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days														
								44.8	41.4	48.5	46.8	No linear change	Not available [§]	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female														
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN47: Percentage of students who used marijuana one or more times during their life														
20.4	22.5					33.1	36.9	33.7	33.3	36.4	33.7	Increased, 1991-2013	Increased, 1991-2005 No change, 2005-2013	No change
QN48: Percentage of students who tried marijuana for the first time before age 13 years														
3.2	5.1					4.9	5.0	5.1	5.4	8.1	5.3	Increased, 1991-2013	No quadratic change	No change
QN49: Percentage of students who used marijuana one or more times during the past 30 days														
8.6	11.2					15.4	17.4	17.0	15.7	19.6	19.1	Increased, 1991-2013	No quadratic change	No change
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life														
2.3	2.5					6.3	7.1	5.1	4.2	4.7	5.6	Increased, 1991-2013	Increased, 1991-2003 No change, 2003-2013	No change
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life														
						11.8	16.9	10.3	9.6	13.5	8.2	Decreased, 2003-2013	No quadratic change	Decreased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Female												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN54: Percentage of students who used ecstasy one or more times during their life												No linear change	No quadratic change	No change
						7.3	4.4	6.9	4.4	6.0	5.0			
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months												Increased, 1993-2013	Increased, 1993-2009 Decreased, 2009-2013	Decreased
	16.6					28.3	27.3	26.3	29.4	30.8	22.0			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey

Trend Analysis Report

Female
Sexual Behaviors

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection														
86.9	85.6					94.5	93.3	92.5	92.1	89.0	88.6	Increased, 1991-2013	Increased, 1991-2003 Decreased, 2003-2013	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [§]														
						14.8	14.6	18.6	15.7	14.9	16.8	No linear change	No quadratic change	No change
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) [§]														
						6.6	9.6	10.9	10.3	11.7	11.1	Increased, 2003-2013	No quadratic change	No change
QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days														
						16.0	15.4	16.6	14.3	19.9	21.6	Increased, 2003-2013	No change, 2003-2009 Increased, 2009-2013	No change
QN69: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days														
						10.7	8.0	8.3	7.7	8.1	8.4	No linear change	No quadratic change	No change
QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days														
						7.6	6.6	6.9	5.6	9.6	7.2	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days												No linear change	No quadratic change	No change
						74.8	78.1	77.9	78.9	74.9	77.8			
QN72: Percentage of students who ate fruit one or more times during the past seven days												Increased, 2003-2013	No quadratic change	No change
						81.3	83.2	85.1	87.8	85.6	87.4			
QN73: Percentage of students who ate green salad one or more times during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						65.3	65.7	64.6	63.0	59.8	60.6			
QN74: Percentage of students who ate potatoes one or more times during the past seven days												No linear change	No quadratic change	No change
						62.6	60.0	58.9	60.7	61.6	60.6			
QN75: Percentage of students who ate carrots one or more times during the past seven days												No linear change	No quadratic change	No change
						36.4	37.4	34.5	36.4	34.3	36.9			
QN76: Percentage of students who ate other vegetables one or more times during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						84.0	83.1	83.9	81.9	80.7	80.6			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days												No linear change	No quadratic change	No change
						13.7	16.4	16.7	14.1	17.6	16.8			
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days												No linear change	No quadratic change	No change
						22.6	29.0	26.0	28.5	27.7	28.9			
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						8.6	6.0	6.0	5.0	6.4	5.2			
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days												No linear change	No quadratic change	No change
						52.4	55.0	56.4	55.3	53.7	55.6			
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days												No linear change	No quadratic change	No change
						14.7	17.1	17.8	17.6	19.0	17.2			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days														
						10.2	8.9	11.5	8.1	11.5	10.5	No linear change	No quadratic change	No change
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days														
						6.4	5.9	5.9	6.1	7.5	8.1	Increased, 2003-2013	No quadratic change	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days														
						59.7	56.9	57.6	57.7	56.6	54.9	No linear change	No quadratic change	No change
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days														
						24.0	22.2	23.9	21.8	22.9	23.2	No linear change	No quadratic change	No change
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days														
						5.8	6.6	6.4	4.9	8.4	7.4	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Female												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days												Decreased, 2007-2013	Not available [§]	No change
						31.8	27.1	24.9	23.3					
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days												Increased, 2007-2013	Not available	Increased
						17.8	15.7	18.1	23.3					
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days												Decreased, 2007-2013	Not available	No change
						23.6	19.5	16.9	16.6					
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days												Decreased, 2007-2013	Not available	No change
						13.9	11.6	10.1	8.8					
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days												No linear change	Decreased, 2003-2009 Increased, 2009-2013	No change
						6.9	6.4	5.2	4.2	4.5	6.9			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						27.7	32.1	31.3	31.0	33.8	31.0			
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						27.9	24.6	27.9	24.8	22.3	25.1			
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						15.8	14.3	14.7	12.8	11.7	12.2			
QN79: Percentage of students who ate breakfast on all of the past seven days												No linear change	Not available [§]	No change
									30.1	29.2	29.3			
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days												No linear change	Not available	No change
									11.5	15.8	14.4			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Female Physical Activity												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days												Increased, 2005-2013	Not available [§]	No change
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days												Decreased, 2005-2013	Not available	No change
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days												Increased, 2005-2013	Not available	No change
QN81: Percentage of students who watched three or more hours per day of TV on an average school day												Decreased, 2003-2013	No change, 2003-2007 Decreased, 2007-2013	No change
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day												Increased, 2005-2013	Not available	Increased

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Female												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Physical Activity														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school														
30.8	30.8					26.7	32.4	30.8	36.1	36.7	40.0	Increased, 1991-2013	No change, 1991-2003 Increased, 2003-2013	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school														
27.7	25.0					20.9	27.3	24.8	26.8	21.9	28.8	No linear change	No quadratic change	No change
QN84: Percentage of students who played on one or more sports teams during the past 12 months														
						47.6	47.9	44.1	46.8	46.9	50.8	No linear change	No change, 2003-2007 Increased, 2007-2013	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Female Other	Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma														
							21.0	19.8	24.8	27.3	24.9	Increased, 2005-2013	Not available [§]	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Female Site-Added												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN108: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months												No linear change	Not available [§]	No change
QN109: Percentage of students who have had one or more cavities in their permanent teeth												No linear change	Not available	Decreased
QN110: Percentage of students whose teeth or mouth have been painful or sore one or more times during the past 12 months												No linear change	Not available	No change
QN111: Percentage of students who have missed school because of problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change
QN112: Percentage of students who went to an emergency room or urgent care center for problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Injury and Violence														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[†]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet														
96.7	97.4					81.1	80.3	86.1	83.9	83.9	89.4	Decreased, 1991-2013	Decreased, 1991-2003 Increased, 2003-2013	No change
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else														
23.9	24.0					9.0	10.1	7.9	10.1	12.7	6.2	Decreased, 1991-2013	No quadratic change	No change
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol														
36.4	34.0					23.6	27.8	24.5	20.6	23.3	18.4	Decreased, 1991-2013	No quadratic change	No change
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days														
27.6	28.6					22.0	26.6	23.5	23.8	28.6	23.1	Decreased, 1991-2013	No quadratic change	No change
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days														
	16.5					5.8	9.7	5.1	6.2	9.3	2.3	Decreased, 1993-2013	No quadratic change	Decreased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Injury and Violence														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[†]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school														
	5.3					2.8	7.5	4.6	6.4	7.2	5.0	No linear change	No quadratic change	No change
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months														
	8.7					6.9	8.5	8.0	7.3	11.1	6.3	No linear change	No quadratic change	No change
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months														
39.5	38.8					29.4	28.7	29.7	27.4	30.5	18.6	Decreased, 1991-2013	No quadratic change	Decreased
QN19: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse														
3.8	3.8					2.5	3.7	3.3	2.6	4.1	1.4	Decreased, 1991-2013	No quadratic change	Decreased
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months														
	13.5					9.6	8.0	9.7	8.4	8.9	6.1	Decreased, 1993-2013	No quadratic change	Decreased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*															
Injury and Violence															
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013				
QN24: Percentage of students who had ever been bullied on school property during the past 12 months												No linear change	Not available [¶]	No change	
										23.0	22.1				
QN25: Percentage of students who had ever been electronically bullied during the past 12 months												No linear change	Not available	No change	
										16.4	16.8				
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months												Increased, 2003-2013	No quadratic change	No change	
						26.4	25.7	26.1	26.6	30.3	29.0				
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months												Decreased, 1991-2013	No quadratic change	No change	
26.7	26.2					16.7	18.4	16.0	14.7	16.0	15.3				
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months												Decreased, 1991-2013	No quadratic change	No change	
17.2	20.2					12.2	15.7	11.4	13.7	13.6	12.0				

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

White*												Linear Change [†]	Quadratic Change [†]	Change from 2011-2013 [§]
Injury and Violence														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months														
6.2	11.3					7.4	6.2	6.9	7.1	8.5	5.3	No linear change	No quadratic change	No change
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse														
1.6	3.2					2.4	1.5	1.5	2.9	1.8	2.4	No linear change	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Tobacco Use														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs														
71.1	72.3					60.8	56.3	58.1	51.8	50.6	42.4	Decreased, 1991-2013	No quadratic change	No change
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years														
27.3	30.6					21.4	16.3	17.2	13.3	13.4	10.3	Decreased, 1991-2013	No quadratic change	No change
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days														
31.3	33.0					28.5	22.4	25.0	23.8	24.4	18.5	Decreased, 1991-2013	No quadratic change	No change
QN34: Percentage of students who smoked cigarettes on 20 or more of the past 30 days														
15.2	17.2					12.4	10.8	10.4	10.7	12.1	7.4	Decreased, 1991-2013	No quadratic change	Decreased
QN34: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days														
17.0	14.4					14.0	14.2	8.2	8.7	7.3	6.7	Decreased, 1991-2013	No change, 1991-2005 Decreased, 2005-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*												Linear Change[†]	Quadratic Change[†]	Change from 2011-2013[§]
Tobacco Use														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN35: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days														
						19.1	17.5	15.6	20.4	14.8	13.6	No linear change	No quadratic change	No change
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days														
	11.8					8.4	7.2	6.9	7.1	8.8	2.4	Decreased, 1993-2013	No quadratic change	Decreased
QN38: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months														
						58.9	58.3	56.1	55.4	46.5	54.4	No linear change	No quadratic change	No change
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						11.5	11.6	13.8	13.5	14.9	12.5	No linear change	No quadratic change	No change
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days														
						14.7	17.5	17.0	13.3	19.0	12.7	No linear change	No quadratic change	Decreased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

White* Tobacco Use												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						34.8	30.0	32.6	30.3	30.1	26.0	Decreased, 2003-2013	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life														
79.8	77.5					76.3	75.7	76.8	69.6	69.8	61.2	Decreased, 1991-2013	No change, 1991-2007 Decreased, 2007-2013	Decreased
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years														
29.0	32.8					27.2	23.2	21.6	17.5	19.2	13.7	Decreased, 1991-2013	No change, 1991-2003 Decreased, 2003-2013	Decreased
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days														
52.7	48.8					44.6	46.4	44.6	40.1	40.0	31.9	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	No change
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days														
33.2	31.9					27.5	29.0	27.5	25.0	24.3	17.4	Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	Decreased
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days														
								37.2	34.0	41.4	36.0	No linear change	Not available [¶]	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN47: Percentage of students who used marijuana one or more times during their life														
27.5	29.8					38.1	36.8	38.6	34.6	36.4	31.3	Increased, 1991-2013	Increased, 1991-2005 No change, 2005-2013	No change
QN48: Percentage of students who tried marijuana for the first time before age 13 years														
5.9	6.2					9.0	7.1	7.3	6.3	7.9	5.9	No linear change	No quadratic change	No change
QN49: Percentage of students who used marijuana one or more times during the past 30 days														
12.3	15.9					21.0	18.2	20.6	18.2	20.9	16.9	Increased, 1991-2013	Increased, 1991-2003 No change, 2003-2013	No change
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life														
3.9	3.8					9.3	12.4	8.0	7.7	7.6	5.3	Increased, 1991-2013	Increased, 1991-2005 Decreased, 2005-2013	No change
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life														
						15.8	18.5	14.5	13.5	13.7	8.1	Decreased, 2003-2013	No change, 2003-2009 Decreased, 2009-2013	Decreased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

White*												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN54: Percentage of students who used ecstasy one or more times during their life														
						10.7	7.2	10.2	9.3	8.6	5.6	Decreased, 2003-2013	No quadratic change	Decreased
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months														
	23.6					32.9	29.1	32.1	35.1	30.5	24.8	No linear change	Increased, 1993-2009 Decreased, 2009-2013	Decreased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

White*												Linear Change [†]	Quadratic Change [†]	Change from 2011-2013 [§]
Sexual Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection														
86.7	87.1					95.7	95.1	93.5	92.6	91.6	90.9	Increased, 1991-2013	Increased, 1991-2003 Decreased, 2003-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [¶]														
						12.6	13.6	15.4	11.8	14.8	14.6	No linear change	No quadratic change	No change
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) [¶]														
						8.7	9.5	12.4	12.3	12.8	10.9	Increased, 2003-2013	Increased, 2003-2009 No change, 2009-2013	No change
QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days														
						12.6	12.6	12.1	13.5	13.8	14.9	No linear change	No quadratic change	No change
QN69: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days														
						9.8	8.6	8.5	8.3	6.7	8.0	No linear change	No quadratic change	No change
QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days														
						5.2	5.2	6.0	5.6	6.8	6.6	No linear change	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days														
						74.8	76.3	74.4	75.0	71.8	73.4	No linear change	No quadratic change	No change
QN72: Percentage of students who ate fruit one or more times during the past seven days														
						84.2	85.5	83.7	85.3	87.1	88.4	Increased, 2003-2013	No quadratic change	No change
QN73: Percentage of students who ate green salad one or more times during the past seven days														
						71.1	65.2	65.5	62.9	61.9	57.1	Decreased, 2003-2013	No quadratic change	No change
QN74: Percentage of students who ate potatoes one or more times during the past seven days														
						73.9	66.3	67.8	69.3	66.3	66.4	Decreased, 2003-2013	No quadratic change	No change
QN75: Percentage of students who ate carrots one or more times during the past seven days														
						46.0	43.1	42.5	42.9	41.0	41.9	No linear change	No quadratic change	No change
QN76: Percentage of students who ate other vegetables one or more times during the past seven days														
						88.4	86.2	85.2	85.5	82.9	83.2	Decreased, 2003-2013	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[†]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days												No linear change	No quadratic change	No change
						14.8	15.4	15.3	14.2	16.4	13.7			
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days												No linear change	No quadratic change	No change
						22.6	27.2	24.3	24.6	24.0	23.3			
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days												No linear change	No quadratic change	No change
						8.2	6.5	8.2	7.7	7.1	5.4			
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days												No linear change	No quadratic change	No change
						55.0	56.3	56.7	54.2	54.4	55.2			
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days												No linear change	No quadratic change	No change
						13.2	15.8	14.2	14.3	14.7	12.4			

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[†]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days												No linear change	No quadratic change	No change
						11.2	10.0	11.4	9.7	11.4	10.0			
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days												Increased, 2003-2013	No quadratic change	No change
						3.2	4.4	4.8	5.5	6.4	6.0			
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days												Decreased, 2003-2013	No quadratic change	No change
						66.8	61.8	63.2	65.8	60.8	57.7			
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days												No linear change	No quadratic change	No change
						27.1	24.3	26.1	27.3	26.3	23.9			
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days												No linear change	No quadratic change	No change
						6.6	6.8	6.7	5.0	7.1	6.2			

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*																				
Weight Management and Dietary Behaviors																				
Health Risk Behavior and Percentages											Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]							
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013									
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days												39.2	32.4	32.1	26.8	Decreased, 2007-2013	Not available [¶]	No change		
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days												13.5	16.0	16.6	22.0	Increased, 2007-2013	Not available	No change		
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days												27.6	21.2	23.5	18.2	Decreased, 2007-2013	Not available	No change		
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days												16.5	10.4	13.7	9.6	Decreased, 2007-2013	Not available	No change		
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days												16.2	13.6	10.4	9.4	8.5	9.9	Decreased, 2003-2013	Decreased, 2003-2009 No change, 2009-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days														
						15.9	17.1	18.4	21.8	21.9	18.8	Increased, 2003-2013	No quadratic change	No change
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days														
						46.1	40.8	39.7	36.8	36.9	35.6	Decreased, 2003-2013	No quadratic change	No change
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days														
						30.7	26.8	23.9	23.3	21.7	19.2	Decreased, 2003-2013	No quadratic change	No change
QN79: Percentage of students who ate breakfast on all of the past seven days														
									35.5	34.7	37.1	No linear change	Not available [¶]	No change
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days														
									11.0	14.4	12.3	No linear change	Not available	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

White*														
Physical Activity														
Health Risk Behavior and Percentages											Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days												Increased, 2005-2013	Not available [¶]	No change
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days												Decreased, 2005-2013	Not available	No change
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days												Increased, 2005-2013	Not available	No change
QN81: Percentage of students who watched three or more hours per day of TV on an average school day												Decreased, 2003-2013	No quadratic change	No change
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day												Increased, 2005-2013	Not available	Increased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

White*												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Physical Activity														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school														
38.8	37.5					35.8	41.9	40.7	41.9	43.2	46.5	Increased, 1991-2013	No quadratic change	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school														
34.7	30.1					30.4	39.1	34.9	32.6	28.2	36.8	No linear change	No quadratic change	No change
QN84: Percentage of students who played on one or more sports teams during the past 12 months														
						56.4	58.1	51.9	54.4	52.6	55.9	No linear change	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

White* Other	Health Risk Behavior and Percentages											Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
	QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma													
							21.0	21.8	24.5	25.3	20.9	No linear change	Not available [¶]	Decreased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

White* Site-Added												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN108: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months												No linear change	Not available [¶]	No change
QN109: Percentage of students who have had one or more cavities in their permanent teeth												No linear change	Not available	No change
QN110: Percentage of students whose teeth or mouth have been painful or sore one or more times during the past 12 months												No linear change	Not available	No change
QN111: Percentage of students who have missed school because of problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change
QN112: Percentage of students who went to an emergency room or urgent care center for problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[‡]Based on t-test analysis, p < 0.05.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Injury and Violence														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet														
98.2	97.6					92.8	91.9	93.6	94.2	92.6	91.9	Decreased, 1991-2013	No quadratic change	No change
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else														
30.9	27.5					8.9	8.9	8.1	7.9	11.4	8.9	Decreased, 1991-2013	Decreased, 1991-2003 No change, 2003-2013	No change
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol														
34.5	38.7					23.2	25.5	21.8	19.6	23.3	19.8	Decreased, 1991-2013	No quadratic change	No change
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days														
26.3	25.1					13.2	15.1	14.5	14.0	14.6	11.2	Decreased, 1991-2013	No quadratic change	No change
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days														
	10.0					3.1	4.1	4.9	5.7	6.2	3.8	Decreased, 1993-2013	Decreased, 1993-2005 No change, 2005-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*												Linear Change[†]	Quadratic Change[†]	Change from 2011-2013[§]
Injury and Violence														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school														
	7.7					6.8	9.3	6.0	6.6	7.9	6.6	No linear change	No quadratic change	No change
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months														
	9.6					8.9	7.6	7.2	9.0	9.5	6.3	No linear change	No quadratic change	No change
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months														
41.5	43.9					33.3	39.0	37.2	36.5	35.9	22.1	Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	Decreased
QN19: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse														
4.2	3.3					3.7	3.3	4.8	4.2	4.5	2.3	No linear change	No quadratic change	No change
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months														
	19.1					11.7	16.3	16.0	15.2	15.1	12.2	No linear change	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*														
Injury and Violence														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN24: Percentage of students who had ever been bullied on school property during the past 12 months												No linear change	Not available [¶]	No change
										12.5	13.3			
QN25: Percentage of students who had ever been electronically bullied during the past 12 months												No linear change	Not available	No change
										7.3	8.5			
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months												Decreased, 2003-2013	No quadratic change	No change
						30.9	31.2	33.9	27.5	28.6	24.8			
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months												Decreased, 1991-2013	No quadratic change	No change
21.1	18.3					15.7	15.1	14.4	11.4	13.3	10.9			
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months												Decreased, 1991-2013	No quadratic change	No change
11.8	15.9					13.9	13.8	11.2	10.8	9.9	9.9			

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Black*												Linear Change [†]	Quadratic Change [†]	Change from 2011-2013 [§]
Injury and Violence														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months														
4.6	10.8					10.0	9.6	7.6	7.0	12.4	9.0	No linear change	No quadratic change	No change
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse														
1.8	2.2					4.1	3.4	2.8	3.0	5.2	3.5	Increased, 1991-2013	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*														
Tobacco Use														
Health Risk Behavior and Percentages												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs														
67.6	58.7					58.0	54.5	54.7	45.1	42.1	36.3	Decreased, 1991-2013	Decreased, 1991-2007 Decreased, 2007-2013	No change
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years														
16.6	20.5					14.5	12.2	9.5	9.8	10.3	9.5	Decreased, 1991-2013	No quadratic change	No change
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days														
7.3	9.6					8.9	10.1	9.5	8.9	8.3	5.3	No linear change	No change, 1991-2009 No change, 2009-2013	No change
QN34: Percentage of students who smoked cigarettes on 20 or more of the past 30 days														
2.2	0.4					2.4	2.9	2.4	1.7	2.2	0.4	No linear change	Increased, 1991-2007 Decreased, 2007-2013	Decreased
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days														
	1.7					2.9	2.9	2.8	2.2	2.7	1.0	No linear change	No change, 1993-2007 No change, 2007-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black* Tobacco Use														
Health Risk Behavior and Percentages												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						1.9	2.2	1.5	2.9	3.3	4.4	Increased, 2003-2013	No quadratic change	No change
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days														
						11.3	12.6	15.0	13.1	14.9	12.1	No linear change	Increased, 2003-2007 No change, 2007-2013	No change
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						12.6	16.7	17.8	16.8	14.9	11.5	No linear change	Increased, 2003-2007 Decreased, 2007-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life														
70.7	73.4					66.0	69.4	68.9	65.6	62.9	55.2	Decreased, 1991-2013	Decreased, 1991-2009 Decreased, 2009-2013	Decreased
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years														
31.5	30.3					31.7	29.3	24.9	22.9	25.1	22.2	Decreased, 1991-2013	No quadratic change	No change
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days														
35.7	38.0					26.9	30.9	29.2	28.0	28.5	22.6	Decreased, 1991-2013	No quadratic change	No change
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days														
13.5	14.3					8.2	10.4	9.2	11.2	8.9	7.9	Decreased, 1991-2013	No quadratic change	No change
QN46: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days														
								36.8	41.6	41.1	56.6	Increased, 2007-2013	Not available [¶]	Increased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Black*														
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages											Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN47: Percentage of students who used marijuana one or more times during their life														
17.3	20.5					37.3	41.0	38.8	39.5	40.8	41.2	Increased, 1991-2013	Increased, 1991-2005 No change, 2005-2013	No change
QN48: Percentage of students who tried marijuana for the first time before age 13 years														
4.9	5.1					9.4	9.4	9.1	9.3	11.6	10.4	Increased, 1991-2013	No quadratic change	No change
QN49: Percentage of students who used marijuana one or more times during the past 30 days														
7.8	9.8					17.3	19.8	19.6	18.6	22.1	23.1	Increased, 1991-2013	No quadratic change	No change
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life														
0.9	0.8					2.6	2.4	2.2	2.3	2.3	6.5	Increased, 1991-2013	No quadratic change	Increased
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life														
						7.0	10.0	6.2	9.0	10.0	9.1	No linear change	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Black*												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Alcohol and Other Drug Use														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN54: Percentage of students who used ecstasy one or more times during their life														
						4.2	2.5	4.4	3.4	7.0	6.2	Increased, 2003-2013	No quadratic change	No change
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months														
	14.9					31.9	29.9	31.0	30.3	31.9	25.8	Increased, 1993-2013	Increased, 1993-2005 No change, 2005-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Black* Sexual Behaviors												Linear Change [†]	Quadratic Change [†]	Change from 2011-2013 [§]
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection														
85.4	86.7					90.8	89.1	89.3	89.2	84.2	85.4	No linear change	Increased, 1991-2003 Decreased, 2003-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [¶]														
						18.5	16.4	20.8	17.7	17.2	20.0	No linear change	No quadratic change	No change
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) [¶]														
						14.2	16.0	15.8	13.1	17.6	14.5	No linear change	No quadratic change	No change
QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days														
						12.4	8.9	12.0	11.1	13.7	17.9	Increased, 2003-2013	No change, 2003-2009 Increased, 2009-2013	No change
QN69: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days														
						6.7	4.1	4.9	5.3	6.2	6.7	No linear change	No quadratic change	No change
QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days														
						7.2	5.0	4.6	4.8	6.0	8.3	No linear change	No change, 2003-2007 Increased, 2007-2013	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days														
						78.2	82.4	81.4	81.7	79.5	78.9	No linear change	No quadratic change	No change
QN72: Percentage of students who ate fruit one or more times during the past seven days														
						75.8	77.5	81.1	83.8	83.0	83.5	Increased, 2003-2013	No quadratic change	No change
QN73: Percentage of students who ate green salad one or more times during the past seven days														
						52.8	52.1	51.1	48.6	51.1	53.7	No linear change	No quadratic change	No change
QN74: Percentage of students who ate potatoes one or more times during the past seven days														
						48.2	50.2	47.1	55.5	57.4	56.9	Increased, 2003-2013	No quadratic change	No change
QN75: Percentage of students who ate carrots one or more times during the past seven days														
						26.8	27.2	27.6	29.2	32.4	33.0	Increased, 2003-2013	No quadratic change	No change
QN76: Percentage of students who ate other vegetables one or more times during the past seven days														
						75.2	76.3	78.6	76.8	75.4	74.2	No linear change	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*														
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[†]	Change from 2011-2013[§]
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days												No linear change	No quadratic change	No change
						18.7	20.8	20.9	19.1	24.6	21.4			
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days												No linear change	No quadratic change	No change
						30.6	34.8	32.3	34.5	37.3	32.5			
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days												Decreased, 2003-2013	Decreased, 2003-2009 No change, 2009-2013	No change
						10.5	6.8	6.9	5.6	6.1	6.3			
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days												No linear change	No change, 2003-2009 No change, 2009-2013	No change
						54.1	56.1	58.4	59.3	60.4	55.7			
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days												No linear change	No quadratic change	No change
						20.9	26.3	24.1	23.2	29.3	24.5			

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[§]Based on t-test analysis, $p < 0.05$.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*												Linear Change [†]	Quadratic Change [†]	Change from 2011-2013 [§]
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days														
						10.4	9.1	11.9	11.8	14.0	11.2	No linear change	No quadratic change	No change
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days														
						11.1	10.8	10.5	10.0	11.6	11.0	No linear change	No quadratic change	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days														
						47.6	45.9	47.3	52.3	49.7	48.8	No linear change	No quadratic change	No change
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days														
						19.6	17.8	20.7	22.2	22.1	21.0	No linear change	No quadratic change	No change
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days														
						7.1	6.6	8.0	8.1	10.9	8.7	Increased, 2003-2013	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*																				
Weight Management and Dietary Behaviors																				
Health Risk Behavior and Percentages												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]						
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013									
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days												29.5	29.1	26.5	21.1	Decreased, 2007-2013	Not available [¶]	Decreased		
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days												17.2	16.0	19.3	22.1	Increased, 2007-2013	Not available	No change		
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days												24.2	22.5	20.2	15.4	Decreased, 2007-2013	Not available	No change		
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days												14.9	14.9	12.8	8.8	Decreased, 2007-2013	Not available	Decreased		
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days												8.1	8.5	6.8	6.2	6.6	6.9	No linear change	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						31.2	34.2	33.4	32.0	34.6	35.0			
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						21.6	24.2	25.5	22.9	20.3	22.2			
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						13.6	16.0	17.0	13.2	11.2	11.8			
QN79: Percentage of students who ate breakfast on all of the past seven days												No linear change	Not available [¶]	No change
									29.7	29.2	28.2			
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days												No linear change	Not available	No change
									14.8	18.4	17.8			

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Black*												Linear Change[†]	Quadratic Change[‡]	Change from 2011-2013[§]
Physical Activity														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days												Increased, 2005-2013	Not available [¶]	No change
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days												Decreased, 2005-2013	Not available	No change
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days												Increased, 2005-2013	Not available	No change
QN81: Percentage of students who watched three or more hours per day of TV on an average school day												Decreased, 2003-2013	No change, 2003-2007 Decreased, 2007-2013	Decreased
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day												Increased, 2005-2013	Not available	Increased

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Black*												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Physical Activity														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school														
44.2	46.6					36.5	39.6	41.9	46.6	49.6	52.1	Increased, 1991-2013	No change, 1991-2005 Increased, 2005-2013	No change
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school														
38.0	39.9					25.9	30.5	31.9	28.2	32.9	29.3	No linear change	No quadratic change	No change
QN84: Percentage of students who played on one or more sports teams during the past 12 months														
						49.2	54.4	51.4	56.7	52.5	57.1	Increased, 2003-2013	No quadratic change	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[§]Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Black* Other	Health Risk Behavior and Percentages											Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
	1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011			
	QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma													
							20.6	22.7	29.0	29.0	28.1	Increased, 2005-2013	Not available [¶]	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

[‡]Based on t-test analysis, $p < 0.05$.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Black* Site-Added												Linear Change [†]	Quadratic Change [‡]	Change from 2011-2013 [§]
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN108: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months												No linear change	Not available [¶]	No change
QN109: Percentage of students who have had one or more cavities in their permanent teeth												No linear change	Not available	No change
QN110: Percentage of students whose teeth or mouth have been painful or sore one or more times during the past 12 months												Decreased, 2009-2013	Not available	No change
QN111: Percentage of students who have missed school because of problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	Increased
QN112: Percentage of students who went to an emergency room or urgent care center for problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change

*Non-Hispanic.

[†]Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

[‡]Based on t-test analysis, p < 0.05.

[¶]Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †						
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013								
QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet											88.9	81.0	90.0	87.2	No linear change	Not available [§]	No change		
QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else											11.0	7.0	11.5	12.8	16.1	10.5	No linear change	No quadratic change	No change
QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol											29.3	27.8	28.5	20.5	29.5	29.2	No linear change	No quadratic change	No change
QN13: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days											27.2	18.3	15.4	25.0	21.5	No linear change	Not available	No change	
QN15: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days											11.2	7.4	5.2	11.9	10.8	No linear change	Not available	No change	

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN16: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school											No linear change	Not available [§]	No change	
						7.9	10.3	6.4	16.0	12.2				
QN17: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months											No linear change	No quadratic change	No change	
						12.2	9.1	13.1	6.0	17.5	9.8			
QN18: Percentage of students who were in a physical fight one or more times during the past 12 months											Decreased, 2005-2013	Not available	No change	
						43.9	38.2	35.6	34.1	27.5				
QN19: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse											No linear change	Not available	No change	
						4.1	11.7	5.5	5.8	5.5				
QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months											No linear change	Not available	No change	
						19.4	18.1	14.0	13.1	14.2				

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino
Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN24: Percentage of students who had ever been bullied on school property during the past 12 months											No linear change	Not available [§]	No change	
										21.2	23.5			
QN25: Percentage of students who had ever been electronically bullied during the past 12 months											No linear change	Not available	No change	
										18.8	15.0			
QN26: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months											No linear change	No quadratic change	No change	
						31.3	42.3	34.1	42.8	33.2	35.2			
QN27: Percentage of students who seriously considered attempting suicide during the past 12 months											No linear change	No quadratic change	No change	
						18.5	18.2	15.5	15.3	14.2	20.5			
QN28: Percentage of students who made a plan about how they would attempt suicide during the past 12 months											No linear change	No quadratic change	No change	
						15.7	12.3	22.6	15.8	13.4	17.1			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino
Injury and Violence

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN29: Percentage of students who actually attempted suicide one or more times during the past 12 months														
								11.6	13.8	11.3	16.0	No linear change	Not available [§]	No change
QN30: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse														
								7.3	3.5	4.5	5.1	No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino Tobacco Use

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN31: Percentage of students who ever tried cigarette smoking, even one or two puffs											Decreased, 2005-2013	Not available [§]	No change	
						65.9	60.6	57.4	51.0	45.3				
QN32: Percentage of students who smoked a whole cigarette for the first time before age 13 years											Decreased, 2005-2013	Not available	No change	
						21.6	17.1	14.4	11.5	13.4				
QN33: Percentage of students who smoked cigarettes on one or more of the past 30 days											No linear change	Not available	No change	
						20.3	15.6	16.8	12.9					
QN34: Percentage of students who smoked cigarettes on 20 or more of the past 30 days											No linear change	Not available	No change	
						5.0	2.3	5.2	4.6					
QN36: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days											No linear change	Not available	No change	
						3.2	5.1	2.5	7.5	5.9				

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino
Tobacco Use

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN39: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days														
						2.8	7.7	5.0	9.4	10.5		Increased, 2005-2013	Not available [§]	No change
QN40: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days														
						16.2	10.5	15.4	15.4	18.8	18.1	No linear change	No quadratic change	No change
QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days														
							23.8	18.8	19.4	18.3		No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino Alcohol and Other Drug Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN41: Percentage of students who had at least one drink of alcohol on one or more days during their life														
						77.8	78.7	72.4	64.5	65.4		Decreased, 2005-2013	Not available [§]	No change
QN42: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years														
						40.6	29.7	23.5	27.0	21.3		Decreased, 2005-2013	Not available	No change
QN43: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days														
						39.9	37.1	31.1	34.1	30.8		Decreased, 2005-2013	Not available	No change
QN44: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days														
						23.5	15.1	19.1	19.3	18.7	15.8	No linear change	No quadratic change	No change
QN47: Percentage of students who used marijuana one or more times during their life														
						41.6	31.7	33.9	32.8	40.0		No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino Alcohol and Other Drug Use												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN48: Percentage of students who tried marijuana for the first time before age 13 years														
						7.5	6.5	7.2	11.7	14.0		Increased, 2005-2013	Not available [§]	No change
QN49: Percentage of students who used marijuana one or more times during the past 30 days														
						15.5	14.6	15.3	17.3	23.9		No linear change	Not available	No change
QN50: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life														
						19.6	9.9	12.2	7.9	12.2	11.0	No linear change	No quadratic change	No change
QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life														
						13.5	13.5	16.0	11.1	19.0	15.0	No linear change	No quadratic change	No change
QN54: Percentage of students who used ecstasy one or more times during their life														
						12.0	5.3	10.0	4.0	11.4	11.2	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino
Alcohol and Other Drug Use

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN58: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months														
						40.2	48.0	40.8	31.6	35.8	30.7	Decreased, 2003-2013	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino
Sexual Behaviors

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection											No linear change	No quadratic change	No change	

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino

Weight Management and Dietary Behaviors

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) [§]											No linear change	Not available [¶]	No change	
						16.0	22.8	15.8	15.2	20.7				
QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) [§]											No linear change	Not available	No change	
						17.2	14.8	11.0	16.5	16.7				
QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days											No linear change	No quadratic change	No change	
						13.4	19.6	16.5	8.0	19.1	16.6			
QN69: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days											No linear change	No quadratic change	No change	
						11.6	4.3	10.7	8.5	9.6	8.8			
QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days											No linear change	No quadratic change	No change	
						3.0	6.5	8.5	5.2	11.9	10.0			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Overweight and obese prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

¶Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days														
						80.9	80.7	81.8	84.3	76.3	77.3	No linear change	No quadratic change	No change
QN72: Percentage of students who ate fruit one or more times during the past seven days														
						81.8	92.2	88.0	92.5	87.8	88.7	No linear change	No change, 2003-2007 No change, 2007-2013	No change
QN73: Percentage of students who ate green salad one or more times during the past seven days														
						60.9	63.3	65.6	67.1	58.5	58.1	No linear change	No quadratic change	No change
QN74: Percentage of students who ate potatoes one or more times during the past seven days														
						70.3	68.6	71.2	57.4	63.9	60.9	Decreased, 2003-2013	No quadratic change	No change
QN75: Percentage of students who ate carrots one or more times during the past seven days														
							43.6	46.7	49.6	44.7	41.4	No linear change	Not available [§]	No change
QN76: Percentage of students who ate other vegetables one or more times during the past seven days														
						71.6	80.7	80.2	77.1	76.8	79.8	No linear change	No quadratic change	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino

Weight Management and Dietary Behaviors

Health Risk Behavior and Percentages												Linear Change*	Quadratic Change*	Change from 2011-2013 †
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days												No linear change	Not available [§]	No change
						16.6	30.3	18.7	20.9	22.5				
QNFRUIT: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days												No linear change	No quadratic change	No change
						36.2	35.1	40.9	29.9	36.0	37.5			
QNFR0: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days												No linear change	No quadratic change	No change
						7.9	2.0	4.3	2.9	5.9	6.6			
QNFR1: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days												No linear change	No quadratic change	Increased
						56.7	60.5	65.6	68.5	56.8	68.2			
QNFR3: Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days												No linear change	No quadratic change	No change
						25.3	21.5	26.7	23.1	23.2	24.1			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, $p < 0.05$.

†Based on t-test analysis, $p < 0.05$.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Weight Management and Dietary Behaviors														
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days														
						10.2	17.4	9.1	15.3	14.2		No linear change	Not available [§]	No change
QNVEG0: Percentage of students who ate vegetables 0 times per day during the past seven days														
						1.8	7.0	9.9	6.2	9.5		No linear change	Not available	No change
QNVEG1: Percentage of students who ate vegetables one or more times per day during the past seven days														
						55.2	61.5	53.9	56.3	54.3		No linear change	Not available	No change
QNVEG2: Percentage of students who ate vegetables two or more times per day during the past seven days														
						21.8	29.1	17.6	24.7	26.4		No linear change	Not available	No change
QNFRVG2: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days														
						3.9	11.8	6.3	10.8	11.8		No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino

Weight Management and Dietary Behaviors

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †						
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013								
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days											No linear change	Not available [§]	No change						
QN77: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days											26.3	20.0	22.2	28.4					
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days											No linear change	Not available	No change						
QNSODA0: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days											18.3	18.1	16.4	20.2					
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days											No linear change	Not available	Increased						
QNSODA2: Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days											17.7	15.4	12.1	20.0					
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days											No linear change	Not available	No change						
QNSODA3: Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days											8.9	10.2	9.4	13.6					
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days											No linear change	No quadratic change	No change						
QN78: Percentage of students who drank three or more glasses per day of milk during the past seven days											12.9	7.9	9.2	9.8	10.8	9.5			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey Trend Analysis Report

Hispanic/Latino Weight Management and Dietary Behaviors												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QNMILK0: Percentage of students who drank 0 glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						20.7	13.6	24.8	15.5	21.5	21.9			
QNMILK1: Percentage of students who drank one or more glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						35.7	40.1	36.7	41.8	35.9	31.5			
QNMILK2: Percentage of students who drank two or more glasses per day of milk during the past seven days												No linear change	No quadratic change	No change
						24.6	23.8	22.8	24.5	23.9	17.7			
QN79: Percentage of students who ate breakfast on all of the past seven days												No linear change	Not available [§]	No change
									36.0	40.4	31.9			
QNNOBKFT: Percentage of students who ate breakfast on none of the past seven days												No linear change	Not available	No change
									12.7	15.2	18.7			

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino Physical Activity												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days												Increased, 2005-2013	Not available [§]	No change
						24.6	38.4	30.9	41.4	42.4				
QNPA0DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days												Decreased, 2005-2013	Not available	No change
						24.8	23.0	16.3	12.9	18.5				
QNPA7DAY: Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days												Increased, 2005-2013	Not available	No change
						11.6	21.4	13.4	22.7	23.2				
QN81: Percentage of students who watched three or more hours per day of TV on an average school day												Decreased, 2003-2013	No quadratic change	No change
						45.7	44.3	36.5	39.8	29.5	32.4			
QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day												Increased, 2005-2013	Not available	Increased
						21.7	17.1	16.8	25.8	37.6				

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino
Physical Activity

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN83: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school											No linear change	Not available [§]	No change	
QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school											No linear change	Not available	No change	
QN84: Percentage of students who played on one or more sports teams during the past 12 months											No linear change	No quadratic change	No change	

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino
Other

Health Risk Behavior and Percentages											Linear Change*	Quadratic Change*	Change from 2011-2013 †	
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma											No linear change	Not available [§]	No change	
						15.1	23.5	18.0	25.9	25.3				

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Georgia High School Survey
Trend Analysis Report

Hispanic/Latino Site-Added												Linear Change*	Quadratic Change*	Change from 2011-2013 †
Health Risk Behavior and Percentages														
1991	1993	1995	1997	1999	2001	2003	2005	2007	2009	2011	2013			
QN108: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months												No linear change	Not available [§]	No change
QN109: Percentage of students who have had one or more cavities in their permanent teeth												No linear change	Not available	No change
QN110: Percentage of students whose teeth or mouth have been painful or sore one or more times during the past 12 months												No linear change	Not available	No change
QN111: Percentage of students who have missed school because of problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change
QN112: Percentage of students who went to an emergency room or urgent care center for problems with their teeth or mouth one or more times during the past 12 months												No linear change	Not available	No change

*Based on trend analyses using a logistic regression model controlling for sex, race/ethnicity, and grade, p < 0.05.

†Based on t-test analysis, p < 0.05.

§Not enough years of data to calculate.