

**Table 1. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR1 -- (Q1) How old are you?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
9 years old	%	0.3	0.1	0.5	0.4	0.0	0.4	0.0	0.0	2.4	0.0
	95% CI	0.3	0.2	0.5	0.5	0.0	0.5	0.0	0.0	2.3	0.0
	n	7	1	6	3	0	3	0	0	7	0
10 years old	%	0.2	0.2	0.2	0.5	0.1	0.0	0.0	0.1	0.2	1.7
	95% CI	0.2	0.4	0.2	0.7	0.1	0.0	0.0	0.3	0.4	3.0
	n	3	1	2	2	1	0	0	1	1	1
11 years old	%	10.1	11.9	8.3	29.4	0.5	0.1	9.8	9.8	11.5	10.9
	95% CI	2.9	3.7	2.8	3.6	0.7	0.2	3.0	4.5	6.0	7.1
	n	190	112	78	186	2	1	83	67	28	11
12 years old	%	28.0	26.7	29.3	61.1	22.1	0.2	28.9	26.9	25.4	29.3
	95% CI	5.0	4.4	6.4	2.9	3.4	0.3	5.9	6.4	8.7	10.5
	n	544	256	288	383	156	1	246	182	74	33
13 years old	%	34.7	36.9	32.6	8.2	65.1	30.9	34.3	35.8	29.8	40.8
	95% CI	5.6	6.5	5.7	3.1	4.2	4.4	5.4	8.5	10.4	11.6
	n	734	395	339	54	448	228	338	253	96	44
14 years old	%	23.4	21.8	25.0	0.3	11.5	59.1	23.9	23.0	27.2	16.7
	95% CI	5.4	5.5	6.1	0.4	4.4	3.8	5.4	8.0	7.9	8.4
	n	540	251	289	2	84	451	250	184	84	20

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 1. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR1 -- (Q1) How old are you?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
15 years old	%	3.0	2.1	3.8	0.0	0.6	8.5	2.7	3.7	3.2	0.6
	95% CI	1.1	1.0	1.6	0.0	0.4	3.1	1.3	1.9	1.8	1.3
	n	71	25	45	0	6	64	32	27	11	1
16 years old	%	0.3	0.4	0.3	0.1	0.0	0.9	0.3	0.5	0.3	0.0
	95% CI	0.3	0.5	0.3	0.2	0.0	0.9	0.3	0.6	0.7	0.0
	n	8	4	4	1	0	7	4	3	1	0
17 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
18 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
19 years old or older	%	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.2	0.0	0.0
	95% CI	0.1	0.0	0.2	0.0	0.3	0.0	0.0	0.3	0.0	0.0
	n	1	0	1	0	1	0	0	1	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,098	1,045	1,052	631	698	755	953	718	302	110

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 2. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR2 -- (Q2) What is your sex?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Female	%	48.9	100.0	0.0	48.8	48.9	49.2	48.6	49.2	48.5	48.3
	95% CI	3.2	0.0	0.0	4.4	4.4	5.9	3.5	4.3	7.6	13.3
	n	1,047	1,047	0	317	346	379	464	376	146	53
Male	%	51.1	0.0	100.0	51.2	51.1	50.8	51.4	50.8	51.5	51.7
	95% CI	3.2	0.0	0.0	4.4	4.4	5.9	3.5	4.3	7.6	13.3
	n	1,052	0	1,052	315	352	377	488	344	156	57
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,099	1,047	1,052	632	698	756	952	720	302	110

%=Percentage, CI=Confidence Interval, n=Cell Size

**Table 3. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR3 -- (Q3) What grade are you in?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
6th	%	33.6	33.6	33.7	100.0	0.0	0.0	32.4	33.7	36.2	33.8
	95% CI	8.4	8.5	9.0	0.0	0.0	0.0	8.6	12.9	14.2	13.4
	n	632	317	315	632	0	0	268	227	92	36
7th	%	33.4	33.4	33.5	0.0	100.0	0.0	33.8	33.3	33.1	34.3
	95% CI	10.1	10.8	10.1	0.0	0.0	0.0	10.0	15.3	17.9	14.1
	n	698	346	352	0	698	0	321	228	110	36
8th	%	32.9	33.1	32.8	0.0	0.0	100.0	33.8	33.0	30.7	31.9
	95% CI	9.3	9.1	10.1	0.0	0.0	0.0	9.2	12.9	13.1	14.1
	n	756	379	377	0	0	756	361	261	94	37
9th	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
10th	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
11th	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size

**Table 3. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR3 -- (Q3) What grade are you in?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
12th	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
Ungraded or other grade	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,086	1,042	1,044	632	698	756	950	716	296	109

%=Percentage, CI=Confidence Interval, n=Cell Size

**Table 4. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR4 -- (Q4) Are you Hispanic or Latino?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
No	%	87.8	87.9	87.8	87.0	88.1	88.8	100.0	100.0	0.0	100.0
	95% CI	3.5	3.3	4.3	5.1	6.2	3.2	0.0	0.0	0.0	0.0
	n	1,787	896	890	532	586	661	953	720	0	110
Yes, I am Mexican, Mexican American, or Chicano	%	6.5	6.6	6.4	7.0	7.5	4.8	0.0	0.0	53.6	0.0
	95% CI	2.9	2.8	3.4	3.5	6.0	2.0	0.0	0.0	10.6	0.0
	n	161	78	83	49	66	42	0	0	161	0
Yes, I am Puerto Rican	%	1.7	1.0	2.4	1.2	1.4	2.3	0.0	0.0	14.2	0.0
	95% CI	0.5	0.5	0.8	0.8	0.7	1.2	0.0	0.0	3.7	0.0
	n	43	13	30	9	13	19	0	0	43	0
Yes, I am Cuban or Cuban American	%	0.5	0.7	0.2	0.3	0.1	1.0	0.0	0.0	3.9	0.0
	95% CI	0.2	0.5	0.2	0.3	0.2	0.7	0.0	0.0	2.4	0.0
	n	12	8	4	2	2	8	0	0	12	0
Yes, I am some other Hispanic or Latino not listed here	%	3.4	3.8	3.1	4.6	2.8	3.0	0.0	0.0	28.3	0.0
	95% CI	1.0	1.2	1.4	1.4	1.3	1.2	0.0	0.0	7.9	0.0
	n	86	47	39	32	29	25	0	0	86	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,089	1,042	1,046	624	696	755	953	720	302	110

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 5. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR7 -- (Q6) Have you ever tried cigarette smoking, even one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	16.8	14.2	19.4	11.0	14.3	24.8	17.1	17.0	18.4	11.2
	95% CI	3.0	3.7	3.6	3.2	3.0	5.7	4.5	3.3	5.4	6.2
	n	356	154	202	66	98	189	177	112	50	15
No	%	83.2	85.8	80.6	89.0	85.7	75.2	82.9	83.0	81.6	88.8
	95% CI	3.0	3.7	3.6	3.2	3.0	5.7	4.5	3.3	5.4	6.2
	n	1,597	843	753	508	547	534	739	538	221	87
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,953	997	955	574	645	723	916	650	271	102

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 6. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR8 -- (Q7) Do you think you will smoke a cigarette in the next year?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	2.0	1.2	2.8	1.2	2.0	2.8	2.0	1.4	3.8	2.2
	95% CI	0.6	0.5	1.0	0.8	1.0	1.3	0.8	0.9	2.4	2.6
	n	48	14	34	8	17	22	22	10	13	3
Probably yes	%	4.6	4.5	4.7	2.8	3.7	6.9	4.3	4.9	5.9	2.2
	95% CI	1.2	1.7	1.4	0.9	1.4	2.6	1.7	1.5	2.2	2.6
	n	103	50	53	19	27	55	46	36	17	3
Probably not	%	14.5	13.2	15.7	12.3	14.6	16.5	13.5	14.4	19.4	10.9
	95% CI	2.3	2.4	3.0	3.1	4.1	2.8	2.6	3.1	6.3	6.9
	n	323	148	175	81	112	127	139	108	57	15
Definitely not	%	78.9	81.0	76.9	83.7	79.7	73.8	80.2	79.3	70.8	84.7
	95% CI	3.1	3.2	3.9	3.6	4.9	4.2	3.6	3.8	7.2	8.2
	n	1,624	835	788	524	541	551	746	564	215	89
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,098	1,047	1,050	632	697	755	953	718	302	110

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 7. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR9 -- (Q8) Do you think that you will try a cigarette soon?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have already tried smoking cigarettes	%	8.6	7.8	9.4	5.4	7.2	13.5	9.9	6.3	12.4	5.4
	95% CI	1.8	2.3	2.0	1.8	2.3	3.1	2.6	2.1	4.2	4.5
	n	205	91	114	36	59	109	107	48	39	8
Yes	%	3.2	2.3	4.2	2.8	3.0	3.7	2.5	4.3	3.3	1.5
	95% CI	0.8	0.8	1.2	1.5	1.4	1.2	1.0	1.3	2.0	2.1
	n	70	24	46	19	21	28	24	33	10	2
No	%	88.1	89.9	86.4	91.8	89.8	82.8	87.6	89.4	84.3	93.1
	95% CI	2.3	2.7	2.8	2.9	2.6	3.8	3.1	2.6	4.4	5.4
	n	1,819	931	887	576	615	617	821	636	253	98
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,094	1,046	1,047	631	695	754	952	717	302	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 8. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR10 -- (Q9) If one of your best friends were to offer you a cigarette,  
would you smoke it?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	2.0	1.7	2.3	1.5	1.7	2.7	1.9	2.2	2.2	1.1
	95% CI	0.6	0.6	0.9	1.3	1.0	1.0	0.8	1.1	1.1	2.1
	n	46	19	27	10	14	22	21	16	8	1
Probably yes	%	5.0	5.0	4.9	3.2	5.1	6.6	5.4	4.1	6.6	3.9
	95% CI	1.3	1.6	1.8	1.2	1.8	2.4	1.8	1.6	2.7	3.8
	n	119	58	61	22	41	54	59	32	21	6
Probably not	%	18.0	17.5	18.4	13.7	18.6	21.4	17.2	17.8	22.4	14.6
	95% CI	1.9	2.4	3.0	3.0	3.9	2.6	2.7	2.9	5.7	7.0
	n	391	189	201	85	137	165	171	133	66	16
Definitely not	%	75.1	75.8	74.4	81.7	74.7	69.2	75.5	75.9	68.8	80.4
	95% CI	3.2	3.7	3.8	3.6	5.1	4.7	4.0	3.9	6.9	7.9
	n	1,541	780	761	514	505	514	700	538	207	87
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,097	1,046	1,050	631	697	755	951	719	302	110

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 9. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR11 -- (Q10) How old were you when you first tried cigarette smoking, even  
one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes, not even one or two puffs	%	84.7	86.6	82.8	90.3	86.9	76.8	83.8	84.9	84.4	89.3
	95% CI	2.9	3.4	3.3	3.0	2.7	5.4	4.4	3.0	4.9	5.8
	n	1,722	889	832	559	588	565	772	598	247	93
8 years old or younger	%	2.4	1.9	2.9	1.7	2.5	3.1	2.7	2.5	2.0	1.3
	95% CI	0.9	1.0	1.1	1.2	1.2	1.3	1.2	1.5	1.1	1.8
	n	50	20	30	10	15	24	26	16	6	2
9 years old	%	1.7	1.6	1.8	1.9	1.7	1.5	2.2	1.3	1.9	0.0
	95% CI	0.5	0.6	0.9	1.1	1.0	1.0	0.8	0.8	1.6	0.0
	n	39	17	22	13	13	13	24	9	6	0
10 years old	%	1.8	1.2	2.5	1.4	1.6	2.6	1.8	1.5	2.3	2.5
	95% CI	0.7	0.8	0.7	0.9	0.9	1.1	0.8	0.8	2.1	3.0
	n	42	13	29	9	11	22	21	11	6	3
11 years old	%	2.8	2.5	3.0	3.0	1.6	3.6	3.0	2.7	2.3	2.8
	95% CI	0.7	1.0	1.0	1.5	1.0	1.3	1.0	1.2	1.8	3.4
	n	62	28	34	19	13	29	31	20	7	4
12 years old	%	3.4	2.6	4.1	1.4	3.9	4.8	3.4	3.7	3.2	2.3
	95% CI	1.1	1.2	1.4	0.8	1.8	2.2	1.4	1.4	2.2	2.8
	n	80	32	48	10	30	39	39	28	10	3

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 9. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR11 -- (Q10) How old were you when you first tried cigarette smoking, even  
one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
13 years old	%	2.4	2.7	2.0	0.4	1.5	5.2	2.7	2.0	2.7	1.3
	95% CI	0.7	1.0	1.0	0.5	0.8	1.7	1.2	1.0	2.3	1.8
	n	57	33	24	3	13	41	30	16	8	2
14 years old	%	0.7	0.7	0.7	0.0	0.3	1.8	0.4	0.9	1.1	0.6
	95% CI	0.3	0.5	0.5	0.0	0.4	0.9	0.4	0.7	1.2	1.1
	n	16	8	8	0	2	14	5	7	3	1
15 years old	%	0.2	0.2	0.2	0.0	0.0	0.5	0.0	0.5	0.0	0.0
	95% CI	0.3	0.3	0.3	0.0	0.0	1.1	0.0	0.9	0.0	0.0
	n	2	1	1	0	0	2	0	2	0	0
16 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
17 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
18 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 9. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR11 -- (Q10) How old were you when you first tried cigarette smoking, even  
one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
19 years old or older	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,070	1,041	1,028	623	685	749	948	707	293	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 10. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR12 -- (Q11) About how many cigarettes have you smoked in your entire life?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes, not even one or two puffs	%	84.9	87.0	82.8	90.4	87.2	76.9	84.0	85.6	83.0	89.4
	95% CI	2.7	3.3	3.2	2.7	2.9	5.1	4.2	2.9	4.8	5.8
	n	1,724	887	836	558	589	567	774	602	242	93
1 or more puffs but never a whole cigarette	%	6.7	6.3	7.0	5.0	5.9	9.2	5.8	8.3	6.4	4.9
	95% CI	1.5	2.1	1.5	2.0	2.2	2.2	1.7	2.6	2.6	3.6
	n	150	71	79	33	45	71	61	63	19	7
1 cigarette	%	2.1	2.0	2.3	1.6	2.8	2.1	1.9	2.2	3.2	1.4
	95% CI	0.9	0.9	1.1	1.3	1.3	1.4	1.0	1.5	2.5	0.6
	n	46	22	24	11	18	17	21	14	9	2
2 to 5 cigarettes	%	2.5	2.0	2.9	1.7	1.6	4.2	2.9	1.8	2.6	2.1
	95% CI	0.6	0.6	1.0	1.0	1.0	1.3	1.1	0.7	1.6	2.5
	n	56	23	33	11	13	32	31	13	7	3
6 to 15 cigarettes (about 1/2 a pack total)	%	1.3	1.0	1.6	0.3	1.0	2.5	1.8	0.6	2.3	0.7
	95% CI	0.5	0.7	0.8	0.4	0.7	1.4	1.0	0.5	2.0	1.3
	n	33	12	21	2	9	20	20	5	7	1
16 to 25 cigarettes (about 1 pack total)	%	0.7	0.7	0.8	0.2	0.4	1.6	0.9	0.4	1.1	0.7
	95% CI	0.5	0.6	0.7	0.4	0.4	1.3	0.9	0.6	1.3	1.4
	n	17	8	9	1	3	13	10	3	3	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 10. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR12 -- (Q11) About how many cigarettes have you smoked in your entire life?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
26 to 99 cigarettes (more than 1 pack, but less than 5 packs)	%	0.8	0.5	1.1	0.3	0.3	1.9	1.4	0.4	0.5	0.0
	95% CI	0.4	0.5	0.6	0.4	0.5	0.9	0.9	0.4	0.7	0.0
	n	21	7	14	2	3	16	16	3	2	0
100 or more cigarettes (5 or more packs)	%	1.0	0.4	1.5	0.5	0.8	1.7	1.3	0.7	0.8	0.8
	95% CI	0.5	0.3	0.8	0.6	0.8	1.0	0.7	0.7	0.9	1.6
	n	24	6	18	3	6	15	15	5	3	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,071	1,036	1,034	621	686	751	948	708	292	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 11. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR13 -- (Q12) During the past 30 days, on how many days did you smoke  
cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	96.8	97.3	96.4	98.2	98.2	94.2	96.4	97.8	94.9	98.2
	95% CI	1.1	1.2	1.3	1.7	1.2	2.6	1.8	1.2	2.2	2.2
	n	1,964	993	971	604	663	687	898	683	269	101
1 or 2 days	%	1.6	1.6	1.5	0.9	0.8	3.0	1.7	0.8	3.6	1.2
	95% CI	0.6	0.8	0.6	0.9	0.6	1.4	1.0	0.6	2.1	1.7
	n	39	20	19	7	7	24	19	6	11	2
3 to 5 days	%	0.3	0.2	0.5	0.0	0.2	0.7	0.5	0.2	0.0	0.7
	95% CI	0.2	0.2	0.4	0.0	0.3	0.6	0.4	0.3	0.0	1.3
	n	8	2	6	0	2	5	5	2	0	1
6 to 9 days	%	0.3	0.3	0.3	0.3	0.0	0.7	0.6	0.2	0.0	0.0
	95% CI	0.2	0.3	0.3	0.4	0.0	0.5	0.3	0.3	0.0	0.0
	n	8	4	4	2	0	6	7	1	0	0
10 to 19 days	%	0.3	0.5	0.2	0.0	0.4	0.6	0.3	0.3	0.6	0.0
	95% CI	0.2	0.3	0.3	0.0	0.4	0.4	0.3	0.4	0.8	0.0
	n	8	6	2	0	3	5	4	2	2	0
20 to 29 days	%	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.0	0.6	0.0
	95% CI	0.2	0.2	0.2	0.3	0.4	0.2	0.3	0.0	0.8	0.0
	n	4	1	3	1	2	1	2	0	2	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 11. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR13 -- (Q12) During the past 30 days, on how many days did you smoke  
 cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.5	0.1	0.8	0.5	0.2	0.8	0.3	0.7	0.4	0.0
	95% CI	0.3	0.2	0.6	0.6	0.3	0.8	0.5	0.6	0.8	0.0
	n	10	1	9	3	1	6	4	5	1	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,041	1,027	1,014	617	678	734	939	699	285	104

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 12. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR14 -- (Q13) During the past 30 days, on the days you smoked, how many  
cigarettes did you smoke per day?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not smoke cigarettes during the past 30 days	%	96.7	97.3	96.2	98.2	98.1	94.0	96.3	97.7	94.8	98.2
	95% CI	1.1	1.2	1.3	1.7	1.2	2.6	1.8	1.3	2.2	2.2
	n	1,966	994	971	603	666	686	896	688	268	100
Less than 1 cigarette per day	%	1.2	1.4	1.1	0.9	0.8	1.9	1.5	0.6	2.6	0.6
	95% CI	0.5	0.8	0.7	0.9	0.6	1.3	0.7	0.6	1.5	1.2
	n	30	17	13	7	7	15	16	5	8	1
1 cigarette per day	%	0.7	0.3	1.1	0.1	0.4	1.6	0.8	0.7	0.0	0.6
	95% CI	0.4	0.3	0.6	0.3	0.5	1.0	0.7	0.7	0.0	1.2
	n	16	4	12	1	3	12	9	5	0	1
2 to 5 cigarettes per day	%	0.9	0.8	0.9	0.5	0.3	1.9	1.1	0.4	1.9	0.0
	95% CI	0.5	0.6	0.7	0.6	0.6	1.2	0.9	0.5	1.8	0.0
	n	22	10	12	3	3	16	13	3	6	0
6 to 10 cigarettes per day	%	0.3	0.0	0.5	0.2	0.1	0.5	0.4	0.3	0.0	0.0
	95% CI	0.2	0.0	0.3	0.3	0.2	0.4	0.3	0.3	0.0	0.0
	n	6	0	6	1	1	4	4	2	0	0
11 to 20 cigarettes per day	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 12. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR14 -- (Q13) During the past 30 days, on the days you smoked, how many  
cigarettes did you smoke per day?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
More than 20 cigarettes per day	%	0.2	0.2	0.2	0.1	0.3	0.1	0.0	0.3	0.6	0.7
	95% CI	0.2	0.3	0.3	0.3	0.4	0.3	0.0	0.4	1.0	1.3
	n	5	3	2	1	2	1	0	2	2	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,045	1,028	1,016	616	682	734	938	705	284	103

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 13. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR15 -- (Q14) When was the last time you smoked a cigarette, even one or two  
puffs? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes, not even one or two puffs	%	86.6	88.6	84.6	91.9	88.9	78.9	84.9	88.1	84.2	93.2
	95% CI	2.8	3.2	3.2	2.4	3.0	4.9	4.4	2.8	5.1	4.7
	n	1,750	901	848	562	599	579	777	621	245	95
Earlier today	%	0.9	0.4	1.3	0.5	0.8	1.3	0.7	0.9	1.6	0.6
	95% CI	0.5	0.3	0.9	0.6	0.9	1.1	0.8	0.7	1.4	1.2
	n	20	5	15	3	6	11	8	6	5	1
Not today but sometime during the past 7 days	%	1.2	1.1	1.2	0.6	0.4	2.4	1.5	0.9	1.1	0.0
	95% CI	0.5	0.6	0.6	0.5	0.5	1.1	1.0	0.6	1.0	0.0
	n	28	14	14	4	4	19	16	7	4	0
Not during the past 7 days but sometime during the past 30 days	%	1.0	0.7	1.2	0.4	0.3	2.1	1.1	0.6	1.4	1.2
	95% CI	0.6	0.6	0.7	0.6	0.4	1.3	1.0	0.6	1.3	1.8
	n	24	9	15	3	3	17	13	5	4	2
Not during the past 30 days but sometime during the past 6 months	%	3.1	3.0	3.2	2.2	2.2	5.0	4.9	1.4	3.3	0.7
	95% CI	0.9	1.0	1.5	1.4	1.2	1.8	1.8	1.0	2.2	1.4
	n	73	33	40	15	17	41	51	11	9	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 13. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR15 -- (Q14) When was the last time you smoked a cigarette, even one or two  
puffs? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Not during the past 6 months but sometime during the past year	%	1.8	1.8	1.9	1.2	1.9	2.3	1.4	2.2	2.8	0.6
	95% CI	0.7	0.8	1.0	0.9	1.3	1.3	0.9	1.1	1.9	1.2
	n	40	21	19	8	15	17	16	15	8	1
1 to 4 years ago	%	4.0	3.0	4.9	1.9	3.9	6.2	3.7	4.1	5.2	3.0
	95% CI	1.1	1.5	1.3	1.0	1.7	2.3	1.3	1.9	2.7	2.5
	n	92	36	56	12	29	50	40	33	15	4
5 or more years ago	%	1.5	1.4	1.6	1.3	1.5	1.8	1.8	1.8	0.4	0.7
	95% CI	0.6	0.7	0.8	0.9	0.8	1.0	1.1	0.8	0.7	1.3
	n	31	14	17	8	10	13	17	12	1	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,058	1,033	1,024	615	683	747	938	710	291	105

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 14. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR16 -- (Q15) During the past 30 days, what brand of cigarettes did you  
usually smoke? (CHOOSE ONLY ONE ANSWER)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not smoke cigarettes during the past 30 days	%	92.0	93.2	90.9	94.4	93.5	88.1	91.3	93.4	90.3	92.2
	95% CI	1.5	2.1	2.0	1.7	1.8	3.5	2.5	1.5	3.0	4.6
	n	1,874	957	916	584	630	649	845	660	260	97
I did not smoke a usual brand	%	0.5	0.6	0.3	0.4	0.5	0.6	0.7	0.3	0.8	0.0
	95% CI	0.3	0.5	0.4	0.5	0.4	0.6	0.5	0.4	0.9	0.0
	n	11	7	4	3	4	4	7	2	2	0
American Spirit	%	0.2	0.0	0.5	0.4	0.2	0.1	0.1	0.3	0.7	0.0
	95% CI	0.2	0.0	0.4	0.5	0.3	0.3	0.2	0.4	1.0	0.0
	n	5	0	5	3	1	1	1	2	2	0
Camel	%	1.0	0.9	1.1	0.8	0.7	1.3	1.2	0.6	1.4	0.7
	95% CI	0.5	0.6	0.7	0.7	0.7	0.7	0.8	0.7	1.3	1.4
	n	24	11	13	5	7	11	14	4	5	1
GPC, Basic, or Doral	%	0.1	0.0	0.2	0.0	0.0	0.3	0.2	0.0	0.3	0.0
	95% CI	0.1	0.0	0.2	0.0	0.0	0.4	0.2	0.0	0.6	0.0
	n	3	0	3	0	0	3	2	0	1	0
Kool	%	0.2	0.2	0.1	0.0	0.0	0.4	0.1	0.2	0.0	0.7
	95% CI	0.1	0.2	0.2	0.0	0.0	0.2	0.1	0.1	0.0	1.3
	n	4	3	1	0	0	3	1	2	0	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 14. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR16 -- (Q15) During the past 30 days, what brand of cigarettes did you  
usually smoke? (CHOOSE ONLY ONE ANSWER)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Lucky Strike	%	0.1	0.0	0.3	0.3	0.0	0.1	0.1	0.0	0.0	1.7
	95% CI	0.1	0.0	0.2	0.4	0.0	0.2	0.2	0.0	0.0	2.3
	n	3	0	3	2	0	1	1	0	0	2
Marlboro	%	2.1	1.7	2.6	1.3	1.7	3.5	4.0	0.1	2.6	0.6
	95% CI	0.8	1.0	1.1	1.1	1.0	1.7	1.5	0.3	2.0	1.1
	n	53	21	32	9	15	29	43	1	8	1
Newport	%	2.9	2.7	3.2	2.2	2.4	4.3	1.0	5.0	2.6	4.2
	95% CI	1.1	1.4	1.1	1.1	1.3	2.5	0.8	1.5	2.1	3.3
	n	61	28	33	14	16	31	11	36	7	6
Parliament	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
Virginia Slims	%	0.1	0.2	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0
	95% CI	0.1	0.2	0.0	0.0	0.0	0.3	0.2	0.0	0.0	0.0
	n	2	2	0	0	0	2	2	0	0	0
Some other brand not listed here	%	0.7	0.6	0.8	0.1	1.0	1.0	1.2	0.0	1.4	0.0
	95% CI	0.4	0.5	0.5	0.3	0.6	0.7	0.7	0.0	1.4	0.0
	n	18	7	11	1	8	9	13	0	4	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 14. Weighted Frequency Report for Georgia**  
**Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013**  
**z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column**  
**Reported by Gender, Grade and Race**  
**Analysis Variable CR16 -- (Q15) During the past 30 days, what brand of cigarettes did you**  
**usually smoke? (CHOOSE ONLY ONE ANSWER)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,058	1,036	1,021	621	681	743	940	707	289	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35



**Table 15. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR17 -- (Q16) Menthol cigarettes are cigarettes that taste like mint. During  
the past 30 days, were the cigarettes that you usually smoked menthol?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not smoke cigarettes during the past 30 days	%	90.2	92.9	87.8	91.9	91.1	88.4	91.8	89.2	86.9	93.1
	95% CI	2.2	2.2	2.9	4.2	3.1	2.9	2.4	3.7	4.6	4.8
	n	1,879	966	913	578	633	660	864	644	260	99
Yes	%	1.4	0.9	1.8	0.5	1.2	2.4	1.8	0.5	2.5	0.8
	95% CI	0.6	0.4	0.9	0.6	1.0	1.2	1.0	0.5	1.5	1.7
	n	35	11	24	3	11	20	20	4	9	1
No	%	6.4	4.2	8.4	5.5	6.3	6.6	4.9	7.9	7.3	5.4
	95% CI	1.7	1.4	2.4	2.8	2.9	1.7	1.5	3.2	3.7	4.1
	n	134	45	88	37	41	51	52	51	22	8
Not sure	%	2.0	2.0	2.0	2.1	1.4	2.6	1.5	2.4	3.2	0.7
	95% CI	0.8	1.1	1.0	1.7	0.9	1.2	0.7	1.5	2.1	1.4
	n	45	23	22	14	11	20	16	17	10	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,093	1,045	1,047	632	696	751	952	716	301	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 16. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR19 -- (Q19) When you bought or tried to buy cigarettes in a store during  
the past 30 days, were you ever asked to show proof of age?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not try to buy cigarettes in a store during the past 30 days	%	97.0	98.5	95.6	96.7	98.1	96.5	98.4	96.8	93.5	95.8
	95% CI	0.9	0.9	1.3	2.0	1.1	1.8	0.8	1.7	3.5	4.0
	n	2,024	1,024	999	608	681	724	934	692	280	104
Yes, I was asked to show proof of age	%	0.8	0.4	1.2	0.9	0.2	1.1	0.4	0.9	1.9	0.7
	95% CI	0.4	0.2	0.8	0.8	0.3	0.9	0.3	0.9	1.7	1.3
	n	19	5	14	6	2	9	5	7	6	1
No, I was not asked to show proof of age	%	2.2	1.1	3.2	2.4	1.7	2.4	1.1	2.2	4.6	3.6
	95% CI	0.7	0.8	1.0	1.4	1.1	1.5	0.8	1.2	2.3	3.7
	n	47	12	35	16	12	19	12	15	15	4
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,090	1,041	1,048	630	695	752	951	714	301	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 17. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR20 -- (Q20) During the past 30 days, did anyone refuse to sell you  
cigarettes because of your age?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not try to buy cigarettes during the past 30 days	%	94.4	95.7	93.1	94.8	94.7	94.0	96.5	93.7	88.7	95.7
	95% CI	1.5	1.3	2.1	2.8	2.4	2.2	1.3	2.4	4.1	3.8
	n	1,963	993	969	594	654	704	911	668	266	104
Yes	%	1.5	1.1	1.8	1.8	1.0	1.5	1.1	1.5	3.4	0.0
	95% CI	0.6	0.6	0.9	1.0	0.7	1.0	0.5	0.9	2.6	0.0
	n	34	13	21	12	9	12	11	11	11	0
No	%	4.1	3.2	5.0	3.3	4.4	4.6	2.5	4.8	8.0	4.3
	95% CI	1.2	1.2	1.7	2.5	2.5	1.9	1.1	2.3	2.7	3.8
	n	88	34	54	22	30	35	28	32	23	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,085	1,040	1,044	628	693	751	950	711	300	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 18. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR21 -- (Q21) Have you ever tried smoking cigars, cigarillos, or little  
cigars, even one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	14.3	11.2	17.4	9.9	13.1	20.1	12.7	16.7	15.8	9.3
	95% CI	2.7	3.2	3.3	3.5	4.1	4.8	3.1	3.8	4.5	4.5
	n	317	124	193	64	100	153	136	121	47	12
No	%	85.7	88.8	82.6	90.1	86.9	79.9	87.3	83.3	84.2	90.7
	95% CI	2.7	3.2	3.3	3.5	4.1	4.8	3.1	3.8	4.5	4.5
	n	1,756	919	836	561	590	594	811	589	248	95
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,073	1,043	1,029	625	690	747	947	710	295	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 19. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR22 -- (Q22) How old were you when you first tried smoking a cigar,  
cigarillo, or little cigar, even one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigars, cigarillos, or little cigars, even one or two puffs	%	88.3	91.2	85.5	93.2	89.1	82.7	90.0	86.5	86.8	91.2
	95% CI	2.4	3.0	2.9	3.1	3.2	4.3	3.2	2.6	3.8	4.6
	n	1,834	947	886	583	616	624	844	619	261	98
8 years old or younger	%	1.5	0.8	2.2	1.3	1.5	1.6	1.3	1.2	2.7	3.2
	95% CI	0.6	0.5	0.9	0.9	0.8	0.8	0.9	0.7	1.6	2.6
	n	35	9	26	8	13	13	14	8	9	4
9 years old	%	1.1	0.6	1.5	1.3	1.0	0.7	0.7	1.6	1.1	0.7
	95% CI	0.5	0.4	0.8	0.9	0.8	0.6	0.5	0.9	1.0	1.3
	n	22	7	15	9	7	5	6	11	4	1
10 years old	%	1.1	0.6	1.6	1.3	1.2	0.9	1.0	1.0	2.1	0.8
	95% CI	0.5	0.6	0.8	0.6	1.0	0.6	0.7	0.7	2.0	1.7
	n	24	6	18	8	8	8	11	7	5	1
11 years old	%	2.0	1.3	2.7	1.3	2.6	2.2	2.1	2.2	1.4	1.7
	95% CI	0.8	0.9	1.2	0.9	1.4	1.1	1.3	1.2	1.6	2.4
	n	45	14	31	9	19	17	21	17	5	2

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 19. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR22 -- (Q22) How old were you when you first tried smoking a cigar,  
cigarillo, or little cigar, even one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
12 years old	%	2.3	2.1	2.5	1.1	1.8	4.0	2.3	2.2	2.2	1.9
	95% CI	0.7	1.0	0.8	0.8	1.0	1.4	1.0	0.9	1.5	2.2
	n	55	25	30	7	16	32	26	17	8	2
13 years old	%	2.1	2.5	1.7	0.3	1.5	4.7	1.9	2.8	1.9	0.0
	95% CI	0.8	1.2	0.9	0.4	0.9	2.2	1.1	1.1	1.7	0.0
	n	50	29	21	2	12	36	21	22	6	0
14 years old	%	0.8	0.6	1.0	0.0	0.2	2.3	0.5	0.9	1.8	0.6
	95% CI	0.4	0.5	0.6	0.0	0.4	1.0	0.5	0.8	1.7	1.1
	n	18	6	12	0	1	17	6	7	4	1
15 years old	%	0.3	0.2	0.4	0.0	0.1	0.8	0.1	0.7	0.0	0.0
	95% CI	0.4	0.4	0.4	0.0	0.2	1.2	0.2	1.0	0.0	0.0
	n	5	2	3	0	1	4	1	4	0	0
16 years old	%	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.0	0.0
	95% CI	0.1	0.0	0.2	0.3	0.0	0.0	0.0	0.3	0.0	0.0
	n	1	0	1	1	0	0	0	1	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 19. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR22 -- (Q22) How old were you when you first tried smoking a cigar,  
cigarillo, or little cigar, even one or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
17 years old	%	0.1	0.0	0.2	0.0	0.4	0.0	0.0	0.3	0.0	0.0
	95% CI	0.2	0.0	0.5	0.0	0.7	0.0	0.0	0.6	0.0	0.0
	n	1	0	1	0	1	0	0	1	0	0
18 years old	%	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0
	95% CI	0.1	0.2	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0
	n	1	1	0	1	0	0	0	1	0	0
19 years old or older	%	0.2	0.0	0.4	0.0	0.6	0.0	0.1	0.5	0.0	0.0
	95% CI	0.3	0.0	0.5	0.0	0.7	0.0	0.2	0.7	0.0	0.0
	n	3	0	3	0	3	0	1	2	0	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,094	1,046	1,047	628	697	756	951	717	302	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 20. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR23 -- (Q23) During the past 30 days, on how many days did you smoke  
cigars, cigarillos, or little cigars?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	95.6	97.0	94.3	96.8	96.6	93.5	97.3	94.1	93.6	97.2
	95% CI	1.3	1.1	2.0	2.2	1.6	2.6	1.1	2.2	3.6	3.0
	n	1,980	1,007	972	603	664	703	922	668	274	103
1 or 2 days	%	1.9	1.5	2.3	1.4	1.2	3.2	1.3	2.6	2.3	1.2
	95% CI	0.8	0.9	1.3	0.8	0.8	1.9	0.8	1.6	1.4	1.7
	n	42	17	25	9	9	24	14	18	7	2
3 to 5 days	%	0.9	0.8	1.1	0.7	0.8	1.3	0.6	1.1	1.9	0.0
	95% CI	0.4	0.5	0.7	1.0	0.7	0.6	0.5	0.8	2.0	0.0
	n	21	9	12	5	7	9	7	9	5	0
6 to 9 days	%	0.4	0.1	0.6	0.1	0.4	0.5	0.2	0.4	0.9	0.0
	95% CI	0.2	0.1	0.4	0.2	0.4	0.5	0.3	0.3	1.1	0.0
	n	9	1	8	1	4	4	3	3	3	0
10 to 19 days	%	0.3	0.4	0.2	0.2	0.1	0.7	0.1	0.6	0.2	0.0
	95% CI	0.2	0.3	0.3	0.3	0.1	0.6	0.2	0.5	0.4	0.0
	n	7	4	3	1	1	5	1	5	1	0
20 to 29 days	%	0.3	0.0	0.6	0.3	0.2	0.3	0.0	0.8	0.0	0.0
	95% CI	0.2	0.0	0.5	0.5	0.3	0.4	0.0	0.6	0.0	0.0
	n	5	0	5	2	1	2	0	5	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 20. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR23 -- (Q23) During the past 30 days, on how many days did you smoke  
 cigars, cigarillos, or little cigars?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.6	0.3	0.9	0.5	0.7	0.5	0.4	0.4	1.1	1.7
	95% CI	0.3	0.3	0.5	0.5	0.6	0.3	0.3	0.4	1.3	2.4
	n	12	3	9	3	5	4	4	3	3	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,076	1,041	1,034	624	691	751	951	711	293	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 21. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR26 -- (Q26) Have you ever used chewing tobacco, snuff, or dip, such as  
Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen, even just a small amount?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
<b>Yes</b>	<b>%</b>	9.1	4.6	13.5	5.6	8.2	13.6	11.8	6.9	7.7	5.8
	<b>95% CI</b>	2.1	1.6	3.0	1.8	2.4	3.7	3.9	1.6	2.5	4.6
	<b>n</b>	211	53	158	36	63	110	128	48	25	8
<b>No</b>	<b>%</b>	90.9	95.4	86.5	94.4	91.8	86.4	88.2	93.1	92.3	94.2
	<b>95% CI</b>	2.1	1.6	3.0	1.8	2.4	3.7	3.9	1.6	2.5	4.6
	<b>n</b>	1,867	987	879	590	628	639	822	663	268	101
<b>TOTAL</b>	<b>%</b>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	<b>95% CI</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	<b>n</b>	2,078	1,040	1,037	626	691	749	950	711	293	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 22. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR27 -- (Q27) How old were you when you used chewing tobacco, snuff, or dip  
for the first time?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never used chewing tobacco, snuff, or dip	%	92.0	96.3	87.8	95.0	92.7	88.3	88.9	95.0	93.1	93.1
	95% CI	2.0	1.3	3.1	2.0	2.2	3.5	3.6	1.8	2.3	5.1
	n	1,885	996	888	593	630	652	824	673	275	100
8 years old or younger	%	1.6	1.1	2.0	0.9	1.8	1.9	2.2	1.0	1.6	0.8
	95% CI	0.7	0.8	1.1	0.6	1.3	1.0	1.3	0.8	1.9	1.7
	n	36	12	24	6	13	16	22	8	5	1
9 years old	%	0.8	0.2	1.4	1.0	0.2	1.1	0.4	1.2	0.9	0.9
	95% CI	0.4	0.2	0.6	0.7	0.2	0.6	0.4	0.8	0.8	1.8
	n	18	2	16	6	3	9	5	8	4	1
10 years old	%	1.0	0.5	1.6	0.7	0.6	1.6	1.7	0.3	1.1	0.7
	95% CI	0.4	0.4	0.7	0.7	0.6	0.9	0.9	0.3	1.2	1.3
	n	25	5	20	5	5	14	19	2	3	1
11 years old	%	1.4	0.4	2.3	1.5	0.8	1.7	2.0	0.7	0.8	0.8
	95% CI	0.6	0.4	1.1	0.8	0.9	1.0	1.1	0.5	0.9	1.6
	n	32	5	27	10	7	15	22	5	3	1
12 years old	%	1.5	0.9	2.2	0.3	2.1	2.2	2.6	0.4	1.1	2.1
	95% CI	0.6	0.5	1.1	0.4	1.1	1.1	1.1	0.4	1.6	2.5
	n	39	11	28	2	18	18	29	3	4	3

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 22. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR27 -- (Q27) How old were you when you used chewing tobacco, snuff, or dip  
for the first time?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
13 years old	%	0.9	0.7	1.1	0.0	0.7	2.1	1.3	0.6	0.2	1.1
	95% CI	0.4	0.5	0.5	0.0	0.6	1.1	0.8	0.4	0.4	2.2
	n	22	9	13	0	6	16	14	5	1	1
14 years old	%	0.5	0.0	0.9	0.1	0.5	0.8	0.6	0.3	0.4	0.6
	95% CI	0.3	0.0	0.7	0.2	0.7	0.6	0.5	0.6	0.7	1.1
	n	10	0	10	1	2	7	7	1	1	1
15 years old	%	0.1	0.0	0.2	0.2	0.0	0.1	0.1	0.1	0.0	0.0
	95% CI	0.1	0.0	0.3	0.3	0.0	0.3	0.2	0.3	0.0	0.0
	n	2	0	2	1	0	1	1	1	0	0
16 years old	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
17 years old	%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.4	0.0
	95% CI	0.1	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.7	0.0
	n	1	0	1	0	0	1	0	0	1	0
18 years old	%	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0
	95% CI	0.1	0.0	0.1	0.0	0.2	0.0	0.2	0.0	0.0	0.0
	n	1	0	1	0	1	0	1	0	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 22. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR27 -- (Q27) How old were you when you used chewing tobacco, snuff, or dip  
for the first time?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
19 years old or older	%	0.2	0.0	0.4	0.2	0.4	0.0	0.0	0.3	0.4	0.0
	95% CI	0.3	0.0	0.5	0.3	0.7	0.0	0.0	0.6	0.8	0.0
	n	2	0	2	1	1	0	0	1	1	0
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,073	1,040	1,032	625	686	749	944	707	298	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 23. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR28 -- (Q28) During the past 30 days, on how many days did you use chewing  
tobacco, snuff, or dip?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	96.5	98.9	94.2	98.3	96.7	94.6	94.5	98.5	97.2	97.1
	95% CI	1.0	0.6	1.6	0.8	1.5	2.2	1.8	1.0	1.9	3.1
	n	1,992	1,026	965	615	664	702	889	700	284	105
1 or 2 days	%	1.1	0.5	1.6	0.6	1.5	1.1	1.7	0.2	1.0	1.5
	95% CI	0.5	0.4	0.8	0.5	1.0	0.7	0.8	0.3	1.1	2.2
	n	26	6	20	4	12	9	18	2	3	2
3 to 5 days	%	0.6	0.0	1.2	0.5	0.6	0.7	1.0	0.3	0.3	0.6
	95% CI	0.2	0.0	0.5	0.3	0.6	0.6	0.6	0.3	0.6	1.1
	n	14	0	14	3	5	6	10	2	1	1
6 to 9 days	%	0.4	0.1	0.7	0.5	0.3	0.5	0.7	0.3	0.0	0.0
	95% CI	0.3	0.2	0.5	0.4	0.4	0.6	0.6	0.4	0.0	0.0
	n	10	1	9	3	3	4	8	2	0	0
10 to 19 days	%	0.3	0.1	0.5	0.0	0.2	0.8	0.7	0.0	0.3	0.0
	95% CI	0.2	0.2	0.3	0.0	0.3	0.7	0.4	0.0	0.6	0.0
	n	9	2	7	0	2	7	8	0	1	0
20 to 29 days	%	0.3	0.0	0.5	0.0	0.0	0.8	0.6	0.0	0.0	0.0
	95% CI	0.1	0.0	0.3	0.0	0.0	0.4	0.3	0.0	0.0	0.0
	n	7	0	7	0	0	7	7	0	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 23. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR28 -- (Q28) During the past 30 days, on how many days did you use chewing  
 tobacco, snuff, or dip?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.8	0.4	1.2	0.1	0.7	1.5	0.8	0.7	1.1	0.8
	95% CI	0.5	0.4	0.7	0.3	0.6	0.9	0.5	0.6	1.3	1.7
	n	18	4	14	1	5	12	9	5	3	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,076	1,039	1,036	626	691	747	949	711	292	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 24. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR31 -- (Q31) Have you ever tried smoking tobacco in a pipe, even one or two  
 puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	6.1	4.6	7.6	4.9	5.0	8.5	4.7	7.1	9.4	4.0
	95% CI	1.4	1.2	1.9	2.0	1.8	2.1	1.4	2.1	2.9	3.1
	n	132	48	84	31	35	65	50	49	27	5
No	%	93.9	95.4	92.4	95.1	95.0	91.5	95.3	92.9	90.6	96.0
	95% CI	1.4	1.2	1.9	2.0	1.8	2.1	1.4	2.1	2.9	3.1
	n	1,935	990	944	591	654	680	897	655	267	102
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,067	1,038	1,028	622	689	745	947	704	294	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35



**Table 25. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR32 -- (Q32) During the past 30 days, on how many days did you smoke  
tobacco in a pipe?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	97.1	97.9	96.4	98.3	96.6	96.6	98.3	96.5	94.9	96.8
	95% CI	1.1	1.0	1.5	1.6	2.4	1.6	0.7	2.2	2.7	3.3
	n	2,026	1,022	1,003	616	675	724	932	692	282	105
1 or 2 days	%	1.0	1.0	1.1	0.5	1.1	1.5	0.9	1.0	2.4	0.0
	95% CI	0.5	0.7	0.6	0.5	0.7	0.9	0.6	0.8	1.4	0.0
	n	24	9	15	3	8	12	10	6	8	0
3 to 5 days	%	0.3	0.5	0.1	0.1	0.4	0.4	0.3	0.3	0.7	0.0
	95% CI	0.2	0.3	0.2	0.3	0.3	0.4	0.3	0.3	1.1	0.0
	n	8	6	2	1	4	3	3	2	3	0
6 to 9 days	%	0.4	0.1	0.8	0.0	0.7	0.6	0.2	0.3	1.0	1.7
	95% CI	0.3	0.2	0.5	0.0	0.8	0.5	0.2	0.6	1.1	2.4
	n	8	1	7	0	3	5	2	1	3	2
10 to 19 days	%	0.1	0.0	0.2	0.2	0.0	0.1	0.1	0.1	0.0	0.0
	95% CI	0.1	0.0	0.3	0.3	0.0	0.2	0.2	0.3	0.0	0.0
	n	2	0	2	1	0	1	1	1	0	0
20 to 29 days	%	0.3	0.0	0.6	0.0	0.5	0.4	0.1	0.7	0.0	0.0
	95% CI	0.3	0.0	0.6	0.0	0.7	0.4	0.2	0.7	0.0	0.0
	n	5	0	5	0	2	3	1	4	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 25. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR32 -- (Q32) During the past 30 days, on how many days did you smoke  
 tobacco in a pipe?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.7	0.6	0.8	0.9	0.7	0.4	0.2	1.1	0.9	1.5
	95% CI	0.4	0.4	0.5	0.9	0.7	0.4	0.3	0.7	1.1	2.1
	n	14	5	9	6	4	3	2	7	3	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,087	1,043	1,043	627	696	751	951	713	299	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 26. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR33 -- (Q33) Have you ever tried smoking any of the following, even one or  
two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never smoked bidis (small brown cigarettes wrapped in a leaf) or kreteks (clove cigarettes)	%	96.1	97.5	94.8	96.9	96.1	95.5	96.9	95.6	94.4	96.6
	95% CI	1.1	0.9	1.9	2.3	2.0	1.6	1.3	1.3	3.4	3.6
	n	2,003	1,017	985	607	668	717	918	683	282	105
Bidis	%	1.5	1.2	1.9	1.5	1.4	1.5	1.1	1.6	2.7	1.7
	95% CI	0.6	0.7	1.0	1.1	0.8	1.0	0.7	0.6	2.6	2.5
	n	34	12	22	10	10	12	12	11	9	2
Kreteks	%	0.7	0.1	1.2	0.2	1.2	0.7	0.4	1.2	0.2	0.0
	95% CI	0.6	0.2	1.1	0.3	1.3	0.6	0.3	1.3	0.4	0.0
	n	12	1	11	1	6	5	5	6	1	0
I have tried both bidis and kreteks	%	1.7	1.2	2.1	1.4	1.3	2.3	1.6	1.6	2.7	1.7
	95% CI	0.8	0.6	1.2	1.3	1.2	1.3	1.0	1.1	1.5	2.4
	n	38	13	25	9	11	18	16	11	9	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,087	1,043	1,043	627	695	752	951	711	301	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 27. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR34 -- (Q34) During the past 30 days, on how many days did you smoke bidis?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	98.7	98.9	98.5	99.4	98.3	98.3	98.9	98.8	97.1	99.2
	95% CI	0.5	0.5	0.6	0.7	1.0	0.8	0.6	0.7	1.6	1.7
	n	2,038	1,025	1,012	619	676	732	935	696	286	106
1 or 2 days	%	0.5	0.6	0.4	0.1	0.8	0.5	0.5	0.2	1.3	0.0
	95% CI	0.2	0.5	0.3	0.2	0.5	0.5	0.5	0.3	1.1	0.0
	n	12	6	6	1	8	3	5	2	5	0
3 to 9 days	%	0.3	0.3	0.2	0.0	0.4	0.4	0.1	0.3	1.0	0.0
	95% CI	0.3	0.4	0.3	0.0	0.4	0.6	0.2	0.4	1.2	0.0
	n	6	3	3	0	3	3	1	2	3	0
10 to 19 days	%	0.3	0.1	0.5	0.3	0.0	0.6	0.3	0.6	0.0	0.0
	95% CI	0.2	0.2	0.4	0.4	0.0	0.6	0.3	0.5	0.0	0.0
	n	7	1	6	2	0	5	3	4	0	0
20 to 29 days	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0
All 30 days	%	0.3	0.2	0.4	0.1	0.5	0.1	0.2	0.2	0.6	0.8
	95% CI	0.3	0.2	0.4	0.3	0.5	0.3	0.3	0.3	0.9	1.7
	n	6	2	4	1	4	1	2	1	2	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 27. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR34 -- (Q34) During the past 30 days, on how many days did you smoke bidis?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,069	1,037	1,031	623	691	744	946	705	296	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 28. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR35 -- (Q35) During the past 30 days, on how many days did you smoke clove  
cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	97.6	98.8	96.5	98.1	97.5	97.4	98.6	97.0	96.0	97.4
	95% CI	0.8	0.8	1.6	1.3	1.6	1.4	0.7	1.2	2.4	3.1
	n	2,037	1,030	1,006	615	679	732	936	694	286	106
1 or 2 days	%	1.0	0.4	1.6	1.0	0.6	1.3	0.7	1.0	1.9	1.1
	95% CI	0.5	0.4	1.0	0.7	0.6	0.7	0.6	0.9	1.5	2.2
	n	21	4	17	6	4	10	7	7	6	1
3 to 9 days	%	0.4	0.2	0.5	0.2	0.3	0.5	0.2	0.3	0.9	0.7
	95% CI	0.2	0.2	0.4	0.3	0.3	0.5	0.3	0.4	1.0	1.3
	n	9	2	7	1	3	4	3	2	3	1
10 to 19 days	%	0.5	0.3	0.7	0.3	0.8	0.4	0.3	0.9	0.7	0.0
	95% CI	0.3	0.4	0.6	0.6	0.8	0.4	0.3	0.6	1.0	0.0
	n	10	3	7	2	5	3	3	5	2	0
20 to 29 days	%	0.2	0.0	0.4	0.2	0.4	0.2	0.1	0.5	0.0	0.0
	95% CI	0.3	0.0	0.5	0.3	0.7	0.3	0.2	0.7	0.0	0.0
	n	3	0	3	1	1	1	1	2	0	0
All 30 days	%	0.3	0.3	0.3	0.3	0.4	0.3	0.1	0.4	0.6	0.8
	95% CI	0.3	0.4	0.4	0.4	0.4	0.4	0.2	0.4	0.9	1.7
	n	7	4	3	2	3	2	1	3	2	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 28. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR35 -- (Q35) During the past 30 days, on how many days did you smoke clove  
 cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,087	1,043	1,043	627	695	752	951	713	299	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 29. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR36 -- (Q36) Have you ever tried smoking tobacco in a water pipe, even one  
or two puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	5.8	4.4	7.2	3.5	6.1	7.6	3.6	7.7	7.3	6.9
	95% CI	1.2	1.1	2.0	2.0	2.6	2.3	1.3	1.7	2.3	5.9
	n	122	47	75	23	40	57	38	51	23	9
No	%	94.2	95.6	92.8	96.5	93.9	92.4	96.4	92.3	92.7	93.1
	95% CI	1.2	1.1	2.0	2.0	2.6	2.3	1.3	1.7	2.3	5.9
	n	1,960	995	964	604	649	696	912	658	276	100
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,082	1,042	1,039	627	689	753	950	709	299	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 30. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR37 -- (Q37) During the past 30 days, on how many days did you smoke  
tobacco in a water pipe?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	97.2	97.6	96.8	98.6	95.5	97.5	98.7	96.0	95.2	97.5
	95% CI	1.1	0.8	1.7	1.5	2.4	1.2	0.8	2.0	2.6	3.0
	n	2,031	1,018	1,012	619	667	733	938	688	284	106
1 or 2 days	%	1.2	1.5	0.9	0.5	1.7	1.2	0.5	1.7	2.6	0.0
	95% CI	0.4	0.5	0.6	0.5	0.8	0.6	0.5	0.6	1.9	0.0
	n	26	15	11	3	13	9	5	12	9	0
3 to 5 days	%	0.3	0.1	0.5	0.1	0.2	0.5	0.4	0.2	0.3	0.0
	95% CI	0.2	0.2	0.4	0.3	0.3	0.6	0.4	0.3	0.6	0.0
	n	7	1	6	1	2	4	4	2	1	0
6 to 9 days	%	0.3	0.4	0.3	0.3	0.5	0.3	0.3	0.5	0.3	0.0
	95% CI	0.2	0.4	0.3	0.4	0.4	0.4	0.3	0.5	0.6	0.0
	n	8	5	3	2	4	2	3	4	1	0
10 to 19 days	%	0.3	0.1	0.5	0.0	0.8	0.2	0.0	0.6	0.2	1.1
	95% CI	0.2	0.2	0.6	0.0	0.8	0.3	0.0	0.5	0.4	2.2
	n	5	1	4	0	4	1	0	3	1	1
20 to 29 days	%	0.1	0.0	0.2	0.1	0.1	0.1	0.1	0.0	0.8	0.0
	95% CI	0.1	0.0	0.3	0.2	0.3	0.2	0.2	0.0	0.9	0.0
	n	3	0	3	1	1	1	1	0	2	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 30. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable GAR37 -- (Q37) During the past 30 days, on how many days did you smoke  
 tobacco in a water pipe?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.6	0.3	0.8	0.3	1.2	0.2	0.1	0.9	0.7	1.4
	95% CI	0.5	0.5	0.7	0.4	1.3	0.3	0.2	1.2	1.5	2.0
	n	9	2	7	2	5	2	1	4	2	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,089	1,042	1,046	628	696	752	952	713	300	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 31. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR38 -- (Q38) Have you ever tried smoking e-cigarettes, even one or two  
puffs?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	8.4	7.3	9.5	6.3	8.7	10.4	7.6	9.8	8.2	5.5
	95% CI	1.4	1.8	2.0	1.9	2.9	2.5	2.4	2.3	4.2	4.7
	n	184	81	103	41	61	82	80	68	28	6
No	%	91.6	92.7	90.5	93.7	91.3	89.6	92.4	90.2	91.8	94.5
	95% CI	1.4	1.8	2.0	1.9	2.9	2.5	2.4	2.3	4.2	4.7
	n	1,906	963	942	586	635	672	873	643	274	103
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,090	1,044	1,045	627	696	754	953	711	302	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 32. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR39 -- (Q39) During the past 30 days, on how many days did you smoke  
e-cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	96.0	97.1	95.0	96.5	96.5	95.3	96.3	95.4	95.9	97.4
	95% CI	1.1	1.1	1.6	1.7	1.6	1.9	1.4	1.7	3.2	3.1
	n	1,971	996	974	598	660	703	904	665	282	106
1 or 2 days	%	1.9	1.4	2.3	1.6	1.4	2.4	1.9	2.2	1.5	1.1
	95% CI	0.7	0.9	1.0	1.0	0.9	1.3	1.0	1.0	1.9	2.2
	n	42	16	26	9	12	19	20	15	6	1
3 to 5 days	%	0.9	0.7	1.1	1.0	0.8	0.8	0.6	1.2	1.0	0.7
	95% CI	0.4	0.5	0.8	0.9	0.6	0.9	0.5	0.8	1.2	1.3
	n	20	8	12	6	7	6	7	9	3	1
6 to 9 days	%	0.4	0.4	0.3	0.1	0.4	0.6	0.4	0.4	0.5	0.0
	95% CI	0.2	0.3	0.3	0.3	0.4	0.6	0.3	0.5	0.7	0.0
	n	10	5	5	1	4	5	5	3	2	0
10 to 19 days	%	0.4	0.0	0.8	0.3	0.3	0.5	0.4	0.4	0.7	0.0
	95% CI	0.2	0.0	0.5	0.4	0.4	0.5	0.4	0.3	0.9	0.0
	n	9	0	9	2	3	4	4	3	2	0
20 to 29 days	%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	0	0	0	0	0	0	0	0	0	0

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 32. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable GAR39 -- (Q39) During the past 30 days, on how many days did you smoke  
 e-cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
All 30 days	%	0.4	0.4	0.5	0.4	0.5	0.4	0.4	0.4	0.4	0.8
	95% CI	0.2	0.4	0.3	0.5	0.5	0.5	0.4	0.4	0.8	1.7
	n	9	4	5	3	3	3	4	3	1	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,061	1,029	1,031	619	689	740	944	698	296	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 33. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR38 -- (Q42) How easy would it be for you to get tobacco products if you  
wanted some?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Very easy	%	15.2	12.7	17.6	9.3	15.6	20.5	15.3	15.0	18.0	9.6
	95% CI	3.0	3.7	3.1	3.0	3.8	5.0	4.1	3.7	4.6	5.9
	n	333	140	192	60	109	161	157	108	52	13
Somewhat easy	%	24.4	26.3	22.6	16.1	25.3	31.7	26.8	21.1	28.3	20.4
	95% CI	2.1	3.3	3.2	3.4	3.4	3.8	2.8	3.0	5.4	7.2
	n	533	285	248	99	188	243	269	150	89	23
Not easy at all	%	60.4	61.0	59.8	74.6	59.0	47.7	57.9	63.9	53.6	70.0
	95% CI	3.9	4.4	4.2	3.1	4.6	5.6	4.9	5.3	6.2	9.7
	n	1,176	601	575	444	388	338	514	432	153	69
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,042	1,026	1,015	603	685	742	940	690	294	105

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 34. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR39 -- (Q43) Do you believe that tobacco companies try to get young people  
 under 18 to use tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	56.0	58.1	53.9	54.0	56.9	56.7	59.4	53.0	54.0	56.8
	95% CI	3.9	4.6	4.4	6.1	5.3	6.6	4.4	5.1	5.9	13.1
	n	1,136	588	547	330	382	414	542	370	160	60
No	%	44.0	41.9	46.1	46.0	43.1	43.3	40.6	47.0	46.0	43.2
	95% CI	3.9	4.6	4.4	6.1	5.3	6.6	4.4	5.1	5.9	13.1
	n	930	443	487	282	310	335	403	332	138	47
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,066	1,031	1,034	612	692	749	945	702	298	107

%=Percentage, CI=Confidence Interval, n=Cell Size

**Table 35. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR40 -- (Q44) When you are using the Internet, how often do you see ads for  
tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I do not use the Internet	%	4.8	2.6	6.9	4.0	6.3	4.0	2.3	7.7	5.0	3.5
	95% CI	1.4	0.9	2.2	1.5	3.1	1.5	1.1	2.7	1.8	3.8
	n	92	26	66	25	37	29	24	48	15	3
Never	%	28.5	27.3	29.7	33.6	30.9	21.0	26.0	32.5	23.5	33.6
	95% CI	3.2	4.1	3.6	3.2	5.6	3.7	4.0	4.8	4.7	9.7
	n	563	266	296	204	202	152	231	221	71	37
Rarely	%	31.6	31.0	32.2	29.3	29.9	35.8	33.0	28.2	29.4	46.5
	95% CI	2.4	3.1	3.6	3.5	4.8	3.1	2.3	4.5	3.3	12.3
	n	661	319	342	179	212	268	315	205	92	46
Sometimes	%	24.1	27.5	20.8	20.7	24.5	27.0	29.2	20.3	23.6	11.7
	95% CI	2.3	3.5	2.7	2.8	4.7	2.4	2.6	3.4	6.0	5.3
	n	526	302	224	132	182	209	284	150	72	16
Most of the time	%	6.1	6.6	5.6	7.4	4.1	6.7	5.9	5.6	10.1	2.4
	95% CI	0.9	1.2	1.7	2.0	1.1	1.7	2.0	1.7	3.7	2.8
	n	132	72	60	49	31	51	60	41	27	3
Always	%	4.9	5.1	4.7	4.9	4.3	5.5	3.6	5.7	8.5	2.3
	95% CI	1.3	1.7	1.2	2.3	1.5	1.8	1.1	2.3	4.4	2.8
	n	108	56	52	33	31	43	39	41	24	3

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 35. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR40 -- (Q44) When you are using the Internet, how often do you see ads for  
 tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,082	1,041	1,040	622	695	752	953	706	301	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 36. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR41 -- (Q45) When you read newspapers or magazines, how often do you see  
ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I do not read newspapers or magazines	%	29.9	23.3	36.4	30.9	32.7	26.4	27.6	31.6	31.2	30.5
	95% CI	2.5	3.0	3.5	3.4	3.1	4.6	2.3	3.3	5.8	8.8
	n	616	245	371	189	228	196	264	220	94	29
Never	%	17.1	15.9	18.3	20.6	17.0	13.7	17.6	17.2	11.3	24.2
	95% CI	3.0	3.6	3.5	4.4	4.7	3.2	3.8	4.6	3.3	8.2
	n	327	150	177	122	107	96	152	112	35	25
Rarely	%	21.4	24.8	18.2	21.3	20.4	22.3	21.3	22.1	21.8	20.2
	95% CI	2.0	2.7	2.5	3.0	3.2	3.5	3.5	3.5	6.2	6.8
	n	446	257	189	129	145	167	204	157	64	21
Sometimes	%	19.5	22.3	16.8	15.2	20.6	22.8	20.5	18.0	21.1	19.2
	95% CI	1.8	2.4	2.1	2.9	3.5	1.9	3.1	2.3	4.5	6.0
	n	412	237	175	100	139	171	199	129	61	22
Most of the time	%	7.5	8.6	6.5	6.6	6.3	9.8	9.2	5.5	9.1	5.1
	95% CI	1.5	2.2	2.1	2.2	2.1	2.3	2.4	1.8	4.2	3.7
	n	169	97	71	42	47	79	92	41	27	8
Always	%	4.5	5.2	3.8	5.5	3.1	5.0	3.8	5.6	5.5	0.9
	95% CI	1.1	1.7	1.3	1.9	1.3	1.8	1.4	1.9	2.4	1.7
	n	97	55	42	35	23	39	38	41	16	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 36. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR41 -- (Q45) When you read newspapers or magazines, how often do you see  
 ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,067	1,041	1,025	617	689	748	949	700	297	106

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 37. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR44 -- (Q48) When you go to a convenience store, supermarket, or gas  
station, how often do you see ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I never go to a convenience store, supermarket, or gas station	%	9.6	6.5	12.5	12.4	9.4	7.0	5.6	13.7	9.2	11.1
	95% CI	2.6	2.1	3.6	4.3	4.7	2.8	1.5	4.8	3.6	6.7
	n	182	60	122	76	54	52	53	88	27	10
Never	%	9.8	9.2	10.4	11.9	12.5	4.9	7.1	11.0	11.7	17.2
	95% CI	2.1	2.8	2.4	2.6	3.8	1.5	2.6	3.6	2.9	13.8
	n	187	84	103	70	78	37	62	70	36	17
Rarely	%	11.6	11.9	11.3	12.5	10.1	12.3	9.6	12.1	11.6	20.5
	95% CI	2.0	2.6	2.2	3.2	2.8	4.1	3.2	2.7	3.4	6.4
	n	229	120	109	76	72	80	86	85	35	19
Sometimes	%	17.3	17.6	17.1	17.0	18.2	16.7	17.9	14.9	19.7	24.0
	95% CI	2.0	2.9	2.4	4.0	2.6	4.1	2.5	3.3	5.7	9.0
	n	350	181	169	106	126	115	159	107	58	25
Most of the time	%	21.4	22.4	20.4	19.2	22.1	22.9	25.2	18.9	21.3	10.9
	95% CI	1.7	2.7	2.9	3.1	4.1	3.6	2.7	3.1	4.6	5.9
	n	455	237	218	118	156	179	240	139	61	14
Always	%	30.4	32.4	28.3	27.1	27.7	36.2	34.6	29.3	26.4	16.3
	95% CI	3.5	4.2	4.3	4.0	4.9	4.3	4.7	5.1	5.6	9.7
	n	663	356	306	173	204	281	346	211	80	23

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 37. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR44 -- (Q48) When you go to a convenience store, supermarket, or gas  
 station, how often do you see ads or promotions for cigarettes and other tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,066	1,038	1,027	619	690	744	946	700	297	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 38. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR45 -- (Q49) During the past 30 days, how often did you see an ad for  
cigarettes or smokeless tobacco that was outdoors on a billboard or could be seen from outside  
a store?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not see an ad for cigarettes or smokeless tobacco during the past 30 days	%	35.5	31.4	39.4	42.7	35.3	28.2	30.4	37.4	38.7	51.2
	95% CI	4.0	4.1	5.3	5.8	5.8	3.7	5.0	5.5	6.9	11.0
	n	695	309	385	257	225	207	274	251	113	49
Never	%	8.0	7.6	8.4	7.8	9.8	6.3	5.6	10.3	11.1	4.5
	95% CI	1.2	1.8	1.9	1.7	2.3	2.0	1.3	2.4	2.5	3.6
	n	165	78	87	50	66	47	53	72	32	6
Rarely	%	16.7	19.2	14.3	15.0	16.2	18.9	17.0	16.1	15.4	20.7
	95% CI	2.2	2.4	2.9	3.0	3.9	4.2	2.6	3.7	4.6	6.7
	n	350	201	149	94	121	133	158	119	49	22
Sometimes	%	18.1	18.5	17.8	14.5	18.8	21.4	22.3	16.1	14.8	8.9
	95% CI	1.9	2.6	2.5	2.0	2.4	3.1	2.6	2.9	4.1	5.0
	n	392	200	192	92	135	165	214	120	45	12

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 38. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR45 -- (Q49) During the past 30 days, how often did you see an ad for  
cigarettes or smokeless tobacco that was outdoors on a billboard or could be seen from outside  
a store?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Most of the time	%	12.3	12.8	11.9	10.7	12.5	14.0	15.4	10.3	11.6	6.0
	95% CI	1.9	2.6	2.6	2.4	2.8	3.3	3.3	2.5	4.7	4.7
	n	273	141	132	68	92	113	157	74	34	8
Always	%	9.4	10.5	8.2	9.2	7.4	11.2	9.3	9.7	8.4	8.6
	95% CI	1.8	1.9	2.5	2.8	2.2	2.3	2.4	2.1	2.8	6.7
	n	206	112	94	61	56	86	96	70	26	12
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,081	1,041	1,039	622	695	751	952	706	299	109

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 39. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR46 -- (Q50) When you watch TV or go to the movies, how often do you see  
actors and actresses using cigarettes or other tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I do not watch TV or go to the movies	%	5.2	2.0	8.2	5.6	5.4	4.6	3.0	8.0	6.1	3.2
	95% CI	2.2	1.0	3.6	4.4	3.4	2.4	1.6	3.6	3.1	2.9
	n	102	21	80	36	31	34	31	51	16	4
Never	%	12.4	11.2	13.5	14.4	13.4	9.0	9.8	12.4	17.9	19.3
	95% CI	2.2	2.4	2.7	2.9	3.9	2.7	2.1	3.2	3.8	6.7
	n	242	109	133	87	85	66	88	82	52	18
Rarely	%	20.5	23.0	18.1	20.0	19.6	22.0	22.9	19.8	14.5	18.8
	95% CI	2.2	3.0	2.7	3.6	2.9	3.1	4.1	2.2	4.3	10.4
	n	413	227	186	121	134	157	208	139	43	20
Sometimes	%	36.9	38.2	35.7	35.5	36.3	39.1	41.1	32.0	37.5	36.2
	95% CI	3.5	4.3	3.9	6.0	6.5	4.0	3.9	4.9	5.5	7.1
	n	787	410	377	219	268	295	397	234	111	40
Most of the time	%	17.5	18.4	16.7	16.6	18.1	18.0	17.1	18.5	17.9	14.4
	95% CI	1.7	2.7	2.1	3.2	4.1	2.2	2.6	2.5	3.2	4.2
	n	369	194	175	106	128	134	166	130	56	15
Always	%	7.5	7.2	7.8	8.0	7.2	7.3	6.2	9.2	6.2	8.1
	95% CI	1.4	1.6	1.9	1.9	2.7	2.3	1.3	2.5	2.1	5.6
	n	157	74	83	51	49	56	61	65	18	11

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 39. Weighted Frequency Report for Georgia**  
**Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013**  
**z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column**  
**Reported by Gender, Grade and Race**  
**Analysis Variable CR46 -- (Q50) When you watch TV or go to the movies, how often do you see**  
**actors and actresses using cigarettes or other tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,070	1,035	1,034	620	695	742	951	701	296	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 40. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR48 -- (Q52) A warning label tells you if a product is harmful to you and  
can be either a picture or words. During the past 30 days, how often did you see a warning  
label on a cigarette pack?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not see a cigarette pack during the past 30 days	%	65.3	67.5	63.1	68.9	66.0	61.1	66.4	64.1	63.0	69.2
	95% CI	3.2	4.1	3.8	5.6	4.3	5.5	5.9	2.7	5.0	12.0
	n	1,314	684	629	415	448	444	601	447	188	70
Never	%	9.6	8.7	10.4	9.3	9.9	9.4	6.7	11.9	12.3	8.5
	95% CI	1.5	2.2	1.8	2.3	2.6	2.6	1.7	1.9	4.6	5.2
	n	196	90	106	60	64	70	67	78	38	9
Rarely	%	5.4	5.7	5.1	5.2	5.2	5.6	5.2	5.4	6.2	5.3
	95% CI	1.2	1.8	1.8	2.3	1.3	1.8	1.5	1.8	2.9	4.2
	n	119	64	55	33	40	44	53	41	18	7
Sometimes	%	4.6	4.7	4.4	3.8	5.0	4.8	4.5	5.1	3.8	3.7
	95% CI	1.0	1.6	1.6	2.0	1.7	1.6	1.7	1.3	2.1	3.0
	n	100	52	48	25	37	37	48	36	10	6
Most of the time	%	3.8	3.6	4.1	3.7	3.4	4.4	4.6	3.2	3.2	3.5
	95% CI	0.9	1.1	1.3	1.3	1.8	1.4	1.5	1.3	1.8	3.2
	n	84	37	47	23	26	35	45	24	11	4
Always	%	11.4	9.9	12.9	9.2	10.4	14.6	12.6	10.1	11.5	9.8
	95% CI	1.4	2.0	2.2	1.9	2.3	3.0	2.7	2.2	4.3	5.4
	n	253	111	142	59	78	115	132	72	35	12

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 40. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR48 -- (Q52) A warning label tells you if a product is harmful to you and  
 can be either a picture or words. During the past 30 days, how often did you see a warning  
 label on a cigarette pack?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,066	1,038	1,027	615	693	745	946	698	300	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 41. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR49 -- (Q53) During the past 30 days, how often did you see a warning label  
on a smokeless tobacco product?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not see a smokeless tobacco product during the past 30 days	%	72.8	75.2	70.5	75.6	74.0	69.1	73.4	71.8	69.2	80.9
	95% CI	3.2	4.1	3.8	5.2	4.3	5.5	5.0	4.1	6.8	10.8
	n	1,470	768	702	459	501	504	669	500	208	82
Never	%	8.7	7.4	9.9	9.6	9.4	6.9	5.5	11.5	12.1	7.0
	95% CI	1.8	2.6	1.7	3.3	2.4	2.0	1.8	2.9	3.7	5.6
	n	179	73	105	61	65	51	56	77	35	9
Rarely	%	4.9	5.4	4.4	4.4	4.9	5.2	3.6	6.3	6.1	4.4
	95% CI	1.2	1.8	1.2	1.7	1.4	2.4	1.5	2.6	2.3	3.9
	n	106	59	47	28	36	40	37	46	17	6
Sometimes	%	3.4	3.3	3.5	2.5	2.8	4.7	4.1	2.5	4.8	1.2
	95% CI	0.9	1.0	1.1	1.6	1.5	1.5	1.7	0.9	2.4	1.7
	n	80	38	42	17	24	38	44	19	15	2
Most of the time	%	2.6	2.2	2.9	2.2	2.3	3.1	3.3	2.4	1.8	0.6
	95% CI	0.7	0.9	0.9	1.3	1.0	0.9	1.2	1.0	1.7	1.2
	n	55	24	31	14	16	24	32	16	6	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 41. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR49 -- (Q53) During the past 30 days, how often did you see a warning label  
on a smokeless tobacco product?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Always	%	7.6	6.5	8.8	5.6	6.5	10.9	10.2	5.6	6.0	5.8
	95% CI	1.4	1.5	2.1	1.7	2.3	2.9	2.2	2.0	2.9	4.8
	n	174	75	99	36	49	89	109	39	18	7
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,064	1,037	1,026	615	691	746	947	697	299	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 42. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR50 -- (Q54) During the past 12 months, did you buy or receive anything  
 that has a tobacco company name or picture on it?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	10.5	8.2	12.7	7.0	9.8	14.5	11.4	9.2	11.8	8.2
	95% CI	1.6	2.1	2.2	2.3	2.0	3.4	3.0	2.2	3.3	4.4
	n	230	90	139	44	68	114	118	61	37	11
No	%	89.5	91.8	87.3	93.0	90.2	85.5	88.6	90.8	88.2	91.8
	95% CI	1.6	2.1	2.2	2.3	2.0	3.4	3.0	2.2	3.3	4.4
	n	1,827	945	882	569	619	630	829	632	261	94
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,057	1,035	1,021	613	687	744	947	693	298	105

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 43. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR51 -- (Q55) How likely is it that you would ever use or wear  
something-such as a lighter, T-shirt, hat, or sunglasses-that has a tobacco company name or  
picture on it?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Very likely	%	6.4	4.3	8.4	4.9	5.9	8.2	4.6	8.3	7.0	5.6
	95% CI	1.2	1.4	2.0	2.5	3.1	2.5	1.4	2.0	2.6	4.1
	n	136	47	89	33	39	62	49	54	23	8
Somewhat likely	%	8.9	7.9	9.9	6.3	8.4	11.8	10.6	6.6	9.6	10.6
	95% CI	1.5	1.6	2.2	1.8	2.1	2.9	3.0	1.7	2.8	5.6
	n	199	84	115	39	66	91	110	47	29	13
Somewhat unlikely	%	9.1	8.2	10.0	7.9	9.1	10.4	8.5	9.5	11.3	7.1
	95% CI	1.8	1.9	2.5	2.5	2.3	3.1	2.5	2.2	3.2	4.5
	n	201	94	107	49	68	83	87	69	35	9
Very unlikely	%	75.6	79.5	71.7	80.9	76.5	69.6	76.3	75.6	72.1	76.6
	95% CI	3.2	2.8	4.2	5.2	3.8	5.5	4.8	4.0	4.6	8.8
	n	1,534	816	717	495	521	511	702	531	213	77
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,070	1,041	1,028	616	694	747	948	701	300	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 44. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR56 -- (Q56) During the past 12 months, did any doctor, dentist, or nurse  
ask you if you use tobacco of any kind?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not see a doctor, dentist, or nurse during the past 12 months	%	12.7	10.1	15.2	13.0	14.2	10.6	9.2	16.7	14.4	9.8
	95% CI	2.2	2.4	2.3	4.0	4.3	3.4	2.7	3.2	3.8	8.2
	n	256	105	150	81	90	82	90	110	43	10
Yes	%	16.9	17.4	16.5	14.2	14.6	21.7	19.6	14.1	18.5	12.9
	95% CI	2.0	2.7	2.6	2.8	2.7	3.8	2.9	3.1	3.6	7.5
	n	359	180	179	87	105	163	185	104	56	13
No	%	58.7	59.7	57.7	60.2	58.7	57.5	58.1	58.0	60.2	62.8
	95% CI	2.7	3.7	2.6	4.8	4.8	4.9	2.3	4.6	6.0	8.0
	n	1,207	622	585	369	409	424	549	404	179	67
Not sure	%	11.7	12.8	10.6	12.5	12.4	10.2	13.1	11.1	6.9	14.5
	95% CI	0.9	1.2	1.9	2.7	2.3	2.0	1.9	1.9	2.4	6.3
	n	240	131	109	78	85	76	120	79	22	17
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,062	1,038	1,023	615	689	745	944	697	300	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 45. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR57 -- (Q57) During the past 12 months, did any doctor, dentist, or nurse  
advise you not to use tobacco of any kind?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not see a doctor, dentist, or nurse during the past 12 months	%	13.3	11.3	15.1	13.0	14.5	12.0	10.1	16.1	17.6	9.0
	95% CI	2.2	2.5	2.6	4.3	2.9	3.4	2.6	2.3	5.2	8.0
	n	265	113	151	79	93	90	96	105	51	9
Yes	%	19.6	18.5	20.6	18.5	18.8	21.4	21.9	17.9	19.6	14.5
	95% CI	2.5	2.4	3.5	4.4	3.1	3.7	3.7	3.9	4.9	4.9
	n	403	189	214	109	132	159	201	127	58	16
No	%	55.5	57.9	53.2	56.1	53.9	56.9	55.4	54.8	52.7	64.1
	95% CI	2.8	3.7	3.2	5.8	4.6	4.7	4.1	4.1	5.9	9.2
	n	1,139	601	538	341	372	421	525	381	157	67
Not sure	%	11.6	12.2	11.1	12.4	12.8	9.7	12.6	11.1	10.1	12.4
	95% CI	1.6	2.2	2.0	2.8	3.3	2.4	2.1	1.8	4.5	7.4
	n	234	124	110	73	88	71	114	76	29	15
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,041	1,027	1,013	602	685	741	936	689	295	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 46. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR54 -- (Q58) Do you want to stop smoking cigarettes for good?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I do not smoke now	%	94.5	95.5	93.4	96.6	95.6	91.2	94.0	95.3	93.2	94.9
	95% CI	1.3	1.7	1.5	1.6	1.6	3.0	2.1	1.3	3.2	4.7
	n	1,861	966	894	553	633	664	859	634	260	95
Yes	%	2.8	1.8	3.7	2.5	2.0	3.8	2.8	2.2	3.9	2.9
	95% CI	0.8	0.8	1.2	1.2	1.0	1.9	1.3	1.0	2.6	3.0
	n	61	21	40	15	16	30	30	15	11	4
No	%	2.8	2.7	2.8	0.9	2.4	4.9	3.2	2.4	2.9	2.3
	95% CI	0.7	1.3	1.0	1.0	1.4	1.4	1.2	0.9	1.9	2.7
	n	63	31	32	6	18	39	35	16	9	3
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,985	1,018	966	574	667	733	924	665	280	102

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 47. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR55 -- (Q59) I plan to stop smoking cigarettes for good within the next . .  
. (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I do not smoke now	%	91.6	93.7	89.5	92.8	92.4	89.7	92.7	91.5	88.6	89.4
	95% CI	1.8	1.7	2.5	3.4	3.0	3.0	2.4	2.5	3.3	6.2
	n	1,871	966	904	563	636	661	867	639	260	92
7 days	%	1.5	0.9	2.1	1.6	1.1	1.7	1.1	1.9	1.8	1.4
	95% CI	0.7	0.6	1.5	0.8	1.3	1.2	0.9	1.3	1.7	2.1
	n	30	10	20	10	6	13	12	10	6	2
30 days	%	1.2	1.0	1.4	1.3	0.7	1.6	0.8	1.2	1.4	2.8
	95% CI	0.4	0.7	0.7	0.8	0.6	0.7	0.6	0.8	1.4	3.0
	n	27	11	16	8	5	13	9	9	4	4
6 months	%	0.8	0.4	1.2	0.7	0.4	1.1	0.3	0.8	2.2	1.1
	95% CI	0.5	0.4	0.5	1.4	0.5	0.8	0.3	0.9	1.8	2.2
	n	17	4	13	5	3	9	3	6	7	1
1 year	%	1.0	0.6	1.4	0.8	0.9	1.4	1.1	0.8	1.6	0.0
	95% CI	0.4	0.4	0.6	0.7	0.6	0.8	0.7	0.6	1.3	0.0
	n	24	7	17	5	8	11	13	6	5	0
I do not plan to stop smoking cigarettes within the next year	%	4.0	3.5	4.4	2.9	4.5	4.5	3.9	3.8	4.3	5.2
	95% CI	1.1	1.3	1.6	1.5	2.0	1.5	1.5	1.6	1.9	3.9
	n	83	35	48	18	31	34	40	25	12	6

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 47. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR55 -- (Q59) I plan to stop smoking cigarettes for good within the next . .  
 . (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,052	1,033	1,018	609	689	741	944	695	294	105

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 48. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR56 -- (Q60) During the past 12 months, how many times have you stopped  
smoking for one day or longer because you were trying to quit smoking cigarettes for good?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I did not smoke during the past 12 months	%	93.2	94.5	91.8	95.7	95.1	88.7	93.0	93.9	91.1	94.2
	95% CI	1.6	1.8	1.8	1.9	1.6	3.1	2.3	1.7	3.6	4.9
	n	1,835	946	888	561	631	633	848	628	253	95
I did not try to quit during the past 12 months	%	2.5	1.9	3.0	1.4	1.0	5.0	3.1	1.9	3.3	0.0
	95% CI	0.7	0.8	0.9	0.7	0.9	1.6	1.1	1.1	2.3	0.0
	n	56	22	34	9	9	38	33	13	10	0
1 time	%	1.2	0.6	1.9	1.4	1.0	1.2	0.7	1.9	1.3	0.9
	95% CI	0.5	0.5	0.8	1.1	0.6	0.8	0.5	1.0	1.3	1.7
	n	24	6	18	8	7	9	8	12	3	1
2 times	%	0.9	1.0	0.9	0.6	0.8	1.5	0.9	1.0	1.5	0.0
	95% CI	0.4	0.7	0.5	0.5	0.7	0.9	0.6	0.6	1.6	0.0
	n	20	10	10	4	4	12	10	6	4	0
3 to 5 times	%	0.8	0.7	0.9	0.3	0.8	1.2	0.5	0.8	0.2	3.0
	95% CI	0.5	0.5	0.6	0.4	1.0	0.8	0.6	0.7	0.4	3.0
	n	18	8	10	2	7	9	6	6	1	4
6 to 9 times	%	0.3	0.3	0.2	0.0	0.1	0.6	0.4	0.1	0.2	0.7
	95% CI	0.2	0.3	0.3	0.0	0.2	0.5	0.3	0.3	0.5	1.4
	n	7	4	3	0	1	5	4	1	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 48. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR56 -- (Q60) During the past 12 months, how many times have you stopped  
 smoking for one day or longer because you were trying to quit smoking cigarettes for good?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
<b>10 or more times</b>	<b>%</b>	1.2	1.0	1.3	0.6	1.2	1.7	1.3	0.4	2.3	1.3
	<b>95% CI</b>	0.4	0.6	0.6	0.6	0.8	1.0	0.7	0.4	1.5	1.9
	<b>n</b>	27	12	15	4	9	14	15	3	6	2
<b>TOTAL</b>	<b>%</b>	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	<b>95% CI</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	<b>n</b>	1,987	1,008	978	588	668	720	924	669	278	103

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 49. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR57 -- (Q61) When you last tried to quit for good, how long did you stay  
off cigarettes? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never smoked cigarettes	%	91.1	92.7	89.6	95.4	92.1	85.8	89.1	93.8	89.2	93.5
	95% CI	2.0	1.9	2.6	1.7	2.3	4.1	3.5	1.5	3.6	4.4
	n	1,813	933	879	566	616	621	819	630	257	95
I have never tried to quit	%	2.2	2.3	2.1	0.7	2.2	3.6	2.9	1.2	2.5	2.3
	95% CI	0.6	0.9	0.8	0.5	1.0	1.4	0.9	0.7	1.9	2.7
	n	52	27	25	5	18	29	32	9	8	3
Less than a day	%	1.1	0.6	1.6	0.7	1.2	1.6	1.0	1.0	2.2	0.6
	95% CI	0.5	0.4	0.9	0.6	0.6	1.0	0.7	0.8	1.2	1.2
	n	25	8	17	4	9	12	11	7	6	1
1 to 7 days	%	0.6	0.3	0.8	0.1	0.8	0.8	0.5	0.8	0.2	0.6
	95% CI	0.3	0.3	0.5	0.3	0.7	0.6	0.4	0.6	0.4	1.2
	n	13	3	10	1	6	6	5	6	1	1
More than 7 days but less than 30 days	%	0.6	0.7	0.4	0.8	0.0	0.8	0.7	0.1	0.8	0.7
	95% CI	0.3	0.6	0.4	0.7	0.0	0.6	0.6	0.2	1.0	1.3
	n	13	8	5	6	0	6	7	1	2	1
More than 30 days but less than 6 months	%	1.2	0.9	1.4	0.3	0.9	2.4	1.6	0.8	1.0	0.7
	95% CI	0.6	0.6	0.8	0.5	0.5	1.2	1.0	0.6	0.8	1.4
	n	29	11	18	2	8	19	19	6	3	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 49. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR57 -- (Q61) When you last tried to quit for good, how long did you stay  
off cigarettes? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
More than 6 months but less than 1 year	%	1.0	0.7	1.3	0.6	0.8	1.7	1.4	0.3	2.6	0.0
	95% CI	0.5	0.6	0.7	0.3	0.8	1.2	0.8	0.4	2.5	0.0
	n	24	9	15	4	6	14	15	2	7	0
1 year or more	%	2.2	1.8	2.7	1.3	2.0	3.4	2.7	2.0	1.7	1.7
	95% CI	0.7	0.9	1.0	0.9	1.1	1.3	1.2	0.7	1.3	2.4
	n	50	19	31	8	15	26	29	14	5	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,019	1,018	1,000	596	678	733	937	675	289	104

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 50. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR58 -- (Q62) Are you seriously thinking about quitting the use of all  
tobacco?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never used tobacco	%	90.0	93.3	86.7	94.0	90.4	86.0	89.2	91.7	87.4	92.3
	95% CI	2.0	1.7	2.7	2.5	2.9	3.9	3.1	2.5	3.8	5.7
	n	1,823	957	865	572	613	630	821	640	256	95
Yes, within the next 30 days	%	2.9	1.9	4.0	2.0	3.0	3.6	2.9	1.8	6.4	2.0
	95% CI	0.8	0.8	1.2	1.0	1.5	1.4	1.5	1.3	2.5	2.2
	n	62	19	43	13	20	27	29	10	18	3
Yes, within the next 6 months	%	1.0	0.8	1.3	0.6	0.9	1.5	0.8	1.4	0.9	1.1
	95% CI	0.5	0.5	0.9	0.6	0.9	0.8	0.4	0.9	1.0	2.2
	n	22	9	13	4	5	12	9	9	3	1
Yes, within longer than 6 months	%	1.6	0.4	2.8	0.8	1.6	2.4	1.4	1.9	1.6	1.6
	95% CI	0.6	0.4	1.0	0.6	1.1	1.5	0.8	0.8	1.3	2.3
	n	37	6	31	5	12	19	16	13	6	2
I am not thinking about quitting the use of all tobacco	%	4.4	3.6	5.2	2.6	4.1	6.4	5.7	3.2	3.7	3.0
	95% CI	1.4	1.3	1.8	1.6	1.9	2.5	2.2	1.7	1.6	3.2
	n	104	42	62	17	33	53	63	23	12	4
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,048	1,033	1,014	611	683	741	938	695	295	105

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 51. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable GAR64 -- (Q64) Have you ever called the Georgia Tobacco Quit Line to quit  
 smoking?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	3.3	2.4	4.3	4.1	2.5	3.2	1.4	5.0	5.0	4.2
	95% CI	1.1	1.0	1.6	1.9	2.0	1.3	0.8	2.1	2.1	4.2
	n	66	24	42	25	15	24	15	30	16	5
No	%	96.7	97.6	95.7	95.9	97.5	96.8	98.6	95.0	95.0	95.8
	95% CI	1.1	1.0	1.6	1.9	2.0	1.3	0.8	2.1	2.1	4.2
	n	1,967	999	967	573	672	713	922	658	276	98
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,033	1,023	1,009	598	687	737	937	688	292	103

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 52. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR65 -- (Q65) Have you seen any information (i.e. brochures, pamphlets,  
etc.) advertising the Georgia Tobacco Quit Line?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	13.8	13.0	14.6	13.2	13.5	14.8	14.8	13.4	14.8	8.4
	95% CI	1.9	2.6	2.8	3.6	2.5	2.7	3.5	2.3	2.9	5.3
	n	291	143	148	82	93	115	146	92	44	9
No	%	86.2	87.0	85.4	86.8	86.5	85.2	85.2	86.6	85.2	91.6
	95% CI	1.9	2.6	2.8	3.6	2.5	2.7	3.5	2.3	2.9	5.3
	n	1,755	889	865	527	590	626	795	601	248	98
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,046	1,032	1,013	609	683	741	941	693	292	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 53. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR60 -- (Q66) During the past 7 days, on how many days did someone smoke  
tobacco products in your home while you were there?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	80.7	81.2	80.4	82.9	83.3	76.3	79.6	81.6	81.3	84.0
	95% CI	2.9	3.2	4.1	4.0	3.4	5.0	4.8	2.7	3.8	9.1
	n	1,610	817	793	498	551	553	723	559	234	86
1 day	%	2.6	2.6	2.6	1.7	2.6	3.3	3.3	1.7	2.8	2.2
	95% CI	0.9	1.1	1.1	1.0	1.2	1.7	1.3	0.9	2.0	2.9
	n	59	30	29	11	20	27	34	12	10	2
2 days	%	1.9	1.6	2.2	2.5	1.5	1.6	1.5	1.9	3.4	1.1
	95% CI	0.8	0.7	1.2	1.6	1.1	0.9	0.8	0.8	1.9	2.2
	n	39	16	23	15	13	11	14	13	11	1
3 days	%	2.2	2.1	2.3	1.9	1.8	2.8	1.1	3.5	3.0	0.6
	95% CI	0.7	1.1	1.0	1.3	0.8	1.4	0.8	1.4	2.3	1.2
	n	46	23	23	12	12	21	10	25	10	1
4 days	%	1.4	1.7	1.2	2.1	1.1	1.1	1.4	1.5	1.9	0.0
	95% CI	0.4	0.7	0.5	0.8	0.9	0.8	0.8	0.6	1.1	0.0
	n	29	16	13	12	8	9	12	11	6	0
5 days	%	1.1	0.9	1.3	1.0	0.9	1.5	1.0	1.5	0.3	1.3
	95% CI	0.3	0.6	0.6	0.6	0.8	0.8	0.5	0.6	0.6	1.9
	n	24	11	13	7	5	12	11	10	1	2

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 53. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR60 -- (Q66) During the past 7 days, on how many days did someone smoke  
tobacco products in your home while you were there?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
6 days	%	0.6	0.6	0.7	0.7	0.5	0.8	0.3	1.1	0.6	0.0
	95% CI	0.4	0.6	0.5	0.7	0.6	0.7	0.5	0.9	0.8	0.0
	n	11	4	7	4	2	5	3	6	2	0
7 days	%	9.4	9.4	9.4	7.2	8.3	12.6	11.8	7.1	6.6	10.7
	95% CI	2.1	2.4	2.6	2.5	3.2	2.9	3.2	2.4	3.1	7.7
	n	213	106	106	45	65	101	123	51	22	14
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,031	1,023	1,007	604	676	739	930	687	296	106

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 54. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR61 -- (Q67) During the past 7 days, on how many days did you ride in a  
vehicle where someone was smoking a tobacco product?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	82.0	81.2	82.8	84.3	85.8	76.1	79.9	83.1	83.3	87.8
	95% CI	2.8	3.4	3.2	3.8	3.3	4.5	4.8	2.8	4.7	7.8
	n	1,650	824	826	509	578	555	732	572	245	92
1 day	%	3.9	4.3	3.6	3.5	3.1	5.3	4.1	3.8	5.5	1.2
	95% CI	1.0	1.1	1.5	1.3	1.6	1.6	1.2	1.5	3.1	2.7
	n	87	46	41	22	22	42	41	29	16	1
2 days	%	2.3	2.2	2.5	2.1	2.0	2.9	3.0	1.5	3.0	1.0
	95% CI	0.8	1.0	0.9	1.1	1.0	1.2	1.4	0.8	1.9	1.9
	n	53	23	30	14	14	25	32	9	10	1
3 days	%	2.2	2.3	2.0	2.2	1.3	3.0	1.5	3.0	2.3	1.7
	95% CI	0.6	1.0	0.9	1.4	0.7	1.2	0.8	0.9	1.6	2.4
	n	46	24	22	14	10	22	15	22	7	2
4 days	%	1.4	1.2	1.5	1.1	1.2	1.8	1.8	1.1	0.8	1.5
	95% CI	0.5	0.6	0.7	1.1	0.7	0.8	0.8	0.5	0.9	2.2
	n	29	15	14	7	9	12	17	7	3	2
5 days	%	1.2	1.7	0.8	1.2	1.3	1.1	1.4	1.0	0.9	1.2
	95% CI	0.4	0.6	0.5	0.9	1.0	0.6	0.6	0.6	1.0	1.6
	n	29	20	9	8	11	10	15	8	3	2

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 54. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR61 -- (Q67) During the past 7 days, on how many days did you ride in a  
 vehicle where someone was smoking a tobacco product?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
6 days	%	0.5	0.6	0.4	0.6	0.0	0.9	0.4	0.5	0.9	0.0
	95% CI	0.2	0.5	0.4	0.4	0.0	0.5	0.4	0.6	1.4	0.0
	n	11	7	4	4	0	7	4	4	3	0
7 days	%	6.5	6.5	6.5	5.1	5.3	9.0	8.0	5.9	3.3	5.7
	95% CI	1.2	1.6	1.4	1.2	2.1	2.2	2.3	1.5	1.6	4.1
	n	148	75	72	32	43	70	84	42	12	8
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,053	1,034	1,018	610	687	743	940	693	299	108

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 55. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR62 -- (Q68) During the past 7 days, on how many days did you breathe the  
smoke from someone who was smoking a tobacco product at your school, including school  
buildings, school grounds, and school parking lots?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	86.7	86.2	87.3	88.0	88.6	84.0	86.9	86.4	84.7	90.4
	95% CI	2.0	2.3	2.4	3.8	2.2	3.2	2.4	2.6	3.6	5.8
	n	1,761	884	877	532	603	619	803	599	252	95
1 day	%	4.0	4.2	3.7	4.1	3.6	4.1	4.5	3.8	4.2	1.3
	95% CI	0.8	1.1	1.3	1.6	1.3	1.3	1.3	1.4	2.4	1.8
	n	82	45	37	25	24	32	43	25	12	2
2 days	%	2.0	2.2	1.8	1.5	2.3	2.1	1.5	2.2	4.1	0.6
	95% CI	0.8	1.1	0.8	1.0	1.1	1.1	0.9	1.0	3.1	1.2
	n	43	22	21	9	17	16	15	15	12	1
3 days	%	1.1	0.9	1.3	0.9	0.7	1.7	0.7	1.4	1.0	1.8
	95% CI	0.6	0.7	0.6	0.7	0.7	1.2	0.5	0.8	1.4	2.6
	n	23	9	14	6	4	13	8	10	3	2
4 days	%	1.2	1.1	1.3	1.4	1.0	1.3	1.2	0.7	2.1	2.5
	95% CI	0.5	0.7	0.7	0.8	0.7	0.9	0.7	0.6	1.7	1.0
	n	27	12	15	9	8	10	13	5	7	2
5 days	%	0.7	0.9	0.6	0.8	0.1	1.3	0.7	0.6	1.0	1.3
	95% CI	0.2	0.4	0.4	0.6	0.2	0.6	0.4	0.6	1.1	1.8
	n	17	10	7	5	1	11	8	4	3	2

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 55. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR62 -- (Q68) During the past 7 days, on how many days did you breathe the  
smoke from someone who was smoking a tobacco product at your school, including school  
buildings, school grounds, and school parking lots?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
6 days	%	0.3	0.3	0.4	0.2	0.3	0.4	0.2	0.5	0.0	0.7
	95% CI	0.2	0.3	0.4	0.3	0.4	0.4	0.3	0.3	0.0	1.3
	n	7	3	4	1	2	3	2	4	0	1
7 days	%	4.0	4.2	3.7	3.2	3.4	5.0	4.3	4.3	2.9	1.5
	95% CI	1.0	1.2	1.3	1.5	1.4	1.8	1.6	1.8	1.8	2.1
	n	90	48	41	21	27	39	46	32	9	2
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,050	1,033	1,016	608	686	743	938	694	298	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 56. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR63 -- (Q69) During the past 7 days, on how many days did you breathe the  
smoke from someone who was smoking tobacco products in the place where you work?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I do not have a job	%	90.3	92.9	87.8	91.9	90.6	89.1	91.4	89.4	88.0	92.4
	95% CI	2.0	1.8	2.8	4.0	2.8	2.7	2.7	2.5	4.6	5.0
	n	1,822	955	867	553	614	648	846	611	255	98
I have a job but did not work in the past 7 days	%	2.0	1.3	2.7	1.4	2.0	2.3	2.1	1.5	3.6	1.1
	95% CI	0.7	0.5	1.1	1.1	1.3	1.0	1.0	1.2	2.0	2.2
	n	43	13	30	9	15	17	19	11	12	1
0 days	%	4.6	3.1	6.2	4.3	4.8	4.5	3.4	6.1	4.4	4.3
	95% CI	1.0	1.2	1.6	2.1	1.8	1.5	1.4	2.1	2.0	2.4
	n	93	31	62	27	32	32	34	39	14	5
1 day	%	1.1	1.2	1.0	1.2	0.9	1.3	1.4	0.9	0.8	0.7
	95% CI	0.4	0.7	0.6	0.9	0.7	0.7	0.8	0.8	1.1	1.4
	n	22	11	11	7	6	9	13	6	2	1
2 days	%	0.3	0.3	0.4	0.2	0.4	0.4	0.3	0.3	0.8	0.0
	95% CI	0.3	0.3	0.4	0.3	0.4	0.6	0.4	0.3	1.0	0.0
	n	8	3	5	1	4	3	3	2	3	0
3 days	%	0.1	0.1	0.2	0.0	0.1	0.2	0.2	0.0	0.2	0.7
	95% CI	0.1	0.2	0.2	0.0	0.1	0.3	0.3	0.0	0.4	1.3
	n	4	1	3	0	1	2	2	0	1	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 56. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR63 -- (Q69) During the past 7 days, on how many days did you breathe the  
smoke from someone who was smoking tobacco products in the place where you work?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
4 days	%	0.3	0.2	0.4	0.1	0.2	0.5	0.1	0.5	0.4	0.0
	95% CI	0.3	0.4	0.4	0.3	0.3	0.8	0.2	0.8	0.7	0.0
	n	6	2	4	1	1	4	1	4	1	0
5 days	%	0.2	0.2	0.2	0.1	0.0	0.5	0.2	0.1	0.6	0.0
	95% CI	0.2	0.2	0.3	0.2	0.0	0.6	0.2	0.2	0.8	0.0
	n	5	2	3	1	0	4	2	1	2	0
6 days	%	0.2	0.2	0.2	0.3	0.0	0.3	0.0	0.4	0.3	0.0
	95% CI	0.2	0.3	0.3	0.4	0.0	0.4	0.0	0.5	0.7	0.0
	n	4	2	2	2	0	2	0	3	1	0
7 days	%	0.8	0.7	0.9	0.5	1.0	0.9	0.9	0.7	0.9	0.8
	95% CI	0.4	0.5	0.7	0.6	0.7	0.6	0.7	0.6	1.1	1.7
	n	19	8	10	3	8	7	10	5	3	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,026	1,028	997	604	681	728	930	682	294	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 57. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race**

**Analysis Variable CR64 -- (Q70) During the past 7 days, on how many days did you breathe the  
smoke from someone who was smoking tobacco products in an indoor or outdoor public place?  
Examples of indoor public places are school buildings, stores, restaurants, and sports arenas.  
Examples**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
0 days	%	73.8	70.2	77.4	77.1	75.7	69.2	69.1	78.4	73.2	80.3
	95% CI	2.3	3.7	3.1	2.9	3.7	3.3	3.2	3.6	4.4	12.4
	n	1,491	718	773	463	512	510	644	538	215	84
1 day	%	8.1	9.7	6.5	7.5	6.4	10.4	10.9	4.9	10.8	2.6
	95% CI	1.4	2.0	1.5	1.6	2.3	2.6	2.4	1.7	3.9	3.0
	n	168	100	68	46	44	76	98	35	31	3
2 days	%	6.2	6.5	5.8	5.3	7.3	5.8	6.7	5.4	4.1	10.5
	95% CI	1.1	1.7	2.4	1.9	1.6	1.5	1.5	1.6	2.9	8.2
	n	122	66	56	32	45	44	62	35	13	11
3 days	%	2.9	3.2	2.6	3.0	2.0	3.8	2.7	3.5	3.2	0.0
	95% CI	0.8	1.0	1.1	1.6	1.0	1.3	0.9	1.7	2.5	0.0
	n	61	35	26	19	15	27	27	24	10	0
4 days	%	1.8	2.1	1.4	1.7	1.3	2.3	2.3	1.3	2.1	0.7
	95% CI	0.6	0.9	0.6	0.8	0.8	1.0	1.0	0.9	1.6	1.3
	n	40	23	17	10	12	17	22	10	7	1

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 57. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race**

**Analysis Variable CR64 -- (Q70) During the past 7 days, on how many days did you breathe the  
smoke from someone who was smoking tobacco products in an indoor or outdoor public place?  
Examples of indoor public places are school buildings, stores, restaurants, and sports arenas.  
Examples**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
5 days	%	1.4	1.6	1.2	0.6	1.3	2.1	1.6	1.1	1.4	0.7
	95% CI	0.6	0.8	0.7	0.7	0.9	1.5	0.9	0.9	1.6	1.4
	n	31	18	13	4	10	17	17	8	4	1
6 days	%	0.5	0.4	0.6	0.3	0.9	0.3	0.4	0.7	0.6	0.0
	95% CI	0.3	0.3	0.6	0.4	0.6	0.4	0.4	0.7	0.8	0.0
	n	11	5	6	2	6	2	4	5	2	0
7 days	%	5.4	6.2	4.5	4.6	5.2	6.1	6.3	4.7	4.6	5.3
	95% CI	1.1	1.7	1.5	1.5	1.9	1.8	1.4	1.6	2.0	3.5
	n	121	68	52	29	43	47	64	35	15	7
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,045	1,033	1,011	605	687	740	938	690	297	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 58. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR65 -- (Q71) Inside your home (not counting decks, garages, or porches) is  
smoking . . .**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Always allowed	%	8.8	7.0	10.6	8.2	7.9	10.3	8.8	9.6	7.7	6.2
	95% CI	1.6	1.8	2.0	3.1	1.8	2.4	2.6	1.9	3.2	5.2
	n	195	78	116	54	59	80	93	67	25	8
Allowed only at some times or in some places	%	10.7	11.5	10.0	10.1	9.2	12.6	9.4	13.8	8.5	6.4
	95% CI	1.9	2.4	2.6	2.7	2.5	4.1	2.8	3.0	3.3	5.4
	n	231	129	102	63	66	99	95	98	28	9
Never allowed	%	80.4	81.5	79.5	81.7	82.9	77.1	81.8	76.5	83.8	87.4
	95% CI	2.9	3.1	3.9	5.2	3.6	5.6	4.4	3.2	4.8	8.6
	n	1,613	825	788	487	555	563	747	525	241	90
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,039	1,032	1,006	604	680	742	935	690	294	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 59. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR66 -- (Q72) In the vehicles that you and family members who live with you  
own or lease, is smoking . . .**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Always allowed	%	12.1	11.1	12.9	10.7	11.2	14.1	13.5	11.7	8.8	10.7
	95% CI	2.1	2.5	2.5	3.4	2.6	3.3	4.1	2.5	2.5	7.0
	n	261	123	137	68	79	111	138	79	28	14
Sometimes allowed	%	12.0	13.2	10.7	9.5	10.8	15.5	11.2	13.3	12.6	6.3
	95% CI	2.4	3.1	2.3	3.4	2.4	3.4	2.9	3.1	4.7	7.2
	n	263	147	116	60	80	121	117	94	39	9
Never allowed	%	76.0	75.7	76.3	79.8	78.0	70.4	75.3	75.1	78.6	83.0
	95% CI	3.9	4.1	4.3	5.3	3.7	6.2	6.2	3.4	4.9	11.5
	n	1,513	763	750	472	523	510	678	516	228	84
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,037	1,033	1,003	600	682	742	933	689	295	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 60. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR73 -- (Q73) Which of these best describes smoking where you work? Smoking  
is . . .**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I do not have a job	%	92.6	95.2	89.9	94.5	92.3	91.1	92.0	92.7	91.6	96.5
	95% CI	1.6	1.5	2.2	3.0	3.1	2.3	2.3	2.8	3.1	3.3
	n	1,882	985	896	563	633	675	855	645	268	102
Never allowed where I work	%	4.1	2.9	5.2	3.7	4.7	3.7	4.2	4.4	3.5	2.8
	95% CI	1.3	1.3	1.7	2.3	3.0	1.6	1.6	2.5	1.7	2.9
	n	80	27	53	23	28	28	39	26	11	4
Allowed but only at some times or in some places	%	2.0	0.8	3.1	1.0	1.7	3.1	2.5	1.4	2.6	0.0
	95% CI	0.6	0.7	1.0	0.8	1.0	1.0	1.1	1.0	2.0	0.0
	n	44	9	35	6	14	24	26	10	8	0
Always allowed where I work	%	1.4	1.1	1.7	0.8	1.3	2.0	1.3	1.4	2.3	0.7
	95% CI	0.6	0.5	1.0	0.5	0.9	1.2	0.9	0.9	1.8	1.4
	n	33	12	21	5	11	16	14	10	8	1
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,039	1,033	1,005	597	686	743	934	691	295	107

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 61. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR68 -- (Q75) How many of your four closest friends smoke cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
None	%	78.2	78.6	77.9	83.7	78.9	72.3	79.6	75.9	77.0	84.3
	95% CI	3.5	4.5	3.4	3.2	4.6	6.6	5.3	2.9	7.2	8.8
	n	1,550	792	758	499	528	516	716	517	222	85
One	%	6.6	6.0	7.1	3.9	7.1	8.6	7.2	6.0	7.1	3.9
	95% CI	1.4	2.2	1.5	2.0	2.0	2.1	2.5	1.6	3.5	3.7
	n	141	67	74	24	48	68	71	42	21	5
Two	%	4.2	3.8	4.5	3.6	2.8	5.8	4.3	4.4	3.8	1.9
	95% CI	1.0	1.2	1.4	2.0	1.6	2.4	1.7	1.3	2.1	2.2
	n	95	42	52	23	22	46	47	31	12	3
Three	%	1.5	1.2	1.8	0.9	1.0	2.6	1.7	1.3	1.6	0.6
	95% CI	0.7	0.8	0.8	0.8	0.8	1.5	1.0	0.9	1.5	1.3
	n	34	14	20	6	8	20	19	10	4	1
Four	%	1.9	2.0	1.8	0.7	2.3	2.6	1.9	2.0	1.7	1.6
	95% CI	0.8	1.2	0.7	0.6	1.6	1.5	1.1	1.2	1.4	2.3
	n	42	24	18	4	16	21	20	15	5	2
Not sure	%	7.7	8.4	7.0	7.1	8.0	8.1	5.2	10.4	8.8	7.7
	95% CI	1.6	2.8	1.8	2.0	2.6	2.9	1.5	2.3	3.6	5.8
	n	159	84	75	42	56	61	51	70	28	10

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 61. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR68 -- (Q75) How many of your four closest friends smoke cigarettes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,021	1,023	997	598	678	732	924	685	292	106

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 62. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR69 -- (Q76) How many of your four closest friends use chewing tobacco,  
snuff, or dip?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
None	%	82.8	84.6	80.9	87.0	85.0	76.5	81.5	85.0	80.9	83.6
	95% CI	3.1	3.6	4.5	3.3	3.0	6.1	5.0	3.3	4.6	8.2
	n	1,650	866	783	521	567	553	738	582	236	84
One	%	4.7	4.0	5.4	2.5	3.7	7.8	6.3	2.7	6.0	1.8
	95% CI	1.3	1.4	1.6	1.4	1.4	2.4	2.1	1.5	3.2	2.2
	n	114	48	66	16	30	66	70	18	20	3
Two	%	3.1	2.6	3.6	2.3	2.0	5.0	4.0	2.5	2.6	0.8
	95% CI	1.1	1.0	1.7	1.5	1.1	1.7	1.8	1.2	2.0	1.6
	n	70	30	40	14	17	39	42	17	9	1
Three	%	1.1	0.6	1.6	1.0	0.6	1.6	1.2	1.0	0.4	1.8
	95% CI	0.4	0.5	0.7	0.8	0.6	0.8	0.6	0.8	0.8	2.6
	n	24	7	17	6	4	13	14	7	1	2
Four	%	1.7	1.1	2.3	0.6	1.6	2.8	2.2	0.9	2.6	1.4
	95% CI	0.7	0.8	1.3	0.6	0.8	1.8	1.3	0.8	1.6	2.1
	n	38	11	27	4	11	23	23	5	8	2
Not sure	%	6.6	7.0	6.3	6.5	7.1	6.3	4.9	7.9	7.5	10.6
	95% CI	1.5	2.7	1.8	1.6	1.6	3.1	1.7	2.1	3.5	6.2
	n	139	70	69	38	52	48	47	55	23	14

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 62. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR69 -- (Q76) How many of your four closest friends use chewing tobacco,  
 snuff, or dip?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,035	1,032	1,002	599	681	742	934	684	297	106

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 63. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR70 -- (Q77) In your opinion, inside your home, smoking tobacco products  
 should . . .**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Always be allowed	%	4.6	2.8	6.5	4.0	4.3	5.7	3.9	5.5	5.3	3.3
	95% CI	1.4	1.3	1.7	2.7	2.2	1.5	1.7	2.0	2.4	3.5
	n	99	32	67	25	31	43	41	37	16	4
Be allowed only at some times or in some places	%	8.7	8.5	9.0	8.2	6.5	11.3	9.0	8.3	8.7	10.2
	95% CI	2.0	1.8	2.6	2.2	2.1	3.4	3.1	2.4	3.2	8.4
	n	194	94	100	50	53	88	92	59	30	13
Never be allowed	%	86.6	88.7	84.5	87.8	89.2	83.1	87.1	86.2	86.0	86.5
	95% CI	2.8	2.5	3.4	3.9	3.2	4.4	4.2	3.4	3.8	9.9
	n	1,734	905	828	521	594	609	795	589	249	88
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,027	1,031	995	596	678	740	928	685	295	105

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 64. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR71 -- (Q78) In your opinion, in their vehicles, people should . . .**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Always allow smoking	%	6.6	5.4	7.7	6.7	4.6	8.3	5.5	8.4	6.3	3.8
	95% CI	1.7	2.1	1.9	3.7	1.9	2.9	2.1	2.3	2.8	3.7
	n	139	57	82	42	30	65	57	56	20	5
Sometimes allow smoking	%	9.1	8.6	9.7	6.8	9.1	11.1	9.9	9.3	7.2	6.9
	95% CI	1.4	1.5	2.2	2.1	1.9	2.4	2.1	1.9	3.0	6.5
	n	200	96	104	44	68	84	100	66	24	9
Never allow smoking	%	84.3	86.0	82.5	86.5	86.3	80.6	84.6	82.3	86.5	89.3
	95% CI	2.6	2.9	2.9	5.1	3.2	4.8	3.8	3.1	4.3	8.8
	n	1,685	872	812	508	584	586	768	562	252	91
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,024	1,025	998	594	682	735	925	684	296	105

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 65. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR72 -- (Q79) Do you think that breathing smoke from other people's  
cigarettes or other tobacco products is . . . ?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Very harmful to one's health	%	77.1	78.6	75.6	79.3	78.0	74.3	78.6	76.0	71.4	83.3
	95% CI	3.4	3.7	3.6	5.2	5.3	4.5	4.0	3.3	6.0	8.8
	n	1,539	799	739	469	526	538	715	519	209	86
Somewhat harmful to one's health	%	15.0	14.7	15.3	11.9	14.1	18.7	16.0	13.9	17.2	11.2
	95% CI	2.3	2.6	2.7	3.0	3.4	3.9	3.1	3.1	4.2	6.6
	n	329	159	170	72	105	148	163	98	54	14
Not very harmful to one's health	%	3.6	3.0	4.2	3.7	3.5	3.4	2.9	4.6	4.2	0.9
	95% CI	1.0	1.3	1.4	2.0	1.7	1.3	1.1	1.4	2.6	1.9
	n	74	34	40	23	24	25	29	30	13	1
Not harmful at all to one's health	%	4.3	3.7	4.9	5.1	4.4	3.6	2.4	5.5	7.2	4.5
	95% CI	1.6	1.5	2.2	3.1	2.6	1.0	1.1	2.4	2.2	5.0
	n	85	38	47	32	26	27	23	35	21	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,027	1,030	996	596	681	738	930	682	297	106

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 66. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR73 -- (Q80) Do you think smoking cigarettes makes young people look cool  
or fit in?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	5.4	4.1	6.7	5.5	3.8	6.9	4.6	6.6	5.7	4.6
	95% CI	1.2	1.4	1.5	3.1	1.9	2.2	1.4	2.3	2.6	3.3
	n	114	44	69	35	24	53	48	43	17	6
Probably yes	%	7.0	6.4	7.5	6.5	6.6	7.3	4.6	9.1	9.1	7.2
	95% CI	1.3	1.5	1.7	2.5	2.5	1.8	1.2	1.5	3.6	5.6
	n	145	69	76	41	46	54	47	60	29	9
Probably not	%	10.0	8.1	12.0	8.6	9.0	12.7	8.7	10.5	14.0	9.4
	95% CI	1.8	1.9	2.6	2.9	2.8	2.4	1.9	2.5	4.3	7.8
	n	217	88	129	54	67	96	90	74	42	10
Definitely not	%	77.6	81.4	73.8	79.4	80.6	73.1	82.1	73.9	71.2	78.8
	95% CI	3.2	3.2	4.0	6.9	5.0	4.5	2.7	3.2	7.1	13.7
	n	1,550	828	722	464	544	535	746	503	209	81
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,026	1,029	996	594	681	738	931	680	297	106

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 67. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR74 -- (Q81) Do you think young people who smoke cigarettes have more  
friends?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Definitely yes	%	6.6	6.5	6.8	7.5	5.6	6.9	3.7	10.3	7.9	3.1
	95% CI	1.7	2.2	2.1	3.7	3.1	2.6	1.2	3.3	3.6	3.2
	n	134	65	69	46	36	52	36	68	25	4
Probably yes	%	16.6	17.7	15.5	13.3	17.4	18.8	11.5	21.4	20.8	16.3
	95% CI	2.5	3.1	3.3	2.4	4.1	3.9	2.2	2.3	5.8	13.3
	n	346	187	159	81	122	139	115	147	63	20
Probably not	%	25.8	26.2	25.5	23.5	26.2	27.7	26.7	25.5	26.1	21.5
	95% CI	2.3	3.2	1.8	5.6	4.0	2.8	2.2	4.6	4.9	6.2
	n	532	275	257	134	186	208	255	177	76	21
Definitely not	%	51.0	49.6	52.3	55.7	50.8	46.6	58.1	42.8	45.2	59.0
	95% CI	4.4	4.5	4.9	5.9	6.1	6.8	3.8	3.5	6.0	15.0
	n	988	487	500	321	332	330	515	281	126	59
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,000	1,014	985	582	676	729	921	673	290	104

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 68. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable CR75 -- (Q82) How strongly do you agree with the statement 'All tobacco  
products are dangerous'?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Strongly agree	%	71.2	73.5	68.9	76.1	71.1	66.9	74.6	66.9	66.9	79.1
	95% CI	3.8	4.1	4.3	4.8	6.3	5.7	4.1	3.5	4.2	13.9
	n	1,413	743	670	444	477	487	675	454	195	80
Agree	%	16.4	16.3	16.5	13.2	14.7	20.9	16.3	15.8	21.2	12.1
	95% CI	2.6	2.7	3.1	2.6	4.2	3.5	3.1	3.3	4.4	10.3
	n	352	174	178	78	108	161	162	113	63	14
Disagree	%	6.9	6.1	7.7	4.6	8.6	7.5	5.2	9.0	7.4	5.2
	95% CI	1.7	2.0	2.2	2.4	3.5	2.0	1.6	2.6	3.2	3.8
	n	145	65	80	29	58	57	53	59	24	7
Strongly disagree	%	5.5	4.1	6.9	6.2	5.5	4.7	3.9	8.3	4.5	3.6
	95% CI	1.4	1.3	2.1	2.3	2.2	2.4	1.3	2.5	1.7	3.2
	n	109	42	66	37	36	34	38	53	13	5
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,019	1,024	994	588	679	739	928	679	295	106

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 69. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR76 -- (Q83) During the past 12 months, have your parents or guardians  
 talked with you, even once, about not using any type of tobacco product?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	42.4	40.7	44.1	42.0	41.6	43.9	46.7	38.6	45.4	32.1
	95% CI	2.7	4.2	3.2	3.6	4.4	4.2	4.4	3.1	8.7	10.3
	n	869	423	445	248	286	331	428	264	136	39
No	%	57.6	59.3	55.9	58.0	58.4	56.1	53.3	61.4	54.6	67.9
	95% CI	2.7	4.2	3.2	3.6	4.4	4.2	4.4	3.1	8.7	10.3
	n	1,143	601	542	339	390	405	494	414	158	67
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,012	1,024	987	587	676	736	922	678	294	106

%=Percentage, CI=Confidence Interval, n=Cell Size

**Table 70. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR77 -- (Q84) During the past 12 months, have you been involved in any  
 organized activities to keep people your age from using any form of tobacco product?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	17.2	17.4	16.9	21.7	14.6	15.4	14.3	20.3	18.6	17.4
	95% CI	2.4	3.3	2.2	5.1	2.5	2.6	2.4	4.4	4.7	6.0
	n	346	180	165	129	99	115	131	138	54	21
No	%	82.8	82.6	83.1	78.3	85.4	84.6	85.7	79.7	81.4	82.6
	95% CI	2.4	3.3	2.2	5.1	2.5	2.6	2.4	4.4	4.7	6.0
	n	1,653	835	818	455	573	616	788	535	238	82
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,999	1,015	983	584	672	731	919	673	292	103

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 71. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR85 -- (Q85) Have you ever attended a Tobacco-Free Schools' Youth Summit?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	16.5	14.7	18.2	21.4	15.3	12.7	13.2	20.9	16.5	11.5
	95% CI	2.8	3.4	3.0	4.9	4.0	2.8	2.8	4.8	4.6	7.9
	n	327	149	177	126	103	95	124	138	49	12
No	%	61.7	63.8	59.6	52.6	63.3	68.9	62.1	59.3	65.0	66.6
	95% CI	3.1	4.1	2.8	6.0	3.8	4.1	4.7	5.8	5.6	15.6
	n	1,241	651	590	306	431	498	565	412	190	68
Not sure	%	21.9	21.6	22.2	25.9	21.4	18.4	24.7	19.9	18.5	21.9
	95% CI	1.8	2.7	2.1	4.8	2.9	2.8	3.2	2.8	3.1	10.9
	n	436	219	217	154	140	139	225	131	54	24
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,004	1,019	984	586	674	732	914	681	293	104

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 72. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR86 -- (Q86) Have you ever been part of a tobacco-free (by all school  
students, staff, and visitors) coalition/youth group?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	25.3	26.1	24.5	30.0	24.4	22.0	23.1	29.3	23.9	20.1
	95% CI	2.7	4.2	2.1	4.7	3.9	3.9	3.6	3.8	5.2	9.1
	n	511	267	243	177	164	167	220	196	68	23
No	%	74.7	73.9	75.5	70.0	75.6	78.0	76.9	70.7	76.1	79.9
	95% CI	2.7	4.2	2.1	4.7	3.9	3.9	3.6	3.8	5.2	9.1
	n	1,487	749	738	402	507	568	694	482	224	79
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,998	1,016	981	579	671	735	914	678	292	102

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 73. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR87 -- (Q87) Have you ever participated in any trainings with the  
tobacco-free (by all school students, staff, and visitors) coalition/youth group?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never participated in a tobacco-free coalition/youth group	%	48.5	49.5	47.4	49.2	47.2	49.2	50.1	45.0	44.1	67.1
	95% CI	3.2	4.1	3.5	2.9	5.5	5.3	3.2	6.1	6.0	10.3
	n	961	499	461	284	322	350	453	312	127	65
Yes	%	13.1	12.0	14.2	13.5	13.8	12.1	11.4	16.2	14.3	5.5
	95% CI	1.7	2.5	1.7	3.5	2.8	2.8	2.3	2.8	3.6	3.5
	n	265	123	142	77	96	90	108	106	43	7
No	%	24.5	23.0	26.0	22.2	23.4	27.7	22.5	26.5	27.9	17.1
	95% CI	1.7	2.5	2.8	3.0	3.9	4.2	2.5	3.9	6.3	6.8
	n	485	235	250	126	151	205	208	174	79	19
Not sure	%	14.0	15.5	12.4	15.2	15.7	11.1	16.0	12.3	13.8	10.3
	95% CI	1.9	3.4	1.7	2.8	2.3	2.5	2.6	2.9	4.6	9.0
	n	274	156	118	90	98	84	143	82	37	11
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,985	1,013	971	577	667	729	912	674	286	102

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 74. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR88 -- (Q88) Have you ever presented/advocated to any school boards or  
city council members for tobacco-free (by all school students, staff, and visitors) causes?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	12.2	12.1	12.2	16.2	10.0	10.5	9.5	15.6	11.4	9.9
	95% CI	2.0	2.5	2.6	4.9	2.7	2.3	2.3	4.5	3.5	4.3
	n	244	124	119	93	71	78	88	109	33	10
No	%	87.8	87.9	87.8	83.8	90.0	89.5	90.5	84.4	88.6	90.1
	95% CI	2.0	2.5	2.6	4.9	2.7	2.3	2.3	4.5	3.5	4.3
	n	1,738	884	854	481	595	652	822	567	251	91
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,982	1,008	973	574	666	730	910	676	284	101

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35



**Table 75. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR78 -- (Q89) During this school year, were you taught in any of your  
 classes about why you should not use tobacco products?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	58.3	62.4	54.1	56.8	60.2	57.5	62.6	52.0	55.6	71.7
	95% CI	5.9	6.2	6.0	8.1	8.1	9.3	7.1	6.0	7.3	11.6
	n	1,136	619	516	332	386	409	545	353	163	71
No	%	41.7	37.6	45.9	43.2	39.8	42.5	37.4	48.0	44.4	28.3
	95% CI	5.9	6.2	6.0	8.1	8.1	9.3	7.1	6.0	7.3	11.6
	n	863	399	464	250	286	324	370	324	129	32
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,999	1,018	980	582	672	733	915	677	292	103

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 76. Weighted Frequency Report for Georgia  
 Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
 z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
 Reported by Gender, Grade and Race  
 Analysis Variable CR79 -- (Q90) During the past 30 days, to your knowledge, has anyone,  
 including yourself, smoked a tobacco product on school property when he or she was not  
 supposed to?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	12.5	10.1	14.8	8.9	11.3	16.9	12.7	13.9	11.4	6.5
	95% CI	1.9	2.4	2.6	3.1	3.5	3.6	3.2	2.9	2.6	4.0
	n	263	111	151	53	78	129	128	92	35	8
No	%	87.5	89.9	85.2	91.1	88.7	83.1	87.3	86.1	88.6	93.5
	95% CI	1.9	2.4	2.6	3.1	3.5	3.6	3.2	2.9	2.6	4.0
	n	1,722	903	819	522	592	599	785	579	253	93
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,985	1,014	970	575	670	728	913	671	288	101

%=Percentage, CI=Confidence Interval, n=Cell Size  
 Use caution in interpreting cell sizes less than 35

**Table 77. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race**

**Analysis Variable CR80 -- (Q91) During the past 30 days, to your knowledge, has anyone,  
including yourself, used some other type of tobacco product (that is, one that is not smoked)  
on school property when he or she was not supposed to?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	11.6	10.0	13.3	7.2	9.7	17.6	13.3	10.8	10.1	8.4
	95% CI	2.4	2.6	2.9	2.6	2.8	5.3	4.2	3.2	3.0	5.5
	n	255	113	142	42	67	142	141	70	32	11
No	%	88.4	90.0	86.7	92.8	90.3	82.4	86.7	89.2	89.9	91.6
	95% CI	2.4	2.6	2.9	2.6	2.8	5.3	4.2	3.2	3.0	5.5
	n	1,733	899	833	530	606	588	775	601	257	91
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,988	1,012	975	572	673	730	916	671	289	102

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 78. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR92 -- (Q92) Has a doctor or nurse ever told you that you have asthma?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	23.1	21.6	24.7	21.7	22.3	25.6	21.8	26.9	18.9	20.5
	95% CI	1.8	2.1	2.5	3.8	2.8	2.9	2.3	3.9	5.0	6.6
	n	467	226	241	128	150	188	206	185	53	23
No	%	67.6	68.6	66.7	64.6	69.1	68.8	69.5	63.6	69.3	73.6
	95% CI	2.5	3.5	3.0	5.0	3.7	3.8	3.6	4.4	6.0	9.2
	n	1,343	694	649	369	465	498	629	431	202	72
Not sure	%	9.2	9.8	8.6	13.8	8.5	5.6	8.7	9.5	11.8	5.9
	95% CI	1.8	2.4	1.9	2.6	2.6	1.9	2.3	3.4	3.6	4.8
	n	183	98	84	81	56	45	80	61	33	7
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,993	1,018	974	578	671	731	915	677	288	102

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 79. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR93 -- (Q93) Do you still have asthma?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
I have never had asthma	%	60.0	63.0	57.1	58.5	61.4	60.0	63.3	55.3	61.8	61.2
	95% CI	2.7	3.8	3.3	5.4	4.6	4.9	4.0	4.8	5.3	11.0
	n	1,181	632	549	329	412	432	571	371	175	58
Yes	%	16.4	14.6	18.2	15.7	16.6	17.0	14.2	19.6	14.4	17.5
	95% CI	1.5	2.0	2.4	3.5	4.1	2.1	2.8	2.5	4.0	3.8
	n	319	150	169	92	101	125	131	129	39	18
No	%	14.1	12.9	15.3	14.4	14.0	13.9	13.2	15.6	13.3	12.8
	95% CI	1.7	2.8	2.8	3.6	2.4	3.1	2.4	3.2	3.0	6.9
	n	277	132	145	83	89	103	116	104	40	15
Not sure	%	9.5	9.4	9.4	11.4	7.9	9.1	9.3	9.4	10.5	8.6
	95% CI	1.2	1.8	2.5	2.0	2.1	2.4	2.0	2.4	2.9	7.1
	n	194	96	97	64	61	67	87	63	33	10
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,971	1,010	960	568	663	727	905	667	287	101

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 80. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable GAR94 -- (Q94) Does your school have a tobacco-free policy?**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
Yes	%	72.0	71.9	72.0	73.0	68.9	74.7	81.4	62.9	64.5	75.2
	95% CI	4.1	4.3	4.5	5.6	6.8	4.7	2.6	5.4	9.3	8.4
	n	1,425	724	700	413	465	542	737	421	184	77
No	%	7.8	5.1	10.5	7.5	8.1	7.5	2.9	12.1	13.3	6.7
	95% CI	2.0	1.6	2.8	3.6	2.3	3.6	1.1	2.8	4.6	5.3
	n	157	55	102	44	56	54	29	81	40	7
Not sure	%	20.3	23.0	17.5	19.6	22.9	17.8	15.7	25.0	22.2	18.1
	95% CI	3.2	3.9	3.3	4.3	5.7	3.5	2.7	5.1	7.1	8.7
	n	397	230	167	113	149	130	143	165	65	18
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	1,979	1,009	969	570	670	726	909	667	289	102

%=Percentage, CI=Confidence Interval, n=Cell Size  
Use caution in interpreting cell sizes less than 35

**Table 81. Weighted Frequency Report for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
z Distribution Method -- Weighted Percents and Unweighted Sample Sizes for Each Column  
Reported by Gender, Grade and Race  
Analysis Variable RACE -- RACE (1=WHITE) (2=BLACK OR AFRICAN AMERICAN) (3=HISPANIC OR LATINO)  
(4=OTHER)**

		Gender/Grade/Race									
		Total	Female	Male	6th	7th	8th	White	Black or African American	Hispanic or Latino	Other
White	%	43.5	43.3	43.6	42.3	43.9	44.7	100.0	0.0	0.0	0.0
	95% CI	9.1	8.6	9.8	14.1	12.0	11.7	0.0	0.0	0.0	0.0
	n	953	464	488	268	321	361	953	0	0	0
Black or African American	%	37.8	38.1	37.5	38.0	37.5	37.8	0.0	100.0	0.0	0.0
	95% CI	8.2	9.4	7.6	13.3	13.2	10.7	0.0	0.0	0.0	0.0
	n	720	376	344	227	228	261	0	720	0	0
Hispanic or Latino	%	12.2	12.1	12.3	13.1	11.9	11.2	0.0	0.0	100.0	0.0
	95% CI	3.5	3.3	4.3	5.1	6.2	3.2	0.0	0.0	0.0	0.0
	n	302	146	156	92	110	94	0	0	302	0
Other	%	6.6	6.5	6.6	6.6	6.7	6.3	0.0	0.0	0.0	100.0
	95% CI	2.3	3.7	1.7	2.2	2.5	3.8	0.0	0.0	0.0	0.0
	n	110	53	57	36	36	37	0	0	0	110
TOTAL	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	95% CI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	n	2,085	1,039	1,045	623	695	753	953	720	302	110

%=Percentage, CI=Confidence Interval, n=Cell Size

**Weighted Frequency Table of Contents for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
Alphabetic Table of Contents (by Analysis Variable)**

<b>Analysis Variable (Description)</b>	<b>Table Number</b>
CR1 (How old are you?).....	1
CR10 (If one of your best friends were to offer you a cigarette, would you smoke it?)	8
CR11 (How old were you when you first tried cigarette smoking, even one or two puffs?).....	9
CR12 (About how many cigarettes have you smoked in your entire life?)	10
CR13 (During the past 30 days, on how many days did you smoke cigarettes?).....	11
CR14 (During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?)	12
CR15 (When was the last time you smoked a cigarette, even one or two puffs? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)).....	13
CR16 (During the past 30 days, what brand of cigarettes did you usually smoke? (CHOOSE ONLY ONE ANSWER))	14
CR17 (Menthol cigarettes are cigarettes that taste like mint. During the past 30 days, were the cigarettes that you usually smo)	15
CR2 (What is your sex?)	2
CR20 (During the past 30 days, did anyone refuse to sell you cigarettes because of your age?).....	17
CR21 (Have you ever tried smoking cigars, cigarillos, or little cigars, even one or two puffs?)	18
CR22 (How old were you when you first tried smoking a cigar, cigarillo, or little cigar, even one or two puffs?).....	19
CR23 (During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?)	20
CR26 (Have you ever used chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copen)	21
CR27 (How old were you when you used chewing tobacco, snuff, or dip for the first time?)	22
CR28 (During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip?).....	23
CR3 (What grade are you in?)	3
CR31 (Have you ever tried smoking tobacco in a pipe, even one or two puffs?).....	24
CR32 (During the past 30 days, on how many days did you smoke tobacco in a pipe?)	25
CR33 (Have you ever tried smoking any of the following, even one or two puffs?).....	26
CR34 (During the past 30 days, on how many days did you smoke bidis?)	27
CR35 (During the past 30 days, on how many days did you smoke clove cigarettes?).....	28



**Weighted Frequency Table of Contents for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
Alphabetic Table of Contents (by Analysis Variable)**

<b>Analysis Variable (Description)</b>	<b>Table Number</b>
CR38 (How easy would it be for you to get tobacco products if you wanted some?)	33
CR39 (Do you believe that tobacco companies try to get young people under 18 to use tobacco products?).....	34
CR4 (Are you Hispanic or Latino?)	4
CR40 (When you are using the Internet, how often do you see ads for tobacco products?).....	35
CR41 (When you read newspapers or magazines, how often do you see ads or promotions for cigarettes and other tobacco products?)	36
CR44 (When you go to a convenience store, supermarket, or gas station, how often do you see ads or promotions for cigarettes an)	37
CR45 (During the past 30 days, how often did you see an ad for cigarettes or smokeless tobacco that was outdoors on a billboard)	38
CR46 (When you watch TV or go to the movies, how often do you see actors and actresses using cigarettes or other tobacco produc)	39
CR48 (A warning label tells you if a product is harmful to you and can be either a picture or words. During the past 30 days, h)	40
CR49 (During the past 30 days, how often did you see a warning label on a smokeless tobacco product?).....	41
CR50 (During the past 12 months, did you buy or receive anything that has a tobacco company name or picture on it?)	42
CR51 (How likely is it that you would ever use or wear something-such as a lighter, T-shirt, hat, or sunglasses-that has a toba)	43
CR54 (Do you want to stop smoking cigarettes for good?)	46
CR55 (I plan to stop smoking cigarettes for good within the next . . . (PLEASE CHOOSE THE FIRST ANSWER THAT FITS)).....	47
CR56 (During the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit )	48
CR57 (When you last tried to quit for good, how long did you stay off cigarettes? (PLEASE CHOOSE THE FIRST ANSWER THAT FITS))...	49
CR58 (Are you seriously thinking about quitting the use of all tobacco?)	50
CR60 (During the past 7 days, on how many days did someone smoke tobacco products in your home while you were there?).....	53
CR61 (During the past 7 days, on how many days did you ride in a vehicle where someone was smoking a tobacco product?)	54
CR62 (During the past 7 days, on how many days did you breathe the smoke from someone who was smoking a tobacco product at your)	55
CR63 (During the past 7 days, on how many days did you breathe the smoke from someone who was smoking tobacco products in the p)	56
CR64 (During the past 7 days, on how many days did you breathe the smoke from someone who was smoking tobacco products in an in)	57
CR65 (Inside your home (not counting decks, garages, or porches) is smoking . . .)	58

**Weighted Frequency Table of Contents for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
Alphabetic Table of Contents (by Analysis Variable)**

Analysis Variable (Description)	Table Number
CR66 (In the vehicles that you and family members who live with you own or lease, is smoking . . .).....	59
CR68 (How many of your four closest friends smoke cigarettes?)	61
CR69 (How many of your four closest friends use chewing tobacco, snuff, or dip?).....	62
CR7 (Have you ever tried cigarette smoking, even one or two puffs?)	5
CR70 (In your opinion, inside your home, smoking tobacco products should . . .).....	63
CR71 (In your opinion, in their vehicles, people should . . .)	64
CR72 (Do you think that breathing smoke from other people's cigarettes or other tobacco products is . . .?).....	65
CR73 (Do you think smoking cigarettes makes young people look cool or fit in?)	66
CR74 (Do you think young people who smoke cigarettes have more friends?).....	67
CR75 (How strongly do you agree with the statement 'All tobacco products are dangerous'?)	68
CR76 (During the past 12 months, have your parents or guardians talked with you, even once, about not using any type of tobacco)	69
CR77 (During the past 12 months, have you been involved in any organized activities to keep people your age from using any form)	70
CR78 (During this school year, were you taught in any of your classes about why you should not use tobacco products?).....	75
CR79 (During the past 30 days, to your knowledge, has anyone, including yourself, smoked a tobacco product on school property w)	76
CR8 (Do you think you will smoke a cigarette in the next year?).....	6
CR80 (During the past 30 days, to your knowledge, has anyone, including yourself, used some other type of tobacco product (that)	77
CR9 (Do you think that you will try a cigarette soon?).....	7
GAR19 (When you bought or tried to buy cigarettes in a store during the past 30 days, were you ever asked to show proof of age?)	16
GAR36 (Have you ever tried smoking tobacco in a water pipe, even one or two puffs?).....	29
GAR37 (During the past 30 days, on how many days did you smoke tobacco in a water pipe?)	30
GAR38 (Have you ever tried smoking e-cigarettes, even one or two puffs?).....	31
GAR39 (During the past 30 days, on how many days did you smoke e-cigarettes?)	32
GAR56 (During the past 12 months, did any doctor, dentist, or nurse ask you if you use tobacco of any kind?).....	44

**Weighted Frequency Table of Contents for Georgia  
Region 1 (State) Public Middle Schools -- Based on Standard Survey YTS2013  
Alphabetic Table of Contents (by Analysis Variable)**

<b>Analysis Variable (Description)</b>	<b>Table Number</b>
GAR57 (During the past 12 months, did any doctor, dentist, or nurse advise you not to use tobacco of any kind?)	45
GAR64 (Have you ever called the Georgia Tobacco Quit Line to quit smoking?).....	51
GAR65 (Have you seen any information (i.e. brochures, pamphlets, etc.) advertising the Georgia Tobacco Quit Line?)	52
GAR73 (Which of these best describes smoking where you work? Smoking is . . .).....	60
GAR85 (Have you ever attended a Tobacco-Free Schools' Youth Summit?)	71
GAR86 (Have you ever been part of a tobacco-free (by all school students, staff, and visitors) coalition/youth group?).....	72
GAR87 (Have you ever participated in any trainings with the tobacco-free (by all school students, staff, and visitors) coalitio)	73
GAR88 (Have you ever presented/advocated to any school boards or city council members for tobacco-free (by all school students,)	74
GAR92 (Has a doctor or nurse ever told you that you have asthma?)	78
GAR93 (Do you still have asthma?).....	79
GAR94 (Does your school have a tobacco-free policy?)	80
RACE (RACE (1=WHITE) (2=BLACK OR AFRICAN AMERICAN) (3=HISPANIC OR LATINO) (4=OTHER)).....	81