

Opioid Overdose Surveillance

Preliminary District Report

Georgia, 2020

Drug Surveillance Unit
Epidemiology Section
Division of Health Protection
Georgia Department of Public Health

<https://dph.georgia.gov/drug-surveillance-unit>



Opioid Overdose Surveillance

Georgia Public Health Districts, 2020

The purpose of this report is to describe District level fatal (mortality) and nonfatal (morbidity) opioid-involved overdoses, which occurred in Georgia during 2020, including prescription opioids, and illicit opioids such as heroin, fentanyl, and fentanyl analogs. Opioid overdose data were analyzed by the Georgia Department of Public Health (DPH) Epidemiology Program, Drug Surveillance Unit, using Georgia hospital discharge inpatient and emergency department (ED) visit data, and DPH Vital Records death data. A description of the data and case definitions can be found at the end of the report.

For more information:

- Other Georgia drug surveillance reports:
<https://dph.georgia.gov/drug-surveillance-unit>
- Georgia Department of Public Health (DPH) Main Opioid Page:
<https://dph.georgia.gov/stopopioidaddiction>
- Georgia drug overdose mortality interactive maps and statistics:
<https://oasis.state.ga.us/PageDirect.aspx?referer=MortalityDrugOverdoses>
- Prescription Drug Monitoring Program (PDMP) information: GA PDMP Overview and FAQs
<https://dph.georgia.gov/pdmp>
- Georgia Public Health District map
<https://dph.georgia.gov/public-health-districts>

Georgia Public Health District	Page
1-1 Northwest	2
1-2 North Georgia	6
2-0 North	10
3-1 Cobb-Douglas	14
3-2 Fulton	18
3-3 Clayton	22
3-4 East Metro	26
3-5 DeKalb	30
4-0 LaGrange	34
5-1 South Central	38
5-2 North Central	42
6-0 East Central	46
7-0 West Central	50
8-1 South	54
8-2 Southwest	58
9-1 Coastal	62
9-2 Southeast	66
10-0 Northeast	70


Opioid Overdose Surveillance

Northwest Health District (1-1), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Northwest Health District (1-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Northwest Health District (1–1), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Northwest Health District (1–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Northwest Health District (1-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	66	19.5	16.4
Female	50	14.1	8.3
Missing	0	NA	NA
TOTAL	116	16.8	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	111	19.1	15.7
African American	4	NA	7.7
Other	1	NA	3.6
Missing	0	NA	NA
TOTAL	116	16.8	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	11	12.4	7.5
25-34 years	23	25.2	22.4
35-44 years	39	44.2	27.7
45-54 years	17	18.1	16.7
55-64 years	19	21.4	13.7
65-74 years	5	7.7	5.5
75-84 years	2	NA	1.3
85+ years	0	NA	NA
TOTAL	116	16.8	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Northwest Health District (1-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Northwest Health District (1-1), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Northwest Health District (1-1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Northwest Health District (1-1), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	274	80.9	71.1
Female	227	64.2	48.0
Missing	0	NA	0.0
TOTAL	501	72.4	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	452	77.9	75.7
African American	36	42.6	33.6
Other	8	28.6	29.6
Missing	5	0.0	0.0
TOTAL	501	72.4	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	11.0
1 - 4 years	2	NA	9.0
5 -14 years	2	NA	1.2
15-24 years	56	63.1	48.9
25-34 years	165	181.0	121.9
35-44 years	76	86.2	94.8
45-54 years	72	76.5	60.3
55-64 years	78	88.0	63.0
65-74 years	25	38.7	50.7
75-84 years	17	51.9	38.9
85+ years	7	66.3	41.1
TOTAL	501	72.4	59.3


Opioid Overdose Surveillance

North Georgia Health District (1-2), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among North Georgia Health District (1-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
North Georgia Health District (1–2), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
North Georgia Health District (1–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

North Georgia Health District (1-2), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	45	18.2	16.4
Female	23	9.1	8.3
Missing	0	NA	NA
TOTAL	68	13.6	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	67	14.9	15.7
African American	1	NA	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	68	13.6	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	6	9.6	7.5
25-34 years	21	35.1	22.4
35-44 years	17	27.1	27.7
45-54 years	10	14.5	16.7
55-64 years	11	16.4	13.7
65-74 years	2	NA	5.5
75-84 years	1	NA	1.3
85+ years	0	NA	NA
TOTAL	68	13.6	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among North Georgia Health District (1-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
North Georgia Health District (1–2), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
North Georgia Health District (1–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

North Georgia Health District (1-2), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	144	58.3	71.1
Female	118	46.5	48.0
Missing	0	NA	0.0
TOTAL	262	52.3	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	242	53.7	75.7
African American	12	44.5	33.6
Other	8	34.9	29.6
Missing	0	NA	0.0
TOTAL	262	52.3	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	11.0
1 - 4 years	2	NA	9.0
5 -14 years	1	NA	1.2
15-24 years	26	41.7	48.9
25-34 years	86	143.7	121.9
35-44 years	43	68.5	94.8
45-54 years	34	49.3	60.3
55-64 years	32	47.6	63.0
65-74 years	24	45.3	50.7
75-84 years	12	46.7	38.9
85+ years	1	NA	41.1
TOTAL	262	52.3	59.3


Opioid Overdose Surveillance

North Health District (2-0), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among North Health District (2-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
North Health District (2-0), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
North Health District (2-0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

North Health District (2-0), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	60	16.3	16.4
Female	38	10.1	8.3
Missing	0	NA	NA
TOTAL	98	13.1	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	97	15.3	15.7
African American	0	NA	7.7
Other	1	NA	3.6
Missing	0	NA	NA
TOTAL	98	13.1	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	14	14.2	7.5
25-34 years	23	27.7	22.4
35-44 years	27	28.2	27.7
45-54 years	23	22.4	16.7
55-64 years	5	5.3	13.7
65-74 years	6	7.9	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	98	13.1	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among North Health District (2-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
North Health District (2–0), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
North Health District (2–0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

North Health District (2-0), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	263	71.4	71.1
Female	176	46.6	48.0
Missing	0	NA	0.0
TOTAL	439	58.8	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	393	62.1	75.7
African American	16	37.2	33.6
Other	25	35.6	29.6
Missing	5	0.0	0.0
TOTAL	439	58.8	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	3	NA	11.0
1 - 4 years	2	NA	9.0
5 -14 years	1	NA	1.2
15-24 years	52	52.6	48.9
25-34 years	134	161.5	121.9
35-44 years	68	71.1	94.8
45-54 years	62	60.3	60.3
55-64 years	54	56.7	63.0
65-74 years	38	49.8	50.7
75-84 years	20	48.7	38.9
85+ years	5	40.3	41.1
TOTAL	439	58.8	59.3


Opioid Overdose Surveillance

Cobb-Douglas Health District (3-1), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Cobb-Douglas Health District (3-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Cobb–Douglas Health District (3–1), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Cobb–Douglas Health District (3–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Cobb-Douglas Health District (3-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	88	20.0	16.4
Female	54	11.5	8.3
Missing	0	NA	NA
TOTAL	142	15.6	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	109	20.3	15.7
African American	29	9.8	7.7
Other	4	NA	3.6
Missing	0	NA	NA
TOTAL	142	15.6	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	9	7.5	7.5
25-34 years	33	25.1	22.4
35-44 years	35	27.5	27.7
45-54 years	31	24.3	16.7
55-64 years	28	24.9	13.7
65-74 years	6	8.0	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	142	15.6	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Cobb-Douglas Health District (3-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Cobb–Douglas Health District (3–1), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Cobb–Douglas Health District (3–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Cobb-Douglas Health District (3-1), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	284	64.6	71.1
Female	194	41.2	48.0
Missing	0	NA	0.0
TOTAL	478	52.5	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	361	67.1	75.7
African American	87	29.3	33.6
Other	25	32.8	29.6
Missing	5	0.0	0.0
TOTAL	478	52.5	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	11.0
1 - 4 years	7	16.2	9.0
5 -14 years	1	NA	1.2
15-24 years	66	55.0	48.9
25-34 years	140	106.4	121.9
35-44 years	103	81.0	94.8
45-54 years	64	50.3	60.3
55-64 years	49	43.5	63.0
65-74 years	30	40.2	50.7
75-84 years	14	42.3	38.9
85+ years	3	NA	41.1
TOTAL	478	52.5	59.3


Opioid Overdose Surveillance

Fulton Health District (3-2), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Fulton Health District (3-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Fulton Health District (3–2), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Fulton Health District (3–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Fulton Health District (3-2), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	87	16.7	16.4
Female	40	7.2	8.3
Missing	0	NA	NA
TOTAL	127	11.8	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	60	12.3	15.7
African American	65	13.6	7.7
Other	1	NA	3.6
Missing	1	NA	NA
TOTAL	127	11.8	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	7	4.7	7.5
25-34 years	35	18.6	22.4
35-44 years	26	17.0	27.7
45-54 years	27	18.5	16.7
55-64 years	19	15.4	13.7
65-74 years	11	13.6	5.5
75-84 years	2	NA	1.3
85+ years	0	NA	NA
TOTAL	127	11.8	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Fulton Health District (3-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Fulton Health District (3–2), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Fulton Health District (3–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Fulton Health District (3-2), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	345	66.3	71.1
Female	183	32.9	48.0
Missing	6	0.0	0.0
TOTAL	534	49.6	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	225	46.3	75.7
African American	259	54.0	33.6
Other	36	32.2	29.6
Missing	14	0.0	0.0
TOTAL	534	49.6	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	11.0
1 - 4 years	0	NA	9.0
5 -14 years	1	NA	1.2
15-24 years	72	48.7	48.9
25-34 years	120	63.7	121.9
35-44 years	123	80.6	94.8
45-54 years	73	50.1	60.3
55-64 years	70	56.8	63.0
65-74 years	50	61.8	50.7
75-84 years	11	29.7	38.9
85+ years	13	88.1	41.1
TOTAL	534	49.6	59.3


Opioid Overdose Surveillance

Clayton Health District (3-3), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Clayton Health District (3-3), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Clayton Health District (3–3), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Clayton Health District (3–3), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Clayton Health District (3-3), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	13	9.5	16.4
Female	10	6.4	8.3
Missing	0	NA	NA
TOTAL	23	7.9	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	10	18.5	15.7
African American	13	6.1	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	23	7.9	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	1	NA	NA
15-24 years	3	NA	7.5
25-34 years	5	10.7	22.4
35-44 years	7	18.7	27.7
45-54 years	4	NA	16.7
55-64 years	2	NA	13.7
65-74 years	1	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	23	7.9	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Clayton Health District (3-3), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Clayton Health District (3–3), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Clayton Health District (3–3), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Clayton Health District (3-3), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	41	30.1	71.1
Female	35	22.4	48.0
Missing	0	NA	0.0
TOTAL	76	26.0	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	30	55.6	75.7
African American	41	19.1	33.6
Other	4	NA	29.6
Missing	1	NA	0.0
TOTAL	76	26.0	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	1	NA	9.0
5 -14 years	1	NA	1.2
15-24 years	5	11.9	48.9
25-34 years	21	45.1	121.9
35-44 years	12	32.1	94.8
45-54 years	15	40.5	60.3
55-64 years	13	39.0	63.0
65-74 years	4	NA	50.7
75-84 years	2	NA	38.9
85+ years	2	NA	41.1
TOTAL	76	26.0	59.3


Opioid Overdose Surveillance

East Metro Health District (3-4), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among East Metro Health District (3-4), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
East Metro Health District (3–4), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
East Metro Health District (3–4), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

East Metro Health District (3-4), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	87	15.7	16.4
Female	34	5.8	8.3
Missing	0	NA	NA
TOTAL	121	10.6	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	88	15.1	15.7
African American	21	5.3	7.7
Other	12	7.1	3.6
Missing	0	NA	NA
TOTAL	121	10.6	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	1	NA	NA
15-24 years	17	10.5	7.5
25-34 years	39	26.0	22.4
35-44 years	34	21.5	27.7
45-54 years	11	6.7	16.7
55-64 years	16	11.5	13.7
65-74 years	2	NA	5.5
75-84 years	0	NA	1.3
85+ years	1	NA	NA
TOTAL	121	10.6	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among East Metro Health District (3-4), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
East Metro Health District (3–4), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
East Metro Health District (3–4), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

East Metro Health District (3-4), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	270	48.6	71.1
Female	193	32.6	48.0
Missing	1	NA	0.0
TOTAL	464	40.5	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	323	55.5	75.7
African American	83	21.0	33.6
Other	37	21.9	29.6
Missing	21	0.0	0.0
TOTAL	464	40.5	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2	NA	11.0
1 - 4 years	9	15.4	9.0
5 -14 years	2	NA	1.2
15-24 years	72	44.6	48.9
25-34 years	136	90.8	121.9
35-44 years	80	50.6	94.8
45-54 years	51	31.2	60.3
55-64 years	67	48.3	63.0
65-74 years	36	42.5	50.7
75-84 years	7	19.5	38.9
85+ years	2	NA	41.1
TOTAL	464	40.5	59.3


Opioid Overdose Surveillance

DeKalb Health District (3-5), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among DeKalb Health District (3-5), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
DeKalb Health District (3–5), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
DeKalb Health District (3–5), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

DeKalb Health District (3-5), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	52	14.5	16.4
Female	28	7.0	8.3
Missing	0	NA	NA
TOTAL	80	10.5	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	40	14.6	15.7
African American	39	9.4	7.7
Other	1	NA	3.6
Missing	0	NA	NA
TOTAL	80	10.5	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	8	8.9	7.5
25-34 years	21	16.3	22.4
35-44 years	19	17.5	27.7
45-54 years	17	17.6	16.7
55-64 years	11	12.2	13.7
65-74 years	4	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	80	10.5	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among DeKalb Health District (3-5), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
DeKalb Health District (3–5), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
DeKalb Health District (3–5), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

DeKalb Health District (3-5), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	169	47.0	71.1
Female	106	26.3	48.0
Missing	0	NA	0.0
TOTAL	275	36.1	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	111	40.6	75.7
African American	137	32.9	33.6
Other	15	20.8	29.6
Missing	12	0.0	0.0
TOTAL	275	36.1	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	11.0
1 - 4 years	1	NA	9.0
5 -14 years	2	NA	1.2
15-24 years	35	39.0	48.9
25-34 years	72	55.9	121.9
35-44 years	69	63.6	94.8
45-54 years	26	26.9	60.3
55-64 years	36	39.9	63.0
65-74 years	20	31.5	50.7
75-84 years	10	36.5	38.9
85+ years	3	NA	41.1
TOTAL	275	36.1	59.3


Opioid Overdose Surveillance

LaGrange Health District (4-0), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among LaGrange Health District (4-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
LaGrange Health District (4–0), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
LaGrange Health District (4–0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

LaGrange Health District (4-0), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	57	13.3	16.4
Female	40	8.7	8.3
Missing	0	NA	NA
TOTAL	97	10.9	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	78	14.0	15.7
African American	19	6.7	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	97	10.9	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	6	4.9	7.5
25-34 years	14	12.6	22.4
35-44 years	32	29.1	27.7
45-54 years	20	16.5	16.7
55-64 years	19	16.3	13.7
65-74 years	6	7.2	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	97	10.9	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among LaGrange Health District (4-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
LaGrange Health District (4-0), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
LaGrange Health District (4-0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

LaGrange Health District (4-0), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	230	53.7	71.1
Female	208	45.2	48.0
Missing	0	NA	0.0
TOTAL	438	49.3	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	360	64.6	75.7
African American	61	21.5	33.6
Other	11	23.3	29.6
Missing	6	0.0	0.0
TOTAL	438	49.3	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	11.0
1 - 4 years	5	12.1	9.0
5 -14 years	1	NA	1.2
15-24 years	48	39.1	48.9
25-34 years	138	124.3	121.9
35-44 years	88	80.0	94.8
45-54 years	52	43.0	60.3
55-64 years	53	45.6	63.0
65-74 years	39	46.5	50.7
75-84 years	11	27.1	38.9
85+ years	2	NA	41.1
TOTAL	438	49.3	59.3


Opioid Overdose Surveillance

South Central Health District (5-1), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among South Central Health District (5-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
South Central Health District (5–1), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
South Central Health District (5–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

South Central Health District (5-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	12	15.6	16.4
Female	3	NA	8.3
Missing	0	NA	NA
TOTAL	15	10.0	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	12	12.7	15.7
African American	2	NA	7.7
Other	0	NA	3.6
Missing	1	NA	NA
TOTAL	15	10.0	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	1	NA	7.5
25-34 years	2	NA	22.4
35-44 years	9	47.6	27.7
45-54 years	3	NA	16.7
55-64 years	0	NA	13.7
65-74 years	0	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	15	10.0	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among South Central Health District (5-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
South Central Health District (5–1), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
South Central Health District (5–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

South Central Health District (5-1), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	38	49.3	71.1
Female	42	57.9	48.0
Missing	0	NA	0.0
TOTAL	80	53.5	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	66	69.6	75.7
African American	13	25.7	33.6
Other	1	NA	29.6
Missing	0	NA	0.0
TOTAL	80	53.5	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	1	NA	9.0
5 -14 years	0	NA	1.2
15-24 years	10	53.2	48.9
25-34 years	20	100.8	121.9
35-44 years	21	111.0	94.8
45-54 years	9	46.8	60.3
55-64 years	11	56.6	63.0
65-74 years	5	31.5	50.7
75-84 years	2	NA	38.9
85+ years	1	NA	41.1
TOTAL	80	53.5	59.3


Opioid Overdose Surveillance

North Central Health District (5-2), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among North Central Health District (5-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
North Central Health District (5–2), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
North Central Health District (5–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

North Central Health District (5-2), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	29	11.2	16.4
Female	14	5.0	8.3
Missing	0	NA	NA
TOTAL	43	8.0	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	39	13.3	15.7
African American	4	NA	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	43	8.0	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	2	NA	7.5
25-34 years	13	18.2	22.4
35-44 years	18	27.8	27.7
45-54 years	4	NA	16.7
55-64 years	6	8.4	13.7
65-74 years	0	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	43	8.0	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among North Central Health District (5-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
North Central Health District (5–2), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
North Central Health District (5–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

North Central Health District (5-2), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	193	74.2	71.1
Female	143	51.5	48.0
Missing	1	NA	0.0
TOTAL	337	62.7	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	278	94.7	75.7
African American	51	23.2	33.6
Other	7	28.7	29.6
Missing	1	NA	0.0
TOTAL	337	62.7	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	2	NA	9.0
5 -14 years	1	NA	1.2
15-24 years	30	40.4	48.9
25-34 years	83	116.2	121.9
35-44 years	74	114.2	94.8
45-54 years	42	66.0	60.3
55-64 years	62	86.7	63.0
65-74 years	29	53.7	50.7
75-84 years	12	45.2	38.9
85+ years	2	NA	41.1
TOTAL	337	62.7	59.3


Opioid Overdose Surveillance

East Central Health District (6-0), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among East Central Health District (6-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
East Central Health District (6–0), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
East Central Health District (6–0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

East Central Health District (6-0), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	51	21.2	16.4
Female	28	11.0	8.3
Missing	0	NA	NA
TOTAL	79	16.0	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	50	19.0	15.7
African American	28	13.7	7.7
Other	1	NA	3.6
Missing	0	NA	NA
TOTAL	79	16.0	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	9	13.9	7.5
25-34 years	22	30.6	22.4
35-44 years	24	38.7	27.7
45-54 years	11	19.2	16.7
55-64 years	9	14.3	13.7
65-74 years	4	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	79	16.0	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among East Central Health District (6-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
East Central Health District (6–0), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
East Central Health District (6–0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

East Central Health District (6-0), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	239	99.5	71.1
Female	165	64.9	48.0
Missing	0	NA	0.0
TOTAL	404	81.7	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	301	114.5	75.7
African American	88	43.2	33.6
Other	11	39.5	29.6
Missing	4	NA	0.0
TOTAL	404	81.7	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	11.0
1 - 4 years	0	NA	9.0
5 -14 years	1	NA	1.2
15-24 years	45	69.3	48.9
25-34 years	144	200.2	121.9
35-44 years	92	148.3	94.8
45-54 years	48	83.9	60.3
55-64 years	40	63.6	63.0
65-74 years	29	60.5	50.7
75-84 years	2	NA	38.9
85+ years	2	NA	41.1
TOTAL	404	81.7	59.3


Opioid Overdose Surveillance

West Central Health District (7-0), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among West Central Health District (7-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
West Central Health District (7-0), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
West Central Health District (7-0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

West Central Health District (7-0), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	19	10.4	16.4
Female	7	3.8	8.3
Missing	0	NA	NA
TOTAL	26	7.0	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	20	10.8	15.7
African American	5	3.1	7.7
Other	1	NA	3.6
Missing	0	NA	NA
TOTAL	26	7.0	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	4	NA	7.5
25-34 years	9	16.4	22.4
35-44 years	7	15.5	27.7
45-54 years	1	NA	16.7
55-64 years	5	10.9	13.7
65-74 years	0	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	26	7.0	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among West Central Health District (7-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
West Central Health District (7–0), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
West Central Health District (7–0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

West Central Health District (7-0), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	105	57.3	71.1
Female	83	44.6	48.0
Missing	0	NA	0.0
TOTAL	188	50.9	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	138	74.3	75.7
African American	41	25.1	33.6
Other	6	29.7	29.6
Missing	3	NA	0.0
TOTAL	188	50.9	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	4	NA	9.0
5 -14 years	0	NA	1.2
15-24 years	19	38.0	48.9
25-34 years	44	80.4	121.9
35-44 years	39	86.3	94.8
45-54 years	22	52.2	60.3
55-64 years	30	65.6	63.0
65-74 years	21	57.8	50.7
75-84 years	8	44.4	38.9
85+ years	1	NA	41.1
TOTAL	188	50.9	59.3


Opioid Overdose Surveillance

South Health District (8-1), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among South Health District (8-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
South Health District (8–1), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
South Health District (8–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

South Health District (8-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	6	4.8	16.4
Female	9	6.7	8.3
Missing	0	NA	NA
TOTAL	15	5.8	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	13	7.9	15.7
African American	2	NA	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	15	5.8	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	0	NA	7.5
25-34 years	0	NA	22.4
35-44 years	6	19.5	27.7
45-54 years	5	17.2	16.7
55-64 years	4	NA	13.7
65-74 years	0	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	15	5.8	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among South Health District (8-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
South Health District (8-1), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
South Health District (8-1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

South Health District (8-1), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	67	53.3	71.1
Female	47	35.1	48.0
Missing	0	NA	0.0
TOTAL	114	43.9	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	88	53.6	75.7
African American	22	26.1	33.6
Other	4	NA	29.6
Missing	0	NA	0.0
TOTAL	114	43.9	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	1	NA	9.0
5 -14 years	0	NA	1.2
15-24 years	14	33.5	48.9
25-34 years	28	78.2	121.9
35-44 years	18	58.6	94.8
45-54 years	12	41.3	60.3
55-64 years	18	59.6	63.0
65-74 years	13	55.3	50.7
75-84 years	6	49.8	38.9
85+ years	4	NA	41.1
TOTAL	114	43.9	59.3


Opioid Overdose Surveillance

Southwest Health District (8-2), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Southwest Health District (8-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Southwest Health District (8–2), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Southwest Health District (8–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Southwest Health District (8-2), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	14	8.5	16.4
Female	7	4.0	8.3
Missing	0	NA	NA
TOTAL	21	6.2	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	15	8.4	15.7
African American	6	4.0	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	21	6.2	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	0	NA	7.5
25-34 years	10	23.2	22.4
35-44 years	4	NA	27.7
45-54 years	6	14.6	16.7
55-64 years	1	NA	13.7
65-74 years	0	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	21	6.2	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Southwest Health District (8-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Southwest Health District (8–2), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Southwest Health District (8–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Southwest Health District (8-2), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	83	50.5	71.1
Female	66	37.5	48.0
Missing	0	NA	0.0
TOTAL	149	43.7	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	128	71.4	75.7
African American	18	12.0	33.6
Other	3	NA	29.6
Missing	0	NA	0.0
TOTAL	149	43.7	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	0	NA	9.0
5 -14 years	1	NA	1.2
15-24 years	15	33.6	48.9
25-34 years	34	78.8	121.9
35-44 years	28	68.8	94.8
45-54 years	32	78.0	60.3
55-64 years	20	45.7	63.0
65-74 years	12	33.9	50.7
75-84 years	5	27.2	38.9
85+ years	2	NA	41.1
TOTAL	149	43.7	59.3


Opioid Overdose Surveillance

Coastal Health District (9-1), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Coastal Health District (9-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Coastal Health District (9–1), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Coastal Health District (9–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Coastal Health District (9-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	60	19.4	16.4
Female	21	6.5	8.3
Missing	0	NA	NA
TOTAL	81	12.8	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	67	17.2	15.7
African American	11	5.3	7.7
Other	3	NA	3.6
Missing	0	NA	NA
TOTAL	81	12.8	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	5	5.8	7.5
25-34 years	28	28.7	22.4
35-44 years	28	34.8	27.7
45-54 years	13	18.1	16.7
55-64 years	7	9.2	13.7
65-74 years	0	NA	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	81	12.8	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Coastal Health District (9-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Coastal Health District (9–1), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Coastal Health District (9–1), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Coastal Health District (9-1), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	293	94.8	71.1
Female	218	67.0	48.0
Missing	1	NA	0.0
TOTAL	512	80.7	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	442	113.4	75.7
African American	54	25.9	33.6
Other	13	35.7	29.6
Missing	3	NA	0.0
TOTAL	512	80.7	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2	NA	11.0
1 - 4 years	2	NA	9.0
5 -14 years	0	NA	1.2
15-24 years	43	49.6	48.9
25-34 years	152	155.9	121.9
35-44 years	154	191.4	94.8
45-54 years	70	97.7	60.3
55-64 years	53	69.4	63.0
65-74 years	25	41.6	50.7
75-84 years	7	24.1	38.9
85+ years	4	NA	41.1
TOTAL	512	80.7	59.3


Opioid Overdose Surveillance

Southeast Health District (9-2), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Southeast Health District (9-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Southeast Health District (9–2), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Southeast Health District (9–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Southeast Health District (9-2), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	25	13.2	16.4
Female	10	5.4	8.3
Missing	0	NA	NA
TOTAL	35	9.3	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	31	11.5	15.7
African American	4	NA	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	35	9.3	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	2	NA	7.5
25-34 years	8	15.8	22.4
35-44 years	12	26.7	27.7
45-54 years	6	13.3	16.7
55-64 years	5	11.1	13.7
65-74 years	1	NA	5.5
75-84 years	1	NA	1.3
85+ years	0	NA	NA
TOTAL	35	9.3	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Southeast Health District (9-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Southeast Health District (9–2), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Southeast Health District (9–2), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Southeast Health District (9-2), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	144	76.1	71.1
Female	101	54.2	48.0
Missing	0	NA	0.0
TOTAL	245	65.2	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	201	74.4	75.7
African American	39	42.4	33.6
Other	3	NA	29.6
Missing	1	NA	0.0
TOTAL	245	65.2	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	2	NA	9.0
5 -14 years	0	NA	1.2
15-24 years	12	20.4	48.9
25-34 years	52	102.8	121.9
35-44 years	48	106.6	94.8
45-54 years	42	93.1	60.3
55-64 years	49	108.9	63.0
65-74 years	30	85.9	50.7
75-84 years	7	39.2	38.9
85+ years	3	NA	41.1
TOTAL	245	65.2	59.3


Opioid Overdose Surveillance

Northeast Health District (10-0), Georgia 2018-2020


Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Northeast Health District (10-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Deaths, by Drug Type
Northeast Health District (10-0), Georgia Residents, 2018–2020



Quarterly Overdose Deaths, by Drug Type
Northeast Health District (10-0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Deaths,

Northeast Health District (10-0), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	40	15.5	16.4
Female	26	9.5	8.3
Missing	0	NA	NA
TOTAL	66	12.4	12.2


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	58	14.3	15.7
African American	8	8.3	7.7
Other	0	NA	3.6
Missing	0	NA	NA
TOTAL	66	12.4	12.2

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	3	NA	7.5
25-34 years	14	19.6	22.4
35-44 years	21	31.5	27.7
45-54 years	15	23.1	16.7
55-64 years	8	12.7	13.7
65-74 years	5	10.1	5.5
75-84 years	0	NA	1.3
85+ years	0	NA	NA
TOTAL	66	12.4	12.4


Opioid-Involved Overdose Emergency Department Visits (Morbidity)

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Northeast Health District (10-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2018–2020



Overdose Emergency Department Visits, by Drug Type
Northeast Health District (10–0), Georgia Residents, 2018–2020



Quarterly Overdose Emergency Department Visits, by Drug Type
Northeast Health District (10–0), Georgia Residents, 2018–2020



Opioid-Involved Overdose Emergency Department Visits,

Northeast Health District (10-0), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	190	73.7	71.1
Female	146	53.4	48.0
Missing	0	NA	0.0
TOTAL	336	63.2	59.3

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	265	65.3	75.7
African American	59	61.4	33.6
Other	3	NA	29.6
Missing	9	0.0	0.0
TOTAL	336	63.2	59.3

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	11.0
1 - 4 years	5	20.4	9.0
5 -14 years	1	NA	1.2
15-24 years	22	26.0	48.9
25-34 years	93	130.5	121.9
35-44 years	72	107.9	94.8
45-54 years	45	69.4	60.3
55-64 years	49	77.8	63.0
65-74 years	29	58.5	50.7
75-84 years	16	63.8	38.9
85+ years	4	NA	41.1
TOTAL	336	63.2	59.3

Fatal Drug Overdoses (Mortality), Georgia, 2020

Data Source

Overdose-involved deaths were derived from DPH Vital Records death certificates. The following data include all deaths that occurred in Georgia among Georgia residents and deaths that occurred outside of Georgia among Georgia residents, unless otherwise specified.

Case Definitions

(Note: categories are not mutually exclusive, includes only drug overdose deaths caused by acute poisoning)

Any drug overdose death

May involve any over-the-counter, prescription, or illicit drug

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14

Drug overdose death involving any opioid

Involves both prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14 AND one of the following:
- Any of the following ICD-10 codes as any other listed cause of death: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6
- Any cause of death text field contains one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol

OR (for cases without an X or Y code in the underlying cause of death):

- Any cause of death text field contains the word “TOXIC” AND at least one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol

Drug overdose death involving synthetic opioids other than methadone

Involves synthetic opioids other than methadone (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured). Note: polysubstance abuse deaths may also involve methadone or other opioids

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14 AND one of the following:
- The following ICD-10 code as any other listed cause of death: T40.4
- Any cause of death text field contains the following keywords and common misspellings: fentanyl (and fentanyl analogs), tramadol

OR (for cases without an X or Y code in the underlying cause of death):

- Any cause of death text field contains the word “TOXIC” AND at least one of the following terms (or common misspelling): fentanyl (and fentanyl analogs), tramadol

Drug overdose death involving heroin

Involves heroin. Note: polysubstance abuse deaths may also involve other opioids

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14 AND one of the following:
- The following ICD-10 code as any other listed cause of death: T40.1
- Any cause of death text field contains the following keywords and common misspellings: heroin, morphine

OR (for cases without an X or Y code in the underlying cause of death):

- Any cause of death text field contains the word “TOXIC” AND at least one of the following terms (or common misspelling): heroin, morphine

Drug overdose death involving fentanyl

Note: polysubstance abuse deaths may also involve other opioids

Any cause of death text field contains the word “TOXIC” AND at least one of the following terms (or common misspelling): fentanyl (and fentanyl analogs)
Other Definitions or Limitations
Deaths represent individual people who died in Georgia and deaths among Georgia residents outside of Georgia.
Overdose death county represents the county of residence, or the place of injury (where the overdose occurred) as specified; when the place of injury field or the county of residence field was blank the county of the death certifier was used.
Rate indicates the number of deaths among Georgia residents per 100,000 population using 2020 Census data as the denominator, and all rates are age- adjusted unless age category is presented.
Rates for categories with fewer than 5 deaths may not be accurate and are not presented in this report.
ICD-10 Code Description
X40-X44 (accidental poisonings by drugs), X60-X64 (intentional self-poisoning by drugs), X85 (assault by drug poisoning), Y10-Y14 (drug poisoning of undetermined intent), T40.0 (opium), T40.1 (heroin), T40.2 (natural and semisynthetic opioids), T40.3 (methadone), T40.4 (synthetic opioids, other than methadone, T40.6 (other and unspecified narcotics)

Nonfatal Overdoses (Morbidity), Georgia, 2020
Data Source
Nonfatal overdose counts were derived from Georgia hospitalization and emergency department (ED) visit discharge data, and included all ED visits or hospitalizations occurring in a non-Federal acute care hospital in Georgia, among Georgia residents, with a discharge diagnosis indicating acute drug overdose during 2020.
Case Definitions (categories are not mutually exclusive)
<i>ED visit or hospitalization involving any drug overdose</i> <i>May include any over-the-counter, prescription, or illicit drug</i>
<ul style="list-style-type: none"> Any mention of ICD-10CM codes: T36-T50 AND <ul style="list-style-type: none"> 6th character: 1-4, and a 7th character of A or missing
<i>ED visit or hospitalization involving any opioid overdose</i> <i>Includes prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly-manufactured)</i>
<ul style="list-style-type: none"> Any mention of ICD-10CM codes: T40.0X, T40.1X, T40.2X, T40.3X, T40.4X, T40.60, T40.69 AND <ul style="list-style-type: none"> 6th character: 1-4, and a 7th character of A or missing
<i>ED visit or hospitalization involving a heroin overdose</i>
<ul style="list-style-type: none"> Any mention of ICD-10CM code: T40.1X AND <ul style="list-style-type: none"> 6th character: 1-4, and a 7th character of A or missing
<i>ED visit or hospitalization involving synthetic opioids other than methadone</i> <i>Involves synthetic opioids other than methadone (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured).</i>
<ul style="list-style-type: none"> Any mention of ICD-10CM code: T40.4X AND <ul style="list-style-type: none"> 6th character: 1-4, and a 7th character of A or missing
Other Definitions or Limitations
Please Note: The case definition has changed and cannot be compared to previous reports.

Any opioid may include prescription or illicit opioids.
ED Visits and Hospitalization categories are not mutually exclusive. Hospitalizations may also appear in the ED Visits category if they were admitted to the hospital through the ED.
ED visits and hospitalizations may represent multiple visits by individuals in Georgia.
County indicates the patient's county of residence.
Only Black and White are indicated for race because of incomplete or sparse data on other races and ethnicities.
Rate indicates the number of ED visits or hospitalizations among Georgia residents per 100,000 population using 2020 Census data as the denominator, and all rates are age-adjusted unless age category is presented.
Rates for categories with fewer than 5 ED visits or hospitalizations may not be accurate and are not presented in this report.
ICD-10 CM Code Description
Poisoning by: T36-T50 (range includes all drugs), T40.0X (opium), T40.1X (heroin), T40.2X (other opioids), T40.3X (methadone), T40.4X (synthetic narcotics), T40.60 (unspecified narcotics), T40.69 (other narcotics) 6 th Character: 1 (accidental, unintentional), 2 (intentional self-harm), 3 (assault), 4 (undetermined intent) 7 th Character: A (initial encounter) or missing