

# **Stimulant Overdose Surveillance**

## **Preliminary District Report**

### **Georgia, 2020**

**Drug Surveillance Unit**  
**Epidemiology Section**  
**Division of Health Protection**  
**Georgia Department of Public Health**

<https://dph.georgia.gov/drug-surveillance-unit>



# Stimulant Overdose Surveillance

## Georgia Public Health Districts, 2020

The purpose of this report is to describe District level fatal (mortality) and nonfatal (morbidity) stimulant-involved overdoses, which occurred in Georgia during 2020, including prescription stimulants, and illicit stimulants such as cocaine, amphetamine, and methamphetamine. Stimulant overdose data were analyzed by the Georgia Department of Public Health (DPH) Epidemiology Program, Drug Surveillance Unit, using Georgia hospital discharge inpatient and emergency department (ED) visit data, and DPH Vital Records death data. A description of the data and case definitions can be found at the end of the report.

For more information:

- Other Georgia drug surveillance reports:  
<https://dph.georgia.gov/drug-surveillance-unit>
- Georgia Department of Public Health (DPH) Main Opioid Page:  
<https://dph.georgia.gov/stopopioidaddiction>
- Georgia drug overdose mortality interactive maps and statistics:  
<https://oasis.state.ga.us/PageDirect.aspx?referer=MortalityDrugOverdoses>
- Prescription Drug Monitoring Program (PDMP) information: GA PDMP Overview and FAQs  
<https://dph.georgia.gov/pdmp>
- Georgia Public Health District map  
<https://dph.georgia.gov/public-health-districts>

Georgia Public Health District	Page
1-1 Northwest	2
1-2 North Georgia	6
2-0 North	10
3-1 Cobb-Douglas	14
3-2 Fulton	18
3-3 Clayton	22
3-4 East Metro	26
3-5 DeKalb	30
4-0 LaGrange	34
5-1 South Central	38
5-2 North Central	42
6-0 East Central	46
7-0 West Central	50
8-1 South	54
8-2 Southwest	58
9-1 Coastal	62
9-2 Southeast	66
10-0 Northeast	70


# Stimulant Overdose Surveillance

## Northwest Health District (1-1), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Northwest Health District (1-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
Northwest Health District (1-1), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
Northwest Health District (1-1), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

Northwest Health District (1-1), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	51	15.1	11.3
Female	20	5.7	4.7
Missing	0	NA	NA
TOTAL	71	10.3	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	64	11.0	9.1
African American	6	7.1	7.2
Other	1	NA	1.5
Missing	0	NA	NA
TOTAL	71	10.3	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	6	6.8	2.7
25-34 years	14	15.4	12.0
35-44 years	22	25.0	18.9
45-54 years	12	12.7	13.6
55-64 years	12	13.5	10.1
65-74 years	4	NA	4.0
75-84 years	1	NA	NA
85+ years	0	NA	NA
TOTAL	71	10.3	8.0

# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Northwest Health District (1-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
Northwest Health District (1-1), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	119	35.1	34.3
Female	55	15.5	15.9
Missing	0	NA	NA
TOTAL	174	25.1	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	132	22.8	20.3
African American	34	40.2	32.9
Other	6	21.5	15.4
Missing	2	NA	0.0
TOTAL	174	25.1	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2	NA	4.7
1 - 4 years	5	15.0	14.6
5 -14 years	5	5.4	5.4
15-24 years	21	23.7	21.1
25-34 years	28	30.7	39.5
35-44 years	48	54.4	41.2
45-54 years	28	29.7	30.4
55-64 years	28	31.6	34.0
65-74 years	9	13.9	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	174	25.1	24.8

# Stimulant Overdose Surveillance


## North Georgia Health District (1-2), Georgia 2018-2020

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Georgia Health District (1-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


#### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2018–2020




#### Overdose Deaths, by Drug Type

North Georgia Health District (1–2), Georgia Residents, 2018–2020



#### Quarterly Overdose Deaths, by Drug Type

North Georgia Health District (1–2), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

North Georgia Health District (1-2), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	35	14.2	11.3
Female	8	3.2	4.7
Missing	0	NA	NA
TOTAL	43	8.6	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	43	9.5	9.1
African American	0	NA	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	43	8.6	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	1	NA	2.7
25-34 years	12	20.0	12.0
35-44 years	14	22.3	18.9
45-54 years	14	20.3	13.6
55-64 years	1	NA	10.1
65-74 years	1	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	43	8.6	8.0



## Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Georgia Health District (1-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
North Georgia Health District (1-2), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	52	21.0	34.3
Female	32	12.6	15.9
Missing	0	NA	NA
TOTAL	84	16.8	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	75	16.6	20.3
African American	3	NA	32.9
Other	4	NA	15.4
Missing	2	NA	0.0
TOTAL	84	16.8	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	2	NA	14.6
5 -14 years	1	NA	5.4
15-24 years	13	20.9	21.1
25-34 years	30	50.1	39.5
35-44 years	15	23.9	41.2
45-54 years	12	17.4	30.4
55-64 years	9	13.4	34.0
65-74 years	2	NA	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	84	16.8	24.8


# Stimulant Overdose Surveillance

## North Health District (2-0), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Health District (2-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
North Health District (2–0), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
North Health District (2–0), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### North Health District (2-0), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	27	7.3	11.3
Female	17	4.5	4.7
Missing	0	NA	NA
TOTAL	44	5.9	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	44	7.0	9.1
African American	0	NA	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	44	5.9	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	4	NA	2.7
25-34 years	13	15.7	12.0
35-44 years	11	11.5	18.9
45-54 years	12	11.7	13.6
55-64 years	4	NA	10.1
65-74 years	0	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	44	5.9	8.0

## Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Health District (2-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
North Health District (2-0), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	92	25.0	34.3
Female	50	13.2	15.9
Missing	0	NA	NA
TOTAL	142	19.0	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	118	18.6	20.3
African American	7	16.3	32.9
Other	14	20.0	15.4
Missing	3	NA	0.0
TOTAL	142	19.0	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	5	14.7	14.6
5 -14 years	2	NA	5.4
15-24 years	24	24.3	21.1
25-34 years	39	47.0	39.5
35-44 years	35	36.6	41.2
45-54 years	23	22.4	30.4
55-64 years	9	9.5	34.0
65-74 years	5	6.6	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	142	19.0	24.8

# Stimulant Overdose Surveillance


## Cobb-Douglas Health District (3-1), Georgia 2018-2020

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Cobb-Douglas Health District (3-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


#### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2018–2020




#### Overdose Deaths, by Drug Type

Cobb–Douglas Health District (3–1), Georgia Residents, 2018–2020



#### Quarterly Overdose Deaths, by Drug Type

Cobb–Douglas Health District (3–1), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### Cobb-Douglas Health District (3-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	49	11.1	11.3
Female	26	5.5	4.7
Missing	0	NA	NA
TOTAL	75	8.2	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	54	10.0	9.1
African American	21	7.1	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	75	8.2	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	2	NA	2.7
25-34 years	14	10.6	12.0
35-44 years	20	15.7	18.9
45-54 years	23	18.1	13.6
55-64 years	11	9.8	10.1
65-74 years	5	6.7	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	75	8.2	8.0



# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Cobb-Douglas Health District (3-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
Cobb-Douglas Health District (3-1), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	105	23.9	34.3
Female	54	11.5	15.9
Missing	0	NA	NA
TOTAL	159	17.5	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	83	15.4	20.3
African American	59	19.9	32.9
Other	14	18.4	15.4
Missing	3	NA	0.0
TOTAL	159	17.5	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	5	11.6	14.6
5 -14 years	3	NA	5.4
15-24 years	22	18.3	21.1
25-34 years	43	32.7	39.5
35-44 years	33	26.0	41.2
45-54 years	24	18.9	30.4
55-64 years	22	19.5	34.0
65-74 years	7	9.4	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	159	17.5	24.8


# Stimulant Overdose Surveillance

## Fulton Health District (3-2), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Fulton Health District (3-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
Fulton Health District (3–2), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
Fulton Health District (3–2), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### Fulton Health District (3-2), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	82	15.8	11.3
Female	28	5.0	4.7
Missing	0	NA	NA
TOTAL	110	10.2	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	38	7.8	9.1
African American	69	14.4	7.2
Other	2	NA	1.5
Missing	1	NA	NA
TOTAL	110	10.2	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	2	NA	2.7
25-34 years	15	8.0	12.0
35-44 years	26	17.0	18.9
45-54 years	25	17.2	13.6
55-64 years	27	21.9	10.1
65-74 years	13	16.1	4.0
75-84 years	2	NA	NA
85+ years	0	NA	NA
TOTAL	110	10.2	8.0

# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Fulton Health District (3-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



# Stimulant-Involved Overdose Emergency Department Visits,

## Fulton Health District (3-2), Georgia Residents, 2020

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	393	75.5	34.3
Female	132	23.7	15.9
Missing	1	NA	NA
TOTAL	526	48.8	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	67	13.8	20.3
African American	425	88.6	32.9
Other	21	18.8	15.4
Missing	13	0.0	0.0
TOTAL	526	48.8	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	3	NA	14.6
5 -14 years	5	3.9	5.4
15-24 years	20	13.5	21.1
25-34 years	87	46.2	39.5
35-44 years	94	61.6	41.2
45-54 years	86	59.0	30.4
55-64 years	169	137.2	34.0
65-74 years	56	69.3	14.0
75-84 years	3	NA	2.0
85+ years	3	NA	4.5
TOTAL	526	48.8	24.8


# Stimulant Overdose Surveillance

## Clayton Health District (3-3), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Clayton Health District (3-3), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
Clayton Health District (3–3), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
Clayton Health District (3–3), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### Clayton Health District (3-3), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	18	13.2	11.3
Female	6	3.8	4.7
Missing	0	NA	NA
TOTAL	24	8.2	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	8	14.8	9.1
African American	15	7.0	7.2
Other	1	NA	1.5
Missing	0	NA	NA
TOTAL	24	8.2	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	4	NA	2.7
25-34 years	5	10.7	12.0
35-44 years	10	26.7	18.9
45-54 years	0	NA	13.6
55-64 years	4	NA	10.1
65-74 years	1	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	24	8.2	8.0



Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Clayton Health District (3-3), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
Clayton Health District (3-3), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	25	18.3	34.3
Female	19	12.2	15.9
Missing	0	NA	NA
TOTAL	44	15.0	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	9	16.7	20.3
African American	30	14.0	32.9
Other	2	NA	15.4
Missing	3	NA	0.0
TOTAL	44	15.0	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	1	NA	14.6
5 -14 years	2	NA	5.4
15-24 years	6	14.3	21.1
25-34 years	13	27.9	39.5
35-44 years	5	13.4	41.2
45-54 years	4	NA	30.4
55-64 years	10	30.0	34.0
65-74 years	3	NA	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	44	15.0	24.8


# Stimulant Overdose Surveillance

## East Metro Health District (3-4), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among East Metro Health District (3-4), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
East Metro Health District (3–4), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
East Metro Health District (3–4), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### East Metro Health District (3-4), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	44	7.9	11.3
Female	19	3.2	4.7
Missing	0	NA	NA
TOTAL	63	5.5	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	50	8.6	9.1
African American	8	2.0	7.2
Other	5	3.0	1.5
Missing	0	NA	NA
TOTAL	63	5.5	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	2	NA	2.7
25-34 years	17	11.4	12.0
35-44 years	21	13.3	18.9
45-54 years	12	7.3	13.6
55-64 years	7	5.0	10.1
65-74 years	4	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	63	5.5	8.0

# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among East Metro Health District (3-4), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
East Metro Health District (3-4), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	104	18.7	34.3
Female	67	11.3	15.9
Missing	0	NA	NA
TOTAL	171	14.9	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	90	15.5	20.3
African American	48	12.1	32.9
Other	19	11.2	15.4
Missing	14	0.0	0.0
TOTAL	171	14.9	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	6	10.2	14.6
5 -14 years	15	8.7	5.4
15-24 years	29	18.0	21.1
25-34 years	41	27.4	39.5
35-44 years	39	24.7	41.2
45-54 years	23	14.1	30.4
55-64 years	16	11.5	34.0
65-74 years	1	NA	14.0
75-84 years	0	NA	2.0
85+ years	1	NA	4.5
TOTAL	171	14.9	24.8


# Stimulant Overdose Surveillance

## DeKalb Health District (3-5), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among DeKalb Health District (3-5), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
DeKalb Health District (3–5), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
DeKalb Health District (3–5), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### DeKalb Health District (3-5), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	34	9.5	11.3
Female	15	3.7	4.7
Missing	0	NA	NA
TOTAL	49	6.4	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	20	7.3	9.1
African American	29	7.0	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	49	6.4	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	3	NA	2.7
25-34 years	8	6.2	12.0
35-44 years	14	12.9	18.9
45-54 years	11	11.4	13.6
55-64 years	8	8.9	10.1
65-74 years	5	7.9	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	49	6.4	8.0



## Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among DeKalb Health District (3-5), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
DeKalb Health District (3-5), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	172	47.8	34.3
Female	81	20.1	15.9
Missing	0	NA	NA
TOTAL	253	33.2	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	50	18.3	20.3
African American	183	43.9	32.9
Other	8	11.1	15.4
Missing	12	0.0	0.0
TOTAL	253	33.2	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	4	NA	14.6
5 -14 years	2	NA	5.4
15-24 years	24	26.8	21.1
25-34 years	44	34.2	39.5
35-44 years	48	44.3	41.2
45-54 years	53	54.9	30.4
55-64 years	55	61.0	34.0
65-74 years	20	31.5	14.0
75-84 years	1	NA	2.0
85+ years	2	NA	4.5
TOTAL	253	33.2	24.8

# Stimulant Overdose Surveillance


## LaGrange Health District (4-0), Georgia 2018-2020

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among LaGrange Health District (4-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


#### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2018–2020




#### Overdose Deaths, by Drug Type

LaGrange Health District (4–0), Georgia Residents, 2018–2020



#### Quarterly Overdose Deaths, by Drug Type

LaGrange Health District (4–0), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### LaGrange Health District (4-0), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	35	8.2	11.3
Female	33	7.2	4.7
Missing	0	NA	NA
TOTAL	68	7.7	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	51	9.2	9.1
African American	16	5.6	7.2
Other	1	NA	1.5
Missing	0	NA	NA
TOTAL	68	7.7	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	5	4.1	2.7
25-34 years	11	9.9	12.0
35-44 years	17	15.5	18.9
45-54 years	16	13.2	13.6
55-64 years	17	14.6	10.1
65-74 years	2	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	68	7.7	8.0

## Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among LaGrange Health District (4-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
LaGrange Health District (4-0), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	101	23.6	34.3
Female	59	12.8	15.9
Missing	1	NA	NA
TOTAL	161	18.1	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	106	19.0	20.3
African American	40	14.1	32.9
Other	5	10.6	15.4
Missing	10	0.0	0.0
TOTAL	161	18.1	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	11	26.6	14.6
5 -14 years	7	5.9	5.4
15-24 years	29	23.6	21.1
25-34 years	41	36.9	39.5
35-44 years	41	37.3	41.2
45-54 years	16	13.2	30.4
55-64 years	13	11.2	34.0
65-74 years	3	NA	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	161	18.1	24.8

# Stimulant Overdose Surveillance


## South Central Health District (5-1), Georgia 2018-2020

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among South Central Health District (5-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


#### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2018–2020




#### Overdose Deaths, by Drug Type

South Central Health District (5-1), Georgia Residents, 2018–2020



#### Quarterly Overdose Deaths, by Drug Type

South Central Health District (5-1), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### South Central Health District (5-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	8	10.4	11.3
Female	1	NA	4.7
Missing	0	NA	NA
TOTAL	9	6.0	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	6	6.3	9.1
African American	3	NA	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	9	6.0	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	1	NA	2.7
25-34 years	0	NA	12.0
35-44 years	6	31.7	18.9
45-54 years	1	NA	13.6
55-64 years	1	NA	10.1
65-74 years	0	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	9	6.0	8.0



Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among South Central Health District (5-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
South Central Health District (5-1), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	31	40.2	34.3
Female	14	19.3	15.9
Missing	0	NA	NA
TOTAL	45	30.1	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	27	28.5	20.3
African American	14	27.6	32.9
Other	3	NA	15.4
Missing	1	NA	0.0
TOTAL	45	30.1	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	0	NA	14.6
5 -14 years	1	NA	5.4
15-24 years	2	NA	21.1
25-34 years	13	65.5	39.5
35-44 years	16	84.5	41.2
45-54 years	6	31.2	30.4
55-64 years	7	36.0	34.0
65-74 years	0	NA	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	45	30.1	24.8


# Stimulant Overdose Surveillance

## North Central Health District (5-2), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Central Health District (5-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
North Central Health District (5–2), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
North Central Health District (5–2), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### North Central Health District (5-2), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	19	7.3	11.3
Female	6	2.2	4.7
Missing	0	NA	NA
TOTAL	25	4.7	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	20	6.8	9.1
African American	5	2.3	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	25	4.7	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	1	NA	2.7
25-34 years	6	8.4	12.0
35-44 years	13	20.1	18.9
45-54 years	2	NA	13.6
55-64 years	3	NA	10.1
65-74 years	0	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	25	4.7	8.0

## Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Central Health District (5-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
North Central Health District (5-2), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	116	44.6	34.3
Female	54	19.5	15.9
Missing	0	NA	NA
TOTAL	170	31.6	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	94	32.0	20.3
African American	73	33.3	32.9
Other	2	NA	15.4
Missing	1	NA	0.0
TOTAL	170	31.6	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	8	31.7	14.6
5 -14 years	1	NA	5.4
15-24 years	23	31.0	21.1
25-34 years	35	49.0	39.5
35-44 years	39	60.2	41.2
45-54 years	29	45.6	30.4
55-64 years	28	39.1	34.0
65-74 years	6	11.1	14.0
75-84 years	1	NA	2.0
85+ years	0	NA	4.5
TOTAL	170	31.6	24.8


# Stimulant Overdose Surveillance

## East Central Health District (6-0), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among East Central Health District (6-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
East Central Health District (6–0), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
East Central Health District (6–0), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

East Central Health District (6-0), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	38	15.8	11.3
Female	19	7.5	4.7
Missing	0	NA	NA
TOTAL	57	11.5	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	31	11.8	9.1
African American	26	12.8	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	57	11.5	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	0	NA	2.7
25-34 years	13	18.1	12.0
35-44 years	18	29.0	18.9
45-54 years	14	24.5	13.6
55-64 years	11	17.5	10.1
65-74 years	1	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	57	11.5	8.0



## Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among East Central Health District (6-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
East Central Health District (6-0), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	63	26.2	34.3
Female	33	13.0	15.9
Missing	0	NA	NA
TOTAL	96	19.4	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	47	17.9	20.3
African American	44	21.6	32.9
Other	2	NA	15.4
Missing	2	NA	0.0
TOTAL	96	19.4	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	4.7
1 - 4 years	9	35.8	14.6
5 -14 years	6	9.2	5.4
15-24 years	10	15.4	21.1
25-34 years	14	19.5	39.5
35-44 years	19	30.6	41.2
45-54 years	16	28.0	30.4
55-64 years	17	27.0	34.0
65-74 years	4	NA	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	96	19.4	24.8


# Stimulant Overdose Surveillance

## West Central Health District (7-0), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among West Central Health District (7-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
West Central Health District (7-0), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
West Central Health District (7-0), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### West Central Health District (7-0), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	13	7.1	11.3
Female	3	NA	4.7
Missing	0	NA	NA
TOTAL	16	4.3	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	10	5.4	9.1
African American	4	NA	7.2
Other	2	NA	1.5
Missing	0	NA	NA
TOTAL	16	4.3	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	4	NA	2.7
25-34 years	6	11.0	12.0
35-44 years	1	NA	18.9
45-54 years	3	NA	13.6
55-64 years	2	NA	10.1
65-74 years	0	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	16	4.3	8.0

## Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among West Central Health District (7-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
West Central Health District (7-0), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	26	14.2	34.3
Female	27	14.5	15.9
Missing	0	NA	NA
TOTAL	53	14.4	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	29	15.6	20.3
African American	22	13.5	32.9
Other	2	NA	15.4
Missing	0	NA	0.0
TOTAL	53	14.4	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	1	NA	14.6
5 -14 years	2	NA	5.4
15-24 years	7	14.0	21.1
25-34 years	11	20.1	39.5
35-44 years	11	24.3	41.2
45-54 years	8	19.0	30.4
55-64 years	12	26.2	34.0
65-74 years	1	NA	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	53	14.4	24.8


# Stimulant Overdose Surveillance

## South Health District (8-1), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among South Health District (8-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
South Health District (8-1), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
South Health District (8-1), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### South Health District (8-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	2	NA	11.3
Female	4	NA	4.7
Missing	0	NA	NA
TOTAL	6	2.3	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	5	3.0	9.1
African American	1	NA	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	6	2.3	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	0	NA	2.7
25-34 years	0	NA	12.0
35-44 years	2	NA	18.9
45-54 years	3	NA	13.6
55-64 years	1	NA	10.1
65-74 years	0	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	6	2.3	8.0



# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among South Health District (8-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
South Health District (8-1), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	40	31.8	34.3
Female	10	7.5	15.9
Missing	0	NA	NA
TOTAL	50	19.3	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	27	16.4	20.3
African American	16	19.0	32.9
Other	7	63.7	15.4
Missing	0	NA	0.0
TOTAL	50	19.3	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	2	NA	14.6
5 -14 years	0	NA	5.4
15-24 years	12	28.7	21.1
25-34 years	13	36.3	39.5
35-44 years	13	42.3	41.2
45-54 years	5	17.2	30.4
55-64 years	3	NA	34.0
65-74 years	2	NA	14.0
75-84 years	0	NA	2.0
85+ years	0	NA	4.5
TOTAL	50	19.3	24.8


# Stimulant Overdose Surveillance

## Southwest Health District (8-2), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Southwest Health District (8-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
Southwest Health District (8–2), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
Southwest Health District (8–2), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### Southwest Health District (8-2), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	21	12.8	11.3
Female	10	5.7	4.7
Missing	0	NA	NA
TOTAL	31	9.1	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	17	9.5	9.1
African American	14	9.3	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	31	9.1	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	0	NA	2.7
25-34 years	7	16.2	12.0
35-44 years	9	22.1	18.9
45-54 years	11	26.8	13.6
55-64 years	4	NA	10.1
65-74 years	0	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	31	9.1	8.0

# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Southwest Health District (8-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
Southwest Health District (8-2), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	36	21.9	34.3
Female	22	12.5	15.9
Missing	0	NA	NA
TOTAL	58	17.0	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	31	17.3	20.3
African American	27	18.0	32.9
Other	0	NA	15.4
Missing	0	NA	0.0
TOTAL	58	17.0	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	1	NA	14.6
5 -14 years	5	10.9	5.4
15-24 years	4	NA	21.1
25-34 years	18	41.7	39.5
35-44 years	16	39.3	41.2
45-54 years	8	19.5	30.4
55-64 years	3	NA	34.0
65-74 years	2	NA	14.0
75-84 years	1	NA	2.0
85+ years	0	NA	4.5
TOTAL	58	17.0	24.8


# Stimulant Overdose Surveillance

## Coastal Health District (9-1), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Coastal Health District (9-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
Coastal Health District (9-1), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
Coastal Health District (9-1), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### Coastal Health District (9-1), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	36	11.6	11.3
Female	14	4.3	4.7
Missing	0	NA	NA
TOTAL	50	7.9	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	36	9.2	9.1
African American	14	6.7	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	50	7.9	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	1	NA	2.7
25-34 years	15	15.4	12.0
35-44 years	13	16.2	18.9
45-54 years	9	12.6	13.6
55-64 years	10	13.1	10.1
65-74 years	1	NA	4.0
75-84 years	1	NA	NA
85+ years	0	NA	NA
TOTAL	50	7.9	8.0



# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Coastal Health District (9-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
Coastal Health District (9-1), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	88	28.5	34.3
Female	36	11.1	15.9
Missing	0	NA	NA
TOTAL	124	19.5	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	70	18.0	20.3
African American	47	22.6	32.9
Other	3	NA	15.4
Missing	4	NA	0.0
TOTAL	124	19.5	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	4	NA	14.6
5 -14 years	5	6.2	5.4
15-24 years	19	21.9	21.1
25-34 years	28	28.7	39.5
35-44 years	27	33.6	41.2
45-54 years	18	25.1	30.4
55-64 years	14	18.3	34.0
65-74 years	8	13.3	14.0
75-84 years	0	NA	2.0
85+ years	1	NA	4.5
TOTAL	124	19.5	24.8


# Stimulant Overdose Surveillance

## Southeast Health District (9-2), Georgia 2018-2020


### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Southeast Health District (9-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


**Overdose Deaths, by Drug Type**  
Statewide, Georgia Residents 2018–2020



**Overdose Deaths, by Drug Type**  
Southeast Health District (9–2), Georgia Residents, 2018–2020



**Quarterly Overdose Deaths, by Drug Type**  
Southeast Health District (9–2), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

### Southeast Health District (9-2), Georgia Residents, 2020




Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	17	9.0	11.3
Female	3	NA	4.7
Missing	0	NA	NA
TOTAL	20	5.3	7.9

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	17	6.3	9.1
African American	3	NA	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	20	5.3	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	0	NA	2.7
25-34 years	4	NA	12.0
35-44 years	4	NA	18.9
45-54 years	7	15.5	13.6
55-64 years	5	11.1	10.1
65-74 years	0	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	20	5.3	8.0

# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Southeast Health District (9-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
Southeast Health District (9-2), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	69	36.4	34.3
Female	51	27.4	15.9
Missing	0	NA	NA
TOTAL	120	32.0	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	88	32.6	20.3
African American	28	30.5	32.9
Other	4	NA	15.4
Missing	0	NA	0.0
TOTAL	120	32.0	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	NA	4.7
1 - 4 years	3	NA	14.6
5 -14 years	5	10.2	5.4
15-24 years	12	20.4	21.1
25-34 years	33	65.2	39.5
35-44 years	26	57.7	41.2
45-54 years	22	48.8	30.4
55-64 years	13	28.9	34.0
65-74 years	4	NA	14.0
75-84 years	1	NA	2.0
85+ years	0	NA	4.5
TOTAL	120	32.0	24.8

# Stimulant Overdose Surveillance


## Northeast Health District (10-0), Georgia 2018-2020

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Northeast Health District (10-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


#### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2018–2020




#### Overdose Deaths, by Drug Type

Northeast Health District (10-0), Georgia Residents, 2018–2020



#### Quarterly Overdose Deaths, by Drug Type

Northeast Health District (10-0), Georgia Residents, 2018–2020



## Stimulant-Involved Overdose Deaths,

Northeast Health District (10-0), Georgia Residents, 2020

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	30	11.6	11.3
Female	16	5.9	4.7
Missing	0	NA	NA
TOTAL	46	8.7	7.9




Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	39	9.6	9.1
African American	7	7.3	7.2
Other	0	NA	1.5
Missing	0	NA	NA
TOTAL	46	8.7	7.9

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	NA
1 - 4 years	0	NA	NA
5 -14 years	0	NA	NA
15-24 years	2	NA	2.7
25-34 years	11	15.4	12.0
35-44 years	21	31.5	18.9
45-54 years	6	9.3	13.6
55-64 years	5	7.9	10.1
65-74 years	1	NA	4.0
75-84 years	0	NA	NA
85+ years	0	NA	NA
TOTAL	46	8.7	8.0



# Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Northeast Health District (10-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.



**Stimulant-Involved Overdose Emergency Department Visits,  
Northeast Health District (10-0), Georgia Residents, 2020**

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	53	20.6	34.3
Female	32	11.7	15.9
Missing	0	NA	NA
TOTAL	85	16.0	24.8

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	62	15.3	20.3
African American	20	20.8	32.9
Other	0	NA	15.4
Missing	3	NA	0.0
TOTAL	85	16.0	24.8

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	NA	4.7
1 - 4 years	3	NA	14.6
5 -14 years	4	NA	5.4
15-24 years	14	16.5	21.1
25-34 years	23	32.3	39.5
35-44 years	18	27.0	41.2
45-54 years	15	23.1	30.4
55-64 years	7	11.1	34.0
65-74 years	0	NA	14.0
75-84 years	1	NA	2.0
85+ years	0	NA	4.5
TOTAL	85	16.0	24.8

## Fatal Drug Overdoses (Mortality), Georgia, 2020

### Data Source

Overdose-involved deaths were derived from DPH Vital Records death certificates. The following data include all deaths that occurred in Georgia among Georgia residents and deaths that occurred outside of Georgia among Georgia residents, unless otherwise specified.

### Case Definitions

**(Note: categories are not mutually exclusive, includes only drug overdose deaths caused by acute poisoning)**

#### **Any drug overdose death**

*May involve any over-the-counter, prescription, or illicit drug*

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14

#### **Drug overdose death involving any stimulants**

*Includes prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.) and illicit stimulants (e.g. cocaine, methamphetamine, ecstasy, etc.)*

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
- AND
- Any of the following ICD-10 codes as any other listed cause of death: T40.5, T43.6

OR (for cases without an X or Y code in the underlying cause of death):

- Any cause of death text field contains the following keywords: 5F-ADB, adderall, amphetamine, bath salt, bath salts, bathsalt, biphphetamine, BK-DMBDB, bk-dmbdb, cathinone, coca leaf, cocaine, concerta, crack, crystal meth, dexedrine, dextroamphetamine, ecstasy, ephedrine, flakka, focalin, khat, levoamphetamine, lisdexamphetamine, MDA, MDMA, methamphetamine, methylin, mollie, molly, pseudoephedrine, psychostimulant, ritalin, speed, speedball, stimulant, vyvanse

#### **Drug overdose death involving cocaine**

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
- AND
- The following ICD-10 code as any other listed cause of death: T40.5

OR (for cases without an X or Y code in the underlying cause of death):

- Any cause of death text field contains the following keywords: coca leaf, cocaine, crack

#### **Drug overdose death involving amphetamines**

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
- AND one of the following:
- The following ICD-10 code as any other listed cause of death: T46.3
  - Any cause of death text field contains the following keywords and common misspellings: heroin, morphine

OR (for cases without an X or Y code in the underlying cause of death):

- Any cause of death text field contains the following keywords: amphetamine, biphphetamine, dexedrine, ephedrine, levoamphetamine, lisdexamphetamine, methamphetamine, methylin, pseudoephedrine

#### **Drug overdose death involving any opioid**

*Involves both prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)*

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
- AND one of the following:
- Any of the following ICD-10 codes as any other listed cause of death: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6
  - Any cause of death text field contains one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol

<p>OR (for cases without an X or Y code in the underlying cause of death):</p> <ul style="list-style-type: none"> <li>Any cause of death text field contains the word “TOXIC” AND at least one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol</li> </ul>
<b>Other Definitions or Limitations</b>
Deaths represent individual people who died in Georgia and deaths among Georgia residents outside of Georgia.
Overdose death county represents the county of residence, or the place of injury (where the overdose occurred) as specified; when the place of injury field or the county of residence field was blank the county of the death certifier was used.
Rate indicates the number of deaths among Georgia residents per 100,000 population using 2020 Census data as the denominator, and all rates are age- adjusted unless age category is presented.
Rates for categories with fewer than 5 deaths may not be accurate and are not presented in this report.
<b>ICD-10 Code Description</b>
X40-X44 (accidental poisonings by drugs), X60-X64 (intentional self-poisoning by drugs), X85 (assault by drug poisoning), Y10-Y14 (drug poisoning of undetermined intent), T40.5 (poisoning by cocaine), T43.6 (poisoning by psychostimulants with abuse potential), T40.0 (opium), T40.1 (heroin), T40.2 (natural and semisynthetic opioids), T40.3 (methadone), T40.4 (synthetic opioids, other than methadone), T40.6 (other and unspecified narcotics)

<b>Nonfatal Overdoses (Morbidity), Georgia, 2020</b>
<b>Data Source</b>
Nonfatal overdose counts were derived from Georgia hospitalization and emergency department (ED) visit discharge data, and included all ED visits or hospitalizations occurring in a non-Federal acute care hospital in Georgia, among Georgia residents, with a discharge diagnosis indicating acute drug overdose during 2020.
<b>Case Definitions (categories are not mutually exclusive)</b>
<p><b><i>ED visit or hospitalization involving any drug overdose</i></b>  <i>May include any over-the-counter, prescription, or illicit drug</i></p> <ul style="list-style-type: none"> <li>Any mention of ICD-10CM codes: T36-T50</li> </ul> <p>AND</p> <ul style="list-style-type: none"> <li>6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing</li> </ul>
<p><b><i>ED visit or hospitalization involving any stimulant overdose</i></b>  <i>Includes prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.) and illicit stimulants (e.g. speed, ecstasy, methamphetamine, etc.)</i></p> <ul style="list-style-type: none"> <li>Any mention of ICD-10CM codes: T40.5X, T43.60, T43.61, T43.62, T43.63, T43.69, T44.99</li> </ul> <p>AND</p> <ul style="list-style-type: none"> <li>5th or 6th character: 1-4, and a 7th character of A or missing</li> </ul>
<p><b><i>ED visit or hospitalization involving a cocaine overdose</i></b></p> <ul style="list-style-type: none"> <li>Any mention of ICD-10CM code: T40.5X</li> </ul> <p>AND</p> <ul style="list-style-type: none"> <li>6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing</li> </ul>
<p><b><i>ED visit or hospitalization involving an amphetamine overdose</i></b>  <i>Includes prescription amphetamines (e.g. Adderall, etc.) and illicit amphetamines (e.g. speed, ecstasy, methamphetamine, etc.)</i></p> <ul style="list-style-type: none"> <li>Any mention of ICD-10CM code: T43.62</li> </ul> <p>AND</p> <ul style="list-style-type: none"> <li>6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing</li> </ul>
<b><i>ED visit or hospitalization involving any opioid overdose</i></b>

*Includes prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly-manufactured)*

- Any mention of ICD-10CM codes: T40.0X, T40.1X, T40.2X, T40.3X, T40.4X, T40.60, T40.69

AND

- 6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing

#### **Other Definitions or Limitations**

Please Note: The case definition has changed and cannot be compared to previous reports.

Any stimulant may include prescription or illicit stimulants.

Any opioid may include prescription or illicit opioids.

ED Visits and Hospitalization categories are not mutually exclusive. Hospitalizations may also appear in the ED Visits category if they were admitted to the hospital through the ED.

ED visits and hospitalizations may represent multiple visits by individuals in Georgia.

County indicates the patient's county of residence.

Only Black and White are indicated for race because of incomplete or sparse data on other races and ethnicities.

Rate indicates the number of ED visits or hospitalizations among Georgia residents per 100,000 population using 2020 Census data as the denominator, and all rates are age-adjusted unless age category is presented.

Rates for categories with fewer than 5 ED visits or hospitalizations may not be accurate and are not presented in this report.

#### **ICD-10 CM Code Description**

Poisoning by: T36-T50 (range includes all drugs), T40.0X (opium), T40.1X (heroin), T40.2X (other opioids), T40.3X (methadone), T40.4X (synthetic narcotics), T40.5X (cocaine), T40.60 (unspecified narcotics), T40.69 (other narcotics), T43.60 (unspecified psychostimulants), T43.61 (caffeine), T43.62 (amphetamines), T43.63 (methylphenidate), T43.64 (ecstasy), T43.69 (other psychostimulants)

6<sup>th</sup> Character: 1 (accidental, unintentional), 2 (intentional self-harm), 3 (assault), 4 (undetermined intent)

7<sup>th</sup> Character: A (initial encounter) or missing