

5/26/2023

Stimulant Overdose Surveillance Preliminary District Report Georgia, 2021

Drug Surveillance Unit
Epidemiology Section
Division of Health Protection
Georgia Department of Public Health

Stimulant Overdose Surveillance, Georgia Public Health Districts, 2021

The purpose of this report is to describe District level fatal (mortality) and nonfatal (morbidity) stimulant-involved overdoses, which occurred in Georgia during 2021, including prescription stimulants (e.g., Adderall, Ritalin, etc.), and illicit stimulants (e.g., cocaine, methamphetamine, etc.). Stimulant overdose data were analyzed by the Georgia Department of Public Health (DPH) Epidemiology Program, Drug Surveillance Unit, using Georgia hospital discharge inpatient and emergency department (ED) visit data, and DPH Vital Records death data. A description of the data and case definitions can be found at the end of the report.

For more information:

- Other Georgia drug surveillance reports: <https://dph.georgia.gov/drug-surveillance-unit>
- Georgia Department of Public Health (DPH) Main Opioid Page: <https://dph.georgia.gov/stopopioidaddiction>
- Georgia drug overdose mortality interactive maps and statistics: <https://oasis.state.ga.us/PageDirect.aspx?referer=MortalityDrugOverdoses>
- Prescription Drug Monitoring Program (PDMP) information: GA PDMP Overview and FAQs: <https://dph.georgia.gov/pdmp>

Georgia Public Health District	Page
1-1 Northwest	3
1-2 North Georgia	7
2-0 North	11
3-1 Cobb-Douglas	15
3-2 Fulton	19
3-3 Clayton	23
3-4 East Metro	27
3-5 DeKalb	31
4-0 LaGrange	35
5-1 South Central	39
5-2 North Central	43
6-0 East Central	47
7-0 West Central	51
8-1 South	55
8-2 Southwest	59
9-1 Coastal	63
9-2 Southeast	67
10-0 Northeast	71


Stimulant Overdose Surveillance

Northwest Health District (1-1), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Northwest Health District (1-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Northwest Health District (1-1), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Northwest Health District (1-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Northwest Health District (1-1), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	58	17.0	16.9
Female	45	12.8	6.5
Missing	0	--	--
TOTAL	103	14.8	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	95	16.4	13.4
African American	5	5.8	10.0
Other	3	--	4.1
Missing	0	--	--
TOTAL	103	14.8	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	8	8.9	3.8
25-34 years	21	23.1	20.2
35-44 years	25	27.9	26.7
45-54 years	32	34.2	20.6
55-64 years	14	15.7	12.7
65-74 years	3	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	103	14.8	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Northwest Health District (1-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Northwest Health District (1-1), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Northwest Health District (1-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Northwest Health District (1-1), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	123	36.0	39.2
Female	76	21.6	17.1
Missing	0	--	0.0
TOTAL	199	28.7	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	154	26.7	21.5
African American	36	41.4	39.2
Other	4	--	18.7
Missing	4	--	0.0
TOTAL	199	28.7	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	4	--	13.7
5 -14 years	6	6.4	5.7
15-24 years	24	26.8	20.7
25-34 years	47	51.6	42.6
35-44 years	48	53.6	45.6
45-54 years	35	37.4	36.3
55-64 years	30	33.5	41.3
65-74 years	5	7.6	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	199	28.7	28.0


Stimulant Overdose Surveillance

North Georgia Health District (1-2), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Georgia Health District (1-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
North Georgia Health District (1-2), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
North Georgia Health District (1-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

North Georgia Health District (1-2), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	38	15.0	16.9
Female	15	5.9	6.5
Missing	0	--	--
TOTAL	53	10.4	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	50	10.9	13.4
African American	2	--	10.0
Other	1	--	4.1
Missing	0	--	--
TOTAL	53	10.4	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	5	7.8	3.8
25-34 years	14	23.2	20.2
35-44 years	19	29.4	26.7
45-54 years	11	15.7	20.6
55-64 years	4	--	12.7
65-74 years	0	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	53	10.4	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Georgia Health District (1-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
North Georgia Health District (1-2), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
North Georgia Health District (1-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, North Georgia Health District (1-2), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	50	19.8	39.2
Female	33	12.9	17.1
Missing	0	--	0.0
TOTAL	83	16.3	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	73	16.0	21.5
African American	4	--	39.2
Other	4	--	18.7
Missing	2	--	0.0
TOTAL	83	16.3	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	1	--	13.7
5 -14 years	6	9.1	5.7
15-24 years	14	21.8	20.7
25-34 years	24	39.8	42.6
35-44 years	16	24.7	45.6
45-54 years	13	18.6	36.3
55-64 years	6	8.6	41.3
65-74 years	3	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	83	16.3	28.0


Stimulant Overdose Surveillance

North Health District (2-0), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Health District (2-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
North Health District (2-0), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
North Health District (2-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

North Health District (2-0), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	56	14.9	16.9
Female	26	6.8	6.5
Missing	0	--	--
TOTAL	82	10.8	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	72	11.3	13.4
African American	6	13.4	10.0
Other	4	--	4.1
Missing	0	--	--
TOTAL	82	10.8	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	4	--	3.8
25-34 years	20	23.9	20.2
35-44 years	28	28.4	26.7
45-54 years	15	14.4	20.6
55-64 years	13	13.3	12.7
65-74 years	2	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	82	10.8	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Health District (2-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
North Health District (2-0), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
North Health District (2-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, North Health District (2-0), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	94	25.0	39.2
Female	45	11.8	17.1
Missing	0	--	0.0
TOTAL	139	18.4	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	116	18.2	21.5
African American	11	24.6	39.2
Other	8	10.6	18.7
Missing	4	--	0.0
TOTAL	139	18.4	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2	--	10.5
1 - 4 years	4	--	13.7
5 -14 years	7	7.0	5.7
15-24 years	17	16.8	20.7
25-34 years	32	38.2	42.6
35-44 years	38	38.5	45.6
45-54 years	14	13.4	36.3
55-64 years	16	16.4	41.3
65-74 years	8	10.2	17.6
75-84 years	1	--	2.6
85+ years	0	--	7.1
TOTAL	139	18.4	28.0


Stimulant Overdose Surveillance

Cobb-Douglas Health District (3-1), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Cobb-Douglas Health District (3-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Cobb-Douglas Health District (3-1), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Cobb-Douglas Health District (3-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Cobb-Douglas Health District (3-1), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	64	14.4	16.9
Female	19	4.0	6.5
Missing	0	--	--
TOTAL	83	9.1	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	60	11.2	13.4
African American	20	6.7	10.0
Other	3	--	4.1
Missing	0	--	--
TOTAL	83	9.1	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	3	--	3.8
25-34 years	21	16.1	20.2
35-44 years	24	18.7	26.7
45-54 years	18	14.2	20.6
55-64 years	9	7.9	12.7
65-74 years	8	10.4	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	83	9.1	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Cobb-Douglas Health District (3-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Cobb-Douglas Health District (3-1), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Cobb-Douglas Health District (3-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Cobb-Douglas Health District (3-1), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	118	26.6	39.2
Female	86	18.3	17.1
Missing	0	--	0.0
TOTAL	204	22.4	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	93	17.4	21.5
African American	76	25.3	39.2
Other	22	28.5	18.7
Missing	13	0.0	0.0
TOTAL	204	22.4	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	--	10.5
1 - 4 years	14	33.6	13.7
5 -14 years	6	5.0	5.7
15-24 years	36	29.6	20.7
25-34 years	61	46.8	42.6
35-44 years	35	27.2	45.6
45-54 years	27	21.2	36.3
55-64 years	21	18.5	41.3
65-74 years	3	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	204	22.4	28.0


Stimulant Overdose Surveillance

Fulton Health District (3-2), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Fulton Health District (3-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Fulton Health District (3-2), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Fulton Health District (3-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Fulton Health District (3-2), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	112	21.7	16.9
Female	32	5.8	6.5
Missing	0	--	--
TOTAL	144	13.5	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	57	11.9	13.4
African American	82	17.2	10.0
Other	4	--	4.1
Missing	1	--	--
TOTAL	144	13.5	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	1	--	--
5 -14 years	0	--	--
15-24 years	2	--	3.8
25-34 years	36	19.8	20.2
35-44 years	37	24.1	26.7
45-54 years	34	23.5	20.6
55-64 years	21	17.0	12.7
65-74 years	12	14.6	4.7
75-84 years	1	--	--
85+ years	0	--	--
TOTAL	144	13.5	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Fulton Health District (3-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Fulton Health District (3-2), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Fulton Health District (3-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Fulton Health District (3-2), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	522	101.0	39.2
Female	147	26.8	17.1
Missing	4	--	0.0
TOTAL	673	63.2	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	90	18.8	21.5
African American	530	111.3	39.2
Other	33	29.7	18.7
Missing	20	0.0	0.0
TOTAL	673	63.2	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2	--	10.5
1 - 4 years	5	10.9	13.7
5 -14 years	6	4.7	5.7
15-24 years	34	23.2	20.7
25-34 years	90	49.4	42.6
35-44 years	115	74.9	45.6
45-54 years	111	76.9	36.3
55-64 years	223	181.0	41.3
65-74 years	74	90.0	17.6
75-84 years	4	--	2.6
85+ years	9	69.0	7.1
TOTAL	673	63.2	28.0


Stimulant Overdose Surveillance

Clayton Health District (3-3), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Clayton Health District (3-3), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Clayton Health District (3-3), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Clayton Health District (3-3), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Clayton Health District (3-3), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	23	16.5	16.9
Female	7	4.4	6.5
Missing	0	--	--
TOTAL	30	10.1	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	5	9.2	13.4
African American	24	11.0	10.0
Other	1	--	4.1
Missing	0	--	--
TOTAL	30	10.1	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	1	--	3.8
25-34 years	5	10.8	20.2
35-44 years	9	23.4	26.7
45-54 years	5	13.4	20.6
55-64 years	9	26.3	12.7
65-74 years	1	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	30	10.1	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Clayton Health District (3-3), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Clayton Health District (3-3), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Clayton Health District (3-3), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Clayton Health District (3-3), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	43	30.9	39.2
Female	23	14.5	17.1
Missing	0	--	0.0
TOTAL	66	22.2	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	10	18.3	21.5
African American	50	22.9	39.2
Other	3	--	18.7
Missing	3	--	0.0
TOTAL	66	22.2	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	1	--	13.7
5 -14 years	0	--	5.7
15-24 years	5	11.7	20.7
25-34 years	16	34.6	42.6
35-44 years	21	54.5	45.6
45-54 years	8	21.4	36.3
55-64 years	13	38.0	41.3
65-74 years	2	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	66	22.2	28.0


Stimulant Overdose Surveillance

East Metro Health District (3-4), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among East Metro Health District (3-4), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
East Metro Health District (3-4), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
East Metro Health District (3-4), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

East Metro Health District (3-4), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	78	13.6	16.9
Female	27	4.5	6.5
Missing	0	--	--
TOTAL	105	8.9	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	64	10.9	13.4
African American	32	7.8	10.0
Other	9	5.1	4.1
Missing	0	--	--
TOTAL	105	8.9	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	1	--	--
5 -14 years	0	--	--
15-24 years	7	4.2	3.8
25-34 years	25	16.5	20.2
35-44 years	32	19.7	26.7
45-54 years	25	15.0	20.6
55-64 years	11	7.7	12.7
65-74 years	4	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	105	8.9	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among East Metro Health District (3-4), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
East Metro Health District (3-4), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
East Metro Health District (3-4), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, East Metro Health District (3-4), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	121	21.2	39.2
Female	52	8.6	17.1
Missing	0	--	0.0
TOTAL	173	14.7	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	79	13.5	21.5
African American	54	13.1	39.2
Other	30	17.1	18.7
Missing	10	0.0	0.0
TOTAL	173	14.7	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2	--	10.5
1 - 4 years	1	--	13.7
5 -14 years	6	3.4	5.7
15-24 years	29	17.3	20.7
25-34 years	55	36.4	42.6
35-44 years	36	22.2	45.6
45-54 years	23	13.8	36.3
55-64 years	17	11.8	41.3
65-74 years	4	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	173	14.7	28.0


Stimulant Overdose Surveillance

DeKalb Health District (3-5), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among DeKalb Health District (3-5), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
DeKalb Health District (3-5), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
DeKalb Health District (3-5), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

DeKalb Health District (3-5), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	51	14.2	16.9
Female	21	5.3	6.5
Missing	0	--	--
TOTAL	72	9.5	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	26	9.5	13.4
African American	44	10.6	10.0
Other	2	--	4.1
Missing	0	--	--
TOTAL	72	9.5	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	2	--	3.8
25-34 years	17	13.6	20.2
35-44 years	28	25.6	26.7
45-54 years	15	15.6	20.6
55-64 years	7	7.7	12.7
65-74 years	3	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	72	9.5	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among DeKalb Health District (3-5), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
DeKalb Health District (3-5), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
DeKalb Health District (3-5), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, DeKalb Health District (3-5), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	203	56.5	39.2
Female	70	17.6	17.1
Missing	1	--	0.0
TOTAL	274	36.2	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	45	16.5	21.5
African American	202	48.8	39.2
Other	10	14.1	18.7
Missing	17	0.0	0.0
TOTAL	274	36.2	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	1	--	13.7
5 -14 years	7	7.4	5.7
15-24 years	18	20.1	20.7
25-34 years	45	36.0	42.6
35-44 years	49	44.8	45.6
45-54 years	61	63.4	36.3
55-64 years	69	76.3	41.3
65-74 years	21	32.1	17.6
75-84 years	3	--	2.6
85+ years	0	--	7.1
TOTAL	274	36.2	28.0


Stimulant Overdose Surveillance

LaGrange Health District (4-0), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among LaGrange Health District (4-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
LaGrange Health District (4-0), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
LaGrange Health District (4-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

LaGrange Health District (4-0), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	82	18.8	16.9
Female	26	5.6	6.5
Missing	0	--	--
TOTAL	108	12.0	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	91	16.4	13.4
African American	16	5.4	10.0
Other	1	--	4.1
Missing	0	--	--
TOTAL	108	12.0	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	3	--	3.8
25-34 years	27	24.2	20.2
35-44 years	31	27.4	26.7
45-54 years	29	23.9	20.6
55-64 years	17	14.3	12.7
65-74 years	1	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	108	12.0	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among LaGrange Health District (4-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
LaGrange Health District (4-0), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
LaGrange Health District (4-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, LaGrange Health District (4-0), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	102	23.4	39.2
Female	62	13.4	17.1
Missing	1	--	0.0
TOTAL	165	18.3	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	104	18.7	21.5
African American	46	15.6	39.2
Other	6	12.2	18.7
Missing	9	0.0	0.0
TOTAL	165	18.3	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	4	--	13.7
5 -14 years	3	--	5.7
15-24 years	29	23.2	20.7
25-34 years	44	39.4	42.6
35-44 years	35	31.0	45.6
45-54 years	27	22.2	36.3
55-64 years	13	11.0	41.3
65-74 years	10	11.6	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	165	18.3	28.0


Stimulant Overdose Surveillance

South Central Health District (5-1), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among South Central Health District (5-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
South Central Health District (5-1), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
South Central Health District (5-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

South Central Health District (5-1), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	18	24.1	16.9
Female	5	7.2	6.5
Missing	0	--	--
TOTAL	23	15.9	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	20	21.9	13.4
African American	3	--	10.0
Other	0	--	4.1
Missing	0	--	--
TOTAL	23	15.9	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	2	--	3.8
25-34 years	4	--	20.2
35-44 years	10	54.2	26.7
45-54 years	5	26.9	20.6
55-64 years	1	--	12.7
65-74 years	1	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	23	15.9	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among South Central Health District (5-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
South Central Health District (5-1), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
South Central Health District (5-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, South Central Health District (5-1), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	42	56.2	39.2
Female	12	17.2	17.1
Missing	0	--	0.0
TOTAL	54	37.4	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	33	36.1	21.5
African American	20	40.8	39.2
Other	1	--	18.7
Missing	0	--	0.0
TOTAL	54	37.4	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	--	10.5
1 - 4 years	2	--	13.7
5 -14 years	1	--	5.7
15-24 years	5	27.1	20.7
25-34 years	8	42.4	42.6
35-44 years	9	48.8	45.6
45-54 years	14	75.2	36.3
55-64 years	11	58.5	41.3
65-74 years	3	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	54	37.4	28.0


Stimulant Overdose Surveillance

North Central Health District (5-2), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Central Health District (5-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
North Central Health District (5-2), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
North Central Health District (5-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

North Central Health District (5-2), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	42	15.8	16.9
Female	22	7.8	6.5
Missing	0	--	--
TOTAL	64	11.7	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	44	14.7	13.4
African American	19	8.5	10.0
Other	0	--	4.1
Missing	1	--	--
TOTAL	64	11.7	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	8	10.5	3.8
25-34 years	16	22.3	20.2
35-44 years	24	35.3	26.7
45-54 years	10	15.5	20.6
55-64 years	5	6.9	12.7
65-74 years	1	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	64	11.7	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Central Health District (5-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
North Central Health District (5-2), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
North Central Health District (5-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, North Central Health District (5-2), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	108	40.5	39.2
Female	54	19.2	17.1
Missing	0	--	0.0
TOTAL	162	29.6	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	85	28.5	21.5
African American	70	31.3	39.2
Other	6	23.4	18.7
Missing	1	--	0.0
TOTAL	162	29.6	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	1	--	13.7
5 -14 years	4	--	5.7
15-24 years	8	10.5	20.7
25-34 years	32	44.6	42.6
35-44 years	44	64.8	45.6
45-54 years	35	54.4	36.3
55-64 years	32	44.0	41.3
65-74 years	6	10.7	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	162	29.6	28.0


Stimulant Overdose Surveillance

East Central Health District (6-0), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among East Central Health District (6-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
East Central Health District (6-0), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
East Central Health District (6-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

East Central Health District (6-0), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	50	20.5	16.9
Female	24	9.4	6.5
Missing	0	--	--
TOTAL	74	14.8	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	39	14.8	13.4
African American	33	15.9	10.0
Other	2	--	4.1
Missing	0	--	--
TOTAL	74	14.8	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	2	--	3.8
25-34 years	12	16.9	20.2
35-44 years	22	34.2	26.7
45-54 years	21	36.4	20.6
55-64 years	15	23.7	12.7
65-74 years	2	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	74	14.8	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among East Central Health District (6-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
East Central Health District (6-0), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
East Central Health District (6-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, East Central Health District (6-0), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	61	25.0	39.2
Female	46	18.0	17.1
Missing	0	--	0.0
TOTAL	107	21.4	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	55	20.9	21.5
African American	46	22.1	39.2
Other	2	--	18.7
Missing	4	--	0.0
TOTAL	107	21.4	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	--	10.5
1 - 4 years	4	--	13.7
5 -14 years	4	--	5.7
15-24 years	10	15.1	20.7
25-34 years	24	33.8	42.6
35-44 years	27	41.9	45.6
45-54 years	12	20.8	36.3
55-64 years	15	23.7	41.3
65-74 years	9	18.1	17.6
75-84 years	1	--	2.6
85+ years	0	--	7.1
TOTAL	107	21.4	28.0


Stimulant Overdose Surveillance

West Central Health District (7-0), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among West Central Health District (7-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
West Central Health District (7-0), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
West Central Health District (7-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

West Central Health District (7-0), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	26	14.3	16.9
Female	11	6.0	6.5
Missing	0	--	--
TOTAL	37	10.1	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	25	13.7	13.4
African American	11	6.8	10.0
Other	1	--	4.1
Missing	0	--	--
TOTAL	37	10.1	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	1	--	--
5 -14 years	0	--	--
15-24 years	1	--	3.8
25-34 years	12	22.5	20.2
35-44 years	11	24.0	26.7
45-54 years	9	21.6	20.6
55-64 years	3	--	12.7
65-74 years	0	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	37	10.1	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among West Central Health District (7-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
West Central Health District (7-0), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
West Central Health District (7-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, West Central Health District (7-0), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	41	22.5	39.2
Female	22	11.9	17.1
Missing	1	--	0.0
TOTAL	64	17.4	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	30	16.4	21.5
African American	32	19.7	39.2
Other	1	--	18.7
Missing	1	--	0.0
TOTAL	64	17.4	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	1	--	13.7
5 -14 years	2	--	5.7
15-24 years	7	14.1	20.7
25-34 years	16	30.0	42.6
35-44 years	18	39.2	45.6
45-54 years	9	21.6	36.3
55-64 years	10	22.0	41.3
65-74 years	1	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	64	17.4	28.0


Stimulant Overdose Surveillance

South Health District (8-1), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among South Health District (8-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
South Health District (8-1), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
South Health District (8-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths, South Health District (8-1), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	12	9.4	16.9
Female	9	6.7	6.5
Missing	0	--	--
TOTAL	21	8.0	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	17	10.3	13.4
African American	4	--	10.0
Other	0	--	4.1
Missing	0	--	--
TOTAL	21	8.0	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	1	--	3.8
25-34 years	6	17.0	20.2
35-44 years	7	22.2	26.7
45-54 years	3	--	20.6
55-64 years	3	--	12.7
65-74 years	1	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	21	8.0	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among South Health District (8-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
South Health District (8-1), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
South Health District (8-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, South Health District (8-1), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	57	44.8	39.2
Female	18	13.4	17.1
Missing	0	--	0.0
TOTAL	75	28.7	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	42	25.5	21.5
African American	31	36.2	39.2
Other	1	--	18.7
Missing	1	--	0.0
TOTAL	75	28.7	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	--	10.5
1 - 4 years	2	--	13.7
5 -14 years	1	--	5.7
15-24 years	6	14.1	20.7
25-34 years	24	68.0	42.6
35-44 years	16	50.6	45.6
45-54 years	13	44.6	36.3
55-64 years	8	26.2	41.3
65-74 years	4	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	75	28.7	28.0


Stimulant Overdose Surveillance

Southwest Health District (8-2), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Southwest Health District (8-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Southwest Health District (8-2), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Southwest Health District (8-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Southwest Health District (8-2), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	24	14.1	16.9
Female	7	3.9	6.5
Missing	0	--	--
TOTAL	31	8.9	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	23	12.4	13.4
African American	8	5.2	10.0
Other	0	--	4.1
Missing	0	--	--
TOTAL	31	8.9	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	0	--	3.8
25-34 years	6	13.7	20.2
35-44 years	14	32.9	26.7
45-54 years	6	14.3	20.6
55-64 years	4	--	12.7
65-74 years	1	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	31	8.9	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Southwest Health District (8-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Southwest Health District (8-2), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Southwest Health District (8-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Southwest Health District (8-2), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	52	30.6	39.2
Female	26	14.4	17.1
Missing	0	--	0.0
TOTAL	78	22.3	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	46	24.8	21.5
African American	28	18.3	39.2
Other	4	--	18.7
Missing	0	--	0.0
TOTAL	78	22.3	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	3	--	13.7
5 -14 years	5	10.5	5.7
15-24 years	10	21.6	20.7
25-34 years	19	43.5	42.6
35-44 years	13	30.5	45.6
45-54 years	16	38.1	36.3
55-64 years	9	19.9	41.3
65-74 years	3	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	78	22.3	28.0


Stimulant Overdose Surveillance

Coastal Health District (9-1), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Coastal Health District (9-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Coastal Health District (9-1), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Coastal Health District (9-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Coastal Health District (9-1), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	41	13.0	16.9
Female	27	8.2	6.5
Missing	0	--	--
TOTAL	68	10.6	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	53	13.4	13.4
African American	15	7.1	10.0
Other	0	--	4.1
Missing	0	--	--
TOTAL	68	10.6	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	0	--	3.8
25-34 years	23	23.7	20.2
35-44 years	20	23.7	26.7
45-54 years	19	26.2	20.6
55-64 years	5	6.5	12.7
65-74 years	1	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	68	10.6	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Coastal Health District (9-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Coastal Health District (9-1), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Coastal Health District (9-1), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Coastal Health District (9-1), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	66	20.9	39.2
Female	37	11.2	17.1
Missing	0	--	0.0
TOTAL	103	16.0	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	52	13.2	21.5
African American	47	22.2	39.2
Other	4	--	18.7
Missing	0	--	0.0
TOTAL	103	16.0	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2	--	10.5
1 - 4 years	4	--	13.7
5 -14 years	8	9.5	5.7
15-24 years	12	13.6	20.7
25-34 years	23	23.7	42.6
35-44 years	25	29.6	45.6
45-54 years	12	16.6	36.3
55-64 years	12	15.5	41.3
65-74 years	3	--	17.6
75-84 years	1	--	2.6
85+ years	1	--	7.1
TOTAL	103	16.0	28.0


Stimulant Overdose Surveillance

Southeast Health District (9-2), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Southeast Health District (9-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Southeast Health District (9-2), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Southeast Health District (9-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Southeast Health District (9-2), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	22	11.6	16.9
Female	9	4.9	6.5
Missing	0	--	--
TOTAL	31	8.3	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	24	8.9	13.4
African American	7	7.7	10.0
Other	0	--	4.1
Missing	0	--	--
TOTAL	31	8.3	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	1	--	3.8
25-34 years	9	18.2	20.2
35-44 years	7	15.3	26.7
45-54 years	7	15.6	20.6
55-64 years	7	15.6	12.7
65-74 years	0	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	31	8.3	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Southeast Health District (9-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Southeast Health District (9-2), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Southeast Health District (9-2), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Southeast Health District (9-2), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	79	41.7	39.2
Female	36	19.5	17.1
Missing	0	--	0.0
TOTAL	115	30.7	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	77	28.7	21.5
African American	31	33.9	39.2
Other	4	--	18.7
Missing	2	--	0.0
TOTAL	115	30.7	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1	--	10.5
1 - 4 years	5	27.6	13.7
5 -14 years	1	--	5.7
15-24 years	16	26.9	20.7
25-34 years	25	50.5	42.6
35-44 years	25	54.6	45.6
45-54 years	19	42.4	36.3
55-64 years	16	35.6	41.3
65-74 years	5	14.2	17.6
75-84 years	2	--	2.6
85+ years	0	--	7.1
TOTAL	115	30.7	28.0


Stimulant Overdose Surveillance

Northeast Health District (10-0), Georgia 2019-2021


Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Northeast Health District (10-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Deaths, by Drug Type
Northeast Health District (10-0), Georgia Residents, 2019-2021



Quarterly Overdose Deaths, by Drug Type
Northeast Health District (10-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Deaths,

Northeast Health District (10-0), Georgia Residents, 2021

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	48	18.1	16.9
Female	16	5.7	6.5
Missing	0	--	--
TOTAL	64	11.8	11.6


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	52	12.5	13.4
African American	11	11.1	10.0
Other	1	--	4.1
Missing	0	--	--
TOTAL	64	11.8	11.6

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	--
1 - 4 years	0	--	--
5 -14 years	0	--	--
15-24 years	1	--	3.8
25-34 years	13	18.0	20.2
35-44 years	18	25.9	26.7
45-54 years	15	22.6	20.6
55-64 years	14	21.5	12.7
65-74 years	3	--	4.7
75-84 years	0	--	--
85+ years	0	--	--
TOTAL	64	11.8	11.7


Stimulant-Involved Overdose Emergency Department Visits (Morbidity)

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Northeast Health District (10-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type
Statewide, Georgia Residents 2019-2021



Overdose Emergency Department Visits, by Drug Type
Northeast Health District (10-0), Georgia Residents, 2019-2021



Quarterly Overdose Emergency Department Visits, by Drug Type
Northeast Health District (10-0), Georgia Residents, 2019-2021



Stimulant-Involved Overdose Emergency Department Visits, Northeast Health District (10-0), Georgia Residents, 2021

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	76	28.6	39.2
Female	44	15.8	17.1
Missing	1	--	0.0
TOTAL	121	22.2	28.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	87	21.0	21.5
African American	32	32.4	39.2
Other	1	--	18.7
Missing	1	--	0.0
TOTAL	121	22.2	28.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0	--	10.5
1 - 4 years	7	28.7	13.7
5 -14 years	5	7.1	5.7
15-24 years	14	16.1	20.7
25-34 years	20	27.8	42.6
35-44 years	32	46.1	45.6
45-54 years	27	40.6	36.3
55-64 years	12	18.4	41.3
65-74 years	4	--	17.6
75-84 years	0	--	2.6
85+ years	0	--	7.1
TOTAL	121	22.2	28.0

About Fatal Drug Overdose (Mortality) Data
Data Source <p>Overdose-involved deaths were derived from DPH Vital Records death certificates. The following data include all deaths that occurred in Georgia among Georgia residents and deaths that occurred outside of Georgia among Georgia residents, unless otherwise specified.</p>
Case Definitions <p>(Note: categories are not mutually exclusive; includes only drug overdose deaths caused by acute poisoning)</p>
<p>Any drug overdose death <i>May involve any over-the-counter, prescription, or illicit drug</i></p> <ul style="list-style-type: none"> Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
<p>Drug overdose death involving any stimulant <i>Involves prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.), and illicit stimulants (e.g. cocaine, methamphetamine, ecstasy, etc.)</i></p> <ul style="list-style-type: none"> Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14 AND any of the following ICD-10 codes as any other listed cause of death: T40.5, T43.6 OR (for cases without an X or Y code in the underlying cause of death): Any cause of death text field contains the following keywords: 5F-ADB, adderall, amphetamine, bath salt, bath salts, bathsalt, biphetamine, BK-DMBDB, bk-dmbdb, cathinone, coca leaf, cocaine, concerta, crack, crystal meth, dexedrine, dextroamphetamine, ecstasy, ephedrine, flakka, focalin, khat, levoamphetamine, lisdexamfetamine, MDA, MDMA, methamphetamine, methylin, mollie, molly, pseudoephedrine, psychostimulant, ritalin, speed, speedball, stimulant, vyvanse
<p>Drug overdose death involving amphetamine <i>Involves prescription amphetamine (e.g. Adderall, Dexedrine, etc.) and illicit amphetamine</i></p> <ul style="list-style-type: none"> Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14 AND any of the following ICD-10 codes as any other listed cause of death: T43.6 OR (for cases without an X or Y code in the underlying cause of death): Any cause of death text field contains the following keywords and common misspellings: amphetamine, biphetamine, dexedrine, ephedrine, levoamphetamine, lisdexamfetamine, methamphetamine, methylin, pseudoephedrine
<p>Drug overdose death involving cocaine <i>Involves cocaine</i></p> <ul style="list-style-type: none"> Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14 AND one of the following: The following ICD-10 code as any other listed cause of death: T40.5

About Fatal Drug Overdose (Mortality) Data
<ul style="list-style-type: none"> • OR (for cases without an X or Y code in the underlying cause of death): • Any cause of death text field contains the following keywords and common misspellings: coca leaf, cocaine, crack
<p>Drug overdose death involving any opioid</p> <p><i>Involves both prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)</i></p> <ul style="list-style-type: none"> • Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14 • AND one of the following: • Any of the following ICD-10 codes as any other listed cause of death: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6 • Any cause of death text field contains one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol • OR (for cases without an X or Y code in the underlying cause of death): • Any cause of death text field contains the word "TOXIC" AND at least one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol
Other Definitions or Limitations
Deaths represent individual people who died in Georgia and deaths among Georgia residents outside of Georgia.
Overdose death county represents the county of residence, or the place of injury (where the overdose occurred) as specified; when the place of injury field or the county of residence field was blank the county of the death certifier was specified; when the place of injury field or the county of residence field was blank the county of the death certifier was used.
Rate indicates the number of deaths among Georgia residents per 100,000 population using 2021 Census data as the denominator, and all rates are age-adjusted unless age category is presented.
Rates for categories with fewer than 5 deaths may not be accurate and are not presented in this report.
ICD-10 Code Description
X40-X44 (accidental poisonings by drugs), X60-X64 (intentional self-poisoning by drugs), X85 (assault by drug poisoning), Y10-Y14 (drug poisoning of undetermined intent), T40.0 (opium), T40.1 (heroin), T40.2 (natural and semisynthetic opioids), T40.3 (methadone), T40.4 (synthetic opioids, other than methadone), T40.5 (cocaine), T40.6 (other and unspecified narcotics), T43.6 (psychostimulants with abuse potential)

About Nonfatal Drug Overdose (Morbidity) Data
Data Source Nonfatal overdose counts were derived from Georgia hospitalization and emergency department (ED) visit discharge data, and included all ED visits or hospitalizations occurring in a non-Federal acute care hospital in Georgia, among Georgia residents, with a discharge diagnosis indicating acute drug overdose.
Case Definitions (Note: categories are not mutually exclusive)
<i>ED visit or hospitalization involving any drug overdose</i> May involve any over-the-counter, prescription, or illicit drug <ul style="list-style-type: none"> Any mention of ICD-10CM codes: T36-T50 AND 6th character: 1-4, and a 7th character of A or missing
<i>ED visit or hospitalization involving any stimulant overdose</i> Includes prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.) and illicit stimulants (e.g. speed, ecstasy, methamphetamine, etc.) <ul style="list-style-type: none"> Any mention of ICD-10CM codes: T40.5X, T43.60, T43.61, T43.62, T43.63, T43.69, T44.99 AND 5th or 6th character: 1-4, and a 7th character of A or missing
<i>ED visit or hospitalization involving an amphetamine overdose</i> Includes prescription amphetamines (e.g. Adderall, etc.) and illicit amphetamines (e.g. speed, ecstasy, methamphetamine, etc.) <ul style="list-style-type: none"> Any mention of ICD-10CM code: T43.62 AND 6th character: 1-4, and a 7th character of A or missing
<i>ED visit or hospitalization involving a cocaine overdose</i> Involves cocaine <ul style="list-style-type: none"> Any mention of ICD-10CM code: T40.5X AND 6th character: 1-4, and a 7th character of A or missing
<i>ED visit or hospitalization involving any opioid overdose</i> Involves both prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured) <ul style="list-style-type: none"> Any mention of ICD-10CM codes: T40.0X, T40.1X, T40.2X, T40.3X, T40.4X, T40.60, T40.69 AND 6th character: 1-4, and a 7th character of A or missing
Other Definitions or Limitations
Please note: The case definition has changed and cannot be compared to previous reports.

About Nonfatal Drug Overdose (Morbidity) Data
ED Visits and Hospitalization categories are not mutually exclusive. Hospitalizations may also appear in the ED Visits category if they were admitted to the hospital through the ED.
ED visits and hospitalizations may represent multiple visits by individuals in Georgia.
County indicates the patient's county of residence.
Only Black and White are indicated for race because of incomplete or sparse data on other races and ethnicities.
Rate indicates the number of deaths among Georgia residents per 100,000 population using 2021 Census data as the denominator, and all rates are age-adjusted unless age category is presented.
Rates for categories with fewer than 5 ED visits or hospitalizations may not be accurate and are not presented in this report.
ICD-10 CM Code Description
<p>Poisoning by: T36-T50 (range includes all drugs), T40.0X (opium), T40.1X (heroin), T40.2X (other opioids), T40.3X (methadone), T40.4X (synthetic narcotics), T40.41 (fentanyl or fentanyl analogs), T40.42 (tramadol), T40.49 (other synthetic narcotics), T40.5X (cocaine), 40.60 (unspecified narcotics), T40.69 (other narcotics), T43.60 (unspecified psychostimulants), T43.61 (caffeine), T43.62 (amphetamines), T43.63 (methylphenidate), T43.64 (ecstasy), T43.69 (other psychostimulants)</p> <p>6th Character: 1 (accidental, unintentional), 2 (intentional self-harm), 3 (assault), 4 (undetermined intent)</p> <p>7th Character: A (initial encounter) or missing</p>