

# HEARING-TARGETED cCMV SCREENING PROCESS MAP

## Birthing Facility Responsibilities

### SCREEN

**All infants who fail/refer their final inpatient hearing screening MUST receive cCMV screening.** Infants must be screened prior to 21 days of life or before discharge (whichever comes first).



### COLLECT

**Collect cCMV Urine PCR or Saliva PCR/LAMP.** If saliva is used, wait 1-2 hours after consumption of breastmilk due to possible contamination resulting in false positives.



### INFORM

**Reporting Requirements at Time of Discharge:** Inform parent/s and primary care physician on file in writing prior to discharge of newborn hearing screening results and status of cCMV screening (e.g. pending results, not completed, etc).



**Best Practice: Provide parents with a copy of DPH's "Newborn Hearing Screening Results and Recommendation Form" and provide this information in the discharge summary.**



### REPORT

**Reporting Requirements Upon Receipt of Results:**

- All results (e.g. negative, positive, contaminated, etc) must be included in the patient's medical record.
- Positive results must be reported to DPH upon receipt so that timely follow-up care can begin.



**Best Practice: Also contact the primary care physician on record to provide positive results. This will expedite follow-up.**

**LAMP:** Loop-Mediated Isothermal Amplification  
**PCR:** Polymerase Chain Reaction

For more information visit [www.dph.georgia.gov/EHDI/ccmv](http://www.dph.georgia.gov/EHDI/ccmv)