2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	
Supportive School Nutrition Environment SSNE 1 (2.3.04). Percentage of schools that do not sell less healthy foods and beverages (soda pop or fruit drinks, sports drinks, baked goods, salty snacks, candy).	15.8	10.6 - 23.0	89	54.6	47.3 - 61.8	119	-	-	7	36.9	32.1 - 42.0	215	
SSNE 2 (2.3.06). Percentage of schools that prohibit all forms of advertising and promotion for candy, fast food restaurants, or soft drinks.	39.4	30.8 - 48.7	87	54.2	46.4 - 61.7	120	-	-	7	49.0	43.3 - 54.8	214	
SSNE 3 (2.3.07). Percentage of schools that price nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages.	17.3	11.5 - 25.2	87	10.3	6.3 - 16.2	117	-	-	7	12.9	9.5 - 17.4	211	
SSNE 4 (2.3.08). Percentage of schools that provide information to students or families on the nutrition, caloric, and sodium content of foods available.	61.0	52.0 - 69.3	87	53.4	45.9 - 60.9	116	-	-	7	57.3	51.7 - 62.9	210	

Page 1 of 4

⁻ Results are suppressed due to insufficient number of respondents. $N = Unweighted \ number \ of \ observations.$

2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools				:/Senior Hig Schools	gh	All Schools			
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	
SSNE 5 (2.3.09). Percentage of schools that place fruits and vegetables near the cafeteria cashier, where they are easy to access.	83.7	75.6 - 89.6	86	73.3	66.0 - 79.6	116	-	-	7	78.2	73.1 - 82.6	209	
SSNE 6 (2.3.10). Percentage of schools that allow students to have access to drinking water.	89.6	83.6 - 93.5	95	68.8	61.3 - 75.5	125	-	-	7	78.9	74.2 - 83.0	227	
SSNE 7 (2.3.11). Percentage of schools that offer fruits or non-fried vegetables when foods or beverages are offered at school celebrations.	23.7	17.6 - 31.1	97	30.2	24.1 - 37.0	126	-	-	7	28.7	24.2 - 33.6	230	
SSNE 8 (2.3.12). Percentage of schools that allow students to purchase fruits and vegetables from vending machines or at the school store, canteen, or snack bar, or as a la carte items.	32.5	24.8 - 41.2	89	11.2	7.1 - 17.3	116	-	-	7	20.6	16.4 - 25.7	212	

N = Unweighted number of observations.

⁻ Results are suppressed due to insufficient number of respondents.

2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools				
	95% Conf.			95% Conf.			95% Conf.			95% Conf.				
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N		
Comprehensive School Physical Activity Program														
CSPAP (2.6.03). Percentage of schools that have established, implemented, and/or evaluated CSPAP.	0.9	0.2 - 4.5	109	2.3	0.9 - 6.0	128	-	-	7	1.6	0.7 - 3.6	244		

⁻ Results are suppressed due to insufficient number of respondents. $N = Unweighted \ number \ of \ observations.$

2018 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools			
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	
Students with Chronic Conditions SWCC 1 (4.5.02). Percentage of schools that identify and track students with chronic conditions that may require daily or emergency management (e.g., asthma, food allergies).	95.4	89.8 - 98.0	87	95.7	91.1 - 97.9	115	-	-	7	95.7	92.6 - 97.5	209	
SWCC 2 (4.5.05). Percentage of schools that have protocols that ensure students identified with a chronic condition that may require daily or emergency management are enrolled into private, state, or federally funded insurance programs if eligible.	64.5	55.8 - 72.3	87	62.3	54.1 - 69.9	114	-	-	7	64.1	58.3 - 69.5	208	
SWCC 3 (4.5.08). Percentage of schools that provide students with referrals to community-based medical care providers for students identified with chronic conditions or at risk for activity, diet, and weight-related chronic conditions.	54.9	45.7 - 63.7	86	44.7	37.0 - 52.7	114	-	-	7	48.0	42.2 - 53.8	207	

N = Unweighted number of observations.

⁻ Results are suppressed due to insufficient number of respondents.