

# G E O R G I A

## 2014 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
<b>Supportive School Nutrition Environment</b>												
SSNE 1. Percentage of schools that do not sell less healthy foods and beverages (soda pop or fruit drinks, sports drinks, baked goods, salty snacks, candy).	12.3	8.5 - 17.5	123	51.7	44.8 - 58.7	149	-	-	6	33.8	29.6 - 38.3	278
SSNE 2. Percentage of schools that prohibit all forms of advertising and promotion for candy, fast food restaurants, and soft drinks.	33.6	26.5 - 41.6	119	45.9	38.7 - 53.2	148	-	-	6	41.1	36.0 - 46.4	273
SSNE 3. Percentage of schools that price nutritional foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages.	10.1	6.5 - 15.3	120	8.2	5.2 - 13.0	144	-	-	5	8.9	6.5 - 12.1	269
SSNE 4. Percentage of schools that provide information to students or families on the nutrition, caloric, and sodium content of foods available.	48.7	41.1 - 56.3	121	50.0	43.5 - 56.6	144	-	-	5	48.9	43.9 - 53.8	270

- Results are suppressed due to insufficient number of respondents.  
N = Unweighted number of observations.

# G E O R G I A

## 2014 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
SSNE 5. Percentage of schools that place fruits and vegetables near the cafeteria cashier, where they are easy to access.	86.3	80.4 - 90.7	118	72.9	66.4 - 78.6	144	-	-	5	78.1	73.7 - 82.0	267
SSNE 6. Percentage of schools that allow students to have access to drinking water.	81.6	75.6 - 86.3	119	63.5	57.4 - 69.1	149	-	-	6	70.2	66.0 - 74.0	274
SSNE 7. Percentage of schools that offer fruits or non-fried vegetables when foods or beverages are offered at school celebrations.	38.5	31.4 - 46.1	122	31.0	25.1 - 37.5	151	-	-	6	33.5	29.0 - 38.3	279
SSNE 8. Percentage of schools that allow students to purchase fruits and vegetables from vending machines or at the school store, canteen, or snack bar.	18.1	12.9 - 24.7	120	7.5	4.8 - 11.6	148	-	-	6	12.3	9.4 - 15.8	274

- Results are suppressed due to insufficient number of respondents.  
N = Unweighted number of observations.

## G E O R G I A

### 2014 Chronic Performance Measures Weighted Principal Results

---

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf.	N	Percent	95% Conf.	N	Percent	95% Conf.	N	Percent	95% Conf.	N
		Interval			Interval			Interval			Interval	
<b>Comprehensive School Physical Activity Program</b>												
CSPAP. Percentage of schools that have established, implemented, or evaluated CSPAP.	0.8	0.2 - 3.9	124	1.9	0.7 - 4.8	156	-	-	6	1.7	0.8 - 3.6	286

- Results are suppressed due to insufficient number of respondents.  
N = Unweighted number of observations.

# G E O R G I A

## 2014 Chronic Performance Measures Weighted Principal Results

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N	Percent	95% Conf. Interval	N
<b>Students with Chronic Conditions</b>												
SWCC1. Percentage of schools that identify and track students with chronic conditions that may require daily or emergency management (e.g., asthma, food allergies).	100.0	†	122	96.0	92.4 - 98.0	150	-	-	6	97.8	95.8 - 98.9	278
SWCC2. Percentage of schools that have protocols that ensure students with a chronic condition that may require daily or emergency management are enrolled into private, state, or federally funded insurance programs if eligible.	62.8	55.2 - 69.9	118	61.9	55.3 - 68.2	150	-	-	6	62.4	57.5 - 67.1	274
SWCC3. Percentage of schools that provide referrals to community-based medical care providers for students identified with chronic conditions or at risk for activity, diet, and weight-related chronic conditions.	53.4	45.9 - 60.7	117	40.3	34.6 - 46.4	149	-	-	6	45.7	41.1 - 50.4	272

- Results are suppressed due to insufficient number of respondents.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations.