1/8/2024

Opioid Overdose Surveillance Preliminary District Report Georgia, 2022

Drug Surveillance Unit Epidemiology Section Division of Health Protection Georgia Department of Public Health



Opioid Overdose Surveillance, Georgia Public Health Districts, 2022

The purpose of this report is to describe District level fatal (mortality) and nonfatal (morbidity) opioid-involved overdoses, which occurred in Georgia during 2022, including prescription opioids, and illicit opioids such as heroin, fentanyl, and fentanyl analogs. Opioid overdose data were analyzed by the Georgia Department of Public Health (DPH) Epidemiology Program, Drug Surveillance Unit, using Georgia hospital discharge inpatient and emergency department (ED) visit data, and DPH Vital Records death data. A description of the data and case definitions can be found at the end of the report.


For more information:

- Other Georgia drug surveillance reports: https://dph.georgia.gov/drug-surveillance-unit
- Georgia Department of Public Health (DPH) Main Opioid Page: https://dph.georgia.gov/stopopioidaddiction
- Georgia drug overdose mortality interactive maps and statistics: https://oasis.state.ga.us/PageDirect.aspx?referer=MortalityDrugOverdoses
- Prescription Drug Monitoring Program (PDMP) information: GA PDMP Overview and FAQs: https://dph.georgia.gov/pdmp

Opioid-Involved Overdose Deaths, by Public Health District of Residence, Georgia, 2022

Opioid-Involved Overdose Deaths


Opioid-Involved Overdose Deaths per 100,000



Opioid-Involved Overdose Emergency Department (ED) Visits, by Public Health District of Residence, Georgia, 2022

Opioid-Involved Overdose ED Visits

Opioid-Involved Overdose ED Visits per 100,000



Georgia Public Health District	Page
1-1 Northwest	5
1-2 North Georgia	9
2-0 North	13
3-1 Cobb-Douglas	17
3-2 Fulton	21
3-3 Clayton	25
3-4 East Metro	29
3-5 DeKalb	33
4-0 LaGrange	37
5-1 South Central	41
5-2 North Central	45
6-0 East Central	49
7-0 West Central	53
8-1 South	57
8-2 Southwest	61
9-1 Coastal	65
9-2 Southeast	69
10-0 Northeast	73


Northwest Health District (1-1), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Northwest Health District (1-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Northwest Health District (1-1), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Northwest Health District (1-1), Georgia Residents, 2020-2022



Northwest Health District (1-1), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	111	32.0	25.4
Female	58	16.3	11.6
Missing	0		
TOTAL	169	24.0	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	152	26.2	21.9
African American	13	14.2	14.5
Other	4		7.4
Missing	0		0.0
TOTAL	169	24.0	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	1		
15-24 years	15	16.1	11.6
25-34 years	48	51.7	34.8
35-44 years	52	57.1	40.5
45-54 years	33	35.3	26.1
55-64 years	15	16.8	19.0
65-74 years	5	7.6	7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	169	24.0	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Northwest Health District (1-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

Northwest Health District (1-1), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type Northwest Health District (1-1), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, Northwest Health District (1-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	387	111.5	84.5
Female	277	77.8	55.3
Missing	1		0.0
TOTAL	665	94.5	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	591	101.7	83.4
African American	49	53.6	48.9
Other	16	52.0	42.3
Missing	8	0.0	0.0
TOTAL	665	94.5	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	2		9.8
5 -14 years	2		2.2
15-24 years	65	69.8	56.7
25-34 years	208	223.8	137.2
35-44 years	177	194.4	122.0
45-54 years	90	96.2	72.1
55-64 years	74	82.9	72.5
65-74 years	34	51.4	58.1
75-84 years	12	35.0	41.4
85+ years	1		32.9
TOTAL	665	94.5	69.7


North Georgia Health District (1-2), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among North Georgia Health District (1-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

North Georgia Health District (1-2), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

North Georgia Health District (1-2), Georgia Residents, 2020-2022



9

North Georgia Health District (1-2), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	51	19.8	25.4
Female	35	13.5	11.6
Missing	0		
TOTAL	86	16.6	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	81	17.5	21.9
African American	3		14.5
Other	2		7.4
Missing	0		0.0
TOTAL	86	16.6	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	3		11.6
25-34 years	18	29.1	34.8
35-44 years	31	47.3	40.5
45-54 years	18	25.7	26.1
55-64 years	9	12.9	19.0
65-74 years	6	10.8	7.5
75-84 years	1		2.2
85+ years	0		
TOTAL	86	16.6	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among North Georgia Health District (1-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Emergency Department Visits, by Drug Type

North Georgia Health District (1-2), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type North Georgia Health District (1-2), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, North Georgia Health District (1-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	178	69.1	84.5
Female	163	62.7	55.3
Missing	0		0.0
TOTAL	341	65.8	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	318	68.7	83.4
African American	9	30.4	48.9
Other	10	39.2	42.3
Missing	4		0.0
TOTAL	341	65.8	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	3		9.8
5 -14 years	0		2.2
15-24 years	38	56.8	56.7
25-34 years	99	160.2	137.2
35-44 years	61	93.1	122.0
45-54 years	49	70.0	72.1
55-64 years	44	63.2	72.5
65-74 years	30	54.2	58.1
75-84 years	16	55.7	41.4
85+ years	1		32.9
TOTAL	341	65.8	69.7


North Health District (2-0), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among North Health District (2-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

North Health District (2-0), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

North Health District (2-0), Georgia Residents, 2020-2022



North Health District (2-0), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	92	23.8	25.4
Female	52	13.4	11.6
Missing	0		
TOTAL	144	18.6	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	128	19.9	21.9
African American	11	23.8	14.5
Other	5	5.9	7.4
Missing	0		0.0
TOTAL	144	18.6	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	17	16.1	11.6
25-34 years	38	44.1	34.8
35-44 years	39	38.4	40.5
45-54 years	29	27.4	26.1
55-64 years	16	16.2	19.0
65-74 years	5	6.4	7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	144	18.6	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among North Health District (2-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

North Health District (2-0), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type North Health District (2-0), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, North Health District (2-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	324	83.9	84.5
Female	223	57.3	55.3
Missing	0		0.0
TOTAL	547	70.6	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	474	73.5	83.4
African American	23	49.9	48.9
Other	42	50.0	42.3
Missing	8	0.0	0.0
TOTAL	547	70.6	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		7.3
1 - 4 years	4		9.8
5 -14 years	1		2.2
15-24 years	70	66.4	56.7
25-34 years	173	200.7	137.2
35-44 years	92	90.5	122.0
45-54 years	51	48.3	72.1
55-64 years	71	71.8	72.5
65-74 years	60	76.4	58.1
75-84 years	17	38.5	41.4
85+ years	7	54.2	32.9
TOTAL	547	70.6	69.7


Cobb-Douglas Health District (3-1), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Cobb-Douglas Health District (3-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Cobb-Douglas Health District (3-1), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Cobb-Douglas Health District (3-1), Georgia Residents, 2020-2022



Cobb-Douglas Health District (3-1), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	124	27.7	25.4
Female	49	10.4	11.6
Missing	0		
TOTAL	173	18.8	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	114	21.4	21.9
African American	56	18.3	14.5
Other	2		7.4
Missing	1		0.0
TOTAL	173	18.8	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	13	10.3	11.6
25-34 years	45	34.1	34.8
35-44 years	50	38.9	40.5
45-54 years	36	28.5	26.1
55-64 years	22	19.5	19.0
65-74 years	7	9.1	7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	173	18.8	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Cobb-Douglas Health District (3-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

Cobb-Douglas Health District (3-1), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type



Opioid-Involved Overdose Emergency Department Visits, Cobb-Douglas Health District (3-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	298	66.6	84.5
Female	221	46.8	55.3
Missing	0		0.0
TOTAL	519	56.5	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	365	68.5	83.4
African American	112	36.5	48.9
Other	37	46.3	42.3
Missing	5	0.0	0.0
TOTAL	519	56.5	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		7.3
1 - 4 years	0		9.8
5 -14 years	1		2.2
15-24 years	67	53.2	56.7
25-34 years	152	115.3	137.2
35-44 years	130	101.3	122.0
45-54 years	66	52.2	72.1
55-64 years	57	50.5	72.5
65-74 years	27	35.0	58.1
75-84 years	15	40.7	41.4
85+ years	3		32.9
TOTAL	519	56.5	69.7


Fulton Health District (3-2), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Fulton Health District (3-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Fulton Health District (3-2), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Fulton Health District (3-2), Georgia Residents, 2020-2022



Fulton Health District (3-2), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	134	25.6	25.4
Female	60	10.9	11.6
Missing	0		
TOTAL	194	18.1	18.4

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	80	16.8	21.9
African American	110	22.7	14.5
Other	4		7.4
Missing	0		0.0
TOTAL	194	18.1	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	1		
5 -14 years	0		
15-24 years	13	8.8	11.6
25-34 years	45	24.4	34.8
35-44 years	52	33.3	40.5
45-54 years	30	20.8	26.1
55-64 years	38	31.1	19.0
65-74 years	11	13.3	7.5
75-84 years	2		2.2
85+ years	2		
TOTAL	194	18.1	18.6


The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Fulton Health District (3-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



Overdose Emergency Department Visits, by Drug Type

Fulton Health District (3-2), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type Fulton Health District (3-2), Georgia Residents, 2020-2022

Opioid

Heroin

Fentanyl

Opioid-Involved Overdose Emergency Department Visits, Fulton Health District (3-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	430	82.2	84.5
Female	230	41.7	55.3
Missing	5	0.0	0.0
TOTAL	665	61.9	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	194	40.8	83.4
African American	389	80.4	48.9
Other	63	54.5	42.3
Missing	19	0.0	0.0
TOTAL	665	61.9	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		7.3
1 - 4 years	2		9.8
5 -14 years	1		2.2
15-24 years	63	42.4	56.7
25-34 years	149	80.7	137.2
35-44 years	158	101.2	122.0
45-54 years	99	68.6	72.1
55-64 years	111	90.7	72.5
65-74 years	60	72.5	58.1
75-84 years	13	32.2	41.4
85+ years	8	55.5	32.9
TOTAL	665	61.9	69.7


Clayton Health District (3-3), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Clayton Health District (3-3), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Clayton Health District (3-3), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Clayton Health District (3-3), Georgia Residents, 2020-2022



Clayton Health District (3-3), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	27	19.4	25.4
Female	12	7.6	11.6
Missing	0		
TOTAL	39	13.2	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	12	22.4	21.9
African American	26	11.9	14.5
Other	1		7.4
Missing	0		0.0
TOTAL	39	13.2	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	5	11.5	11.6
25-34 years	8	17.5	34.8
35-44 years	12	31.0	40.5
45-54 years	7	19.0	26.1
55-64 years	6	17.4	19.0
65-74 years	0		7.5
75-84 years	1		2.2
85+ years	0		
TOTAL	39	13.2	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Clayton Health District (3-3), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Emergency Department Visits, by Drug Type

Clayton Health District (3-3), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type Clayton Health District (3-3), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, Clayton Health District (3-3), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	62	44.6	84.5
Female	35	22.2	55.3
Missing	0		0.0
TOTAL	97	32.7	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	33	61.7	83.4
African American	49	22.5	48.9
Other	14	56.4	42.3
Missing	1		0.0
TOTAL	97	32.7	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	0		9.8
5 -14 years	1		2.2
15-24 years	11	25.3	56.7
25-34 years	21	45.9	137.2
35-44 years	25	64.6	122.0
45-54 years	13	35.3	72.1
55-64 years	16	46.5	72.5
65-74 years	6	27.4	58.1
75-84 years	3		41.4
85+ years	1		32.9
TOTAL	97	32.7	69.7


East Metro Health District (3-4), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among East Metro Health District (3-4), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

East Metro Health District (3-4), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

East Metro Health District (3-4), Georgia Residents, 2020-2022



East Metro Health District (3-4), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	102	17.6	25.4
Female	52	8.5	11.6
Missing	0		
TOTAL	154	13.0	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	102	17.6	21.9
African American	34	8.0	14.5
Other	18	9.8	7.4
Missing	0		0.0
TOTAL	154	13.0	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	1		
5 -14 years	0		
15-24 years	24	13.8	11.6
25-34 years	44	28.6	34.8
35-44 years	37	22.7	40.5
45-54 years	20	12.0	26.1
55-64 years	20	13.9	19.0
65-74 years	7	7.7	7.5
75-84 years	1		2.2
85+ years	0		
TOTAL	154	13.0	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among East Metro Health District (3-4), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

East Metro Health District (3-4), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type

East Metro Health District (3-4), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, East Metro Health District (3-4), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	275	47.5	84.5
Female	169	27.8	55.3
Missing	1		0.0
TOTAL	445	37.5	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	272	47.0	83.4
African American	104	24.5	48.9
Other	53	28.8	42.3
Missing	16	0.0	0.0
TOTAL	445	37.5	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	2		9.8
5 -14 years	4		2.2
15-24 years	91	52.2	56.7
25-34 years	125	81.2	137.2
35-44 years	100	61.3	122.0
45-54 years	39	23.5	72.1
55-64 years	42	29.2	72.5
65-74 years	31	34.2	58.1
75-84 years	8	19.9	41.4
85+ years	3		32.9
TOTAL	445	37.5	69.7


DeKalb Health District (3-5), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among DeKalb Health District (3-5), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



DeKalb Health District (3-5), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	87	24.1	25.4
Female	30	7.5	11.6
Missing	0		
TOTAL	117	15.3	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	50	18.3	21.9
African American	59	14.2	14.5
Other	8	11.0	7.4
Missing	0		0.0
TOTAL	117	15.3	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	13	13.9	11.6
25-34 years	24	19.1	34.8
35-44 years	34	31.0	40.5
45-54 years	22	23.0	26.1
55-64 years	18	20.1	19.0
65-74 years	5	7.6	7.5
75-84 years	0		2.2
85+ years	1		
TOTAL	117	15.3	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among DeKalb Health District (3-5), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, DeKalb Health District (3-5), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	211	58.4	84.5
Female	122	30.4	55.3
Missing	2		0.0
TOTAL	335	43.9	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	93	34.0	83.4
African American	209	50.2	48.9
Other	25	34.3	42.3
Missing	8	0.0	0.0
TOTAL	335	43.9	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	1		9.8
5 -14 years	2		2.2
15-24 years	30	32.0	56.7
25-34 years	95	75.6	137.2
35-44 years	62	56.5	122.0
45-54 years	52	54.4	72.1
55-64 years	49	54.8	72.5
65-74 years	36	54.5	58.1
75-84 years	7	23.2	41.4
85+ years	1		32.9
TOTAL	335	43.9	69.7


LaGrange Health District (4-0), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among LaGrange Health District (4-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

LaGrange Health District (4-0), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

LaGrange Health District (4-0), Georgia Residents, 2020-2022



LaGrange Health District (4-0), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	99	22.4	25.4
Female	53	11.2	11.6
Missing	0		
TOTAL	152	16.6	18.4

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	124	22.3	21.9
African American	25	8.2	14.5
Other	1		7.4
Missing	2		0.0
TOTAL	152	16.6	18.4


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	1		
5 -14 years	0		
15-24 years	15	11.7	11.6
25-34 years	41	35.8	34.8
35-44 years	43	37.4	40.5
45-54 years	24	19.8	26.1
55-64 years	16	13.4	19.0
65-74 years	9	10.4	7.5
75-84 years	3		2.2
85+ years	0		
TOTAL	152	16.6	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among LaGrange Health District (4-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



Overdose Emergency Department Visits, by Drug Type LaGrange Health District (4-0), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type LaGrange Health District (4-0), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, LaGrange Health District (4-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	283	64.0	84.5
Female	270	57.3	55.3
Missing	3		0.0
TOTAL	556	60.8	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	441	79.4	83.4
African American	89	29.1	48.9
Other	18	34.8	42.3
Missing	8	0.0	0.0
TOTAL	556	60.8	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2		7.3
1 - 4 years	6	14.6	9.8
5 -14 years	10	8.3	2.2
15-24 years	68	53.0	56.7
25-34 years	134	116.9	137.2
35-44 years	120	104.3	122.0
45-54 years	73	60.1	72.1
55-64 years	82	68.7	72.5
65-74 years	40	46.1	58.1
75-84 years	20	45.9	41.4
85+ years	1		32.9
TOTAL	556	60.8	69.7


South Central Health District (5-1), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among South Central Health District (5-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

South Central Health District (5-1), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

South Central Health District (5-1), Georgia Residents, 2020-2022



South Central Health District (5-1), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	15	20.1	25.4
Female	7	10.0	11.6
Missing	0		
TOTAL	22	15.2	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	18	19.7	21.9
African American	4		14.5
Other	0		7.4
Missing	0		0.0
TOTAL	22	15.2	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	2		11.6
25-34 years	9	47.0	34.8
35-44 years	6	32.4	40.5
45-54 years	2		26.1
55-64 years	3		19.0
65-74 years	0		7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	22	15.2	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among South Central Health District (5-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

South Central Health District (5-1), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type South Central Health District (5-1), Georgia Residents, 2020-2022





Opioid-Involved Overdose Emergency Department Visits, South Central Health District (5-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	54	72.3	84.5
Female	66	94.7	55.3
Missing	0		0.0
TOTAL	120	83.1	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	100	109.2	83.4
African American	14	28.9	48.9
Other	5	113.0	42.3
Missing	1		0.0
TOTAL	120	83.1	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	0		9.8
5 -14 years	1		2.2
15-24 years	6	32.6	56.7
25-34 years	30	156.8	137.2
35-44 years	25	134.9	122.0
45-54 years	22	118.7	72.1
55-64 years	17	92.5	72.5
65-74 years	14	90.8	58.1
75-84 years	4		41.4
85+ years	1		32.9
TOTAL	120	83.1	69.7


North Central Health District (5-2), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among North Central Health District (5-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

North Central Health District (5-2), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

North Central Health District (5-2), Georgia Residents, 2020-2022



North Central Health District (5-2), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	66	24.6	25.4
Female	27	9.5	11.6
Missing	0		
TOTAL	93	16.9	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	70	23.4	21.9
African American	19	8.4	14.5
Other	4		7.4
Missing	0		0.0
TOTAL	93	16.9	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	7	9.0	11.6
25-34 years	25	34.5	34.8
35-44 years	33	47.9	40.5
45-54 years	13	20.2	26.1
55-64 years	12	16.8	19.0
65-74 years	3		7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	93	16.9	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among North Central Health District (5-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

North Central Health District (5-2), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type North Central Health District (5-2), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, North Central Health District (5-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	226	84.2	84.5
Female	170	60.1	55.3
Missing	1		0.0
TOTAL	397	72.0	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	317	106.0	83.4
African American	66	29.2	48.9
Other	9	34.0	42.3
Missing	5	0.0	0.0
TOTAL	397	72.0	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		7.3
1 - 4 years	3		9.8
5 -14 years	2		2.2
15-24 years	36	46.4	56.7
25-34 years	95	131.1	137.2
35-44 years	90	130.6	122.0
45-54 years	64	99.4	72.1
55-64 years	52	72.6	72.5
65-74 years	35	62.4	58.1
75-84 years	15	53.9	41.4
85+ years	4		32.9
TOTAL	397	72.0	69.7


East Central Health District (6-0), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among East Central Health District (6-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

East Central Health District (6-0), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

East Central Health District (6-0), Georgia Residents, 2020-2022



East Central Health District (6-0), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	96	39.1	25.4
Female	43	16.7	11.6
Missing	0		
TOTAL	139	27.6	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	89	33.8	21.9
African American	47	22.4	14.5
Other	3		7.4
Missing	0		0.0
TOTAL	139	27.6	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	13	19.1	11.6
25-34 years	30	42.3	34.8
35-44 years	43	65.4	40.5
45-54 years	30	51.9	26.1
55-64 years	16	25.8	19.0
65-74 years	6	11.9	7.5
75-84 years	1		2.2
85+ years	0		
TOTAL	139	27.6	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among East Central Health District (6-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

East Central Health District (6-0), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type East Central Health District (6-0), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, East Central Health District (6-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	329	134.1	84.5
Female	170	65.9	55.3
Missing	0		0.0
TOTAL	499	99.2	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	308	116.9	83.4
African American	172	81.8	48.9
Other	19	64.2	42.3
Missing	0		0.0
TOTAL	499	99.2	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		7.3
1 - 4 years	2		9.8
5 -14 years	0		2.2
15-24 years	82	120.4	56.7
25-34 years	131	184.7	137.2
35-44 years	122	185.7	122.0
45-54 years	63	109.1	72.1
55-64 years	54	87.1	72.5
65-74 years	28	55.7	58.1
75-84 years	9	37.4	41.4
85+ years	7	90.2	32.9
TOTAL	499	99.2	69.7


West Central Health District (7-0), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among West Central Health District (7-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

West Central Health District (7-0), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

West Central Health District (7-0), Georgia Residents, 2020-2022



West Central Health District (7-0), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	28	15.7	25.4
Female	13	7.1	11.6
Missing	0		
TOTAL	41	11.3	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	25	13.9	21.9
African American	15	9.3	14.5
Other	1		7.4
Missing	0		0.0
TOTAL	41	11.3	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	5	10.2	11.6
25-34 years	15	28.9	34.8
35-44 years	13	28.7	40.5
45-54 years	5	12.1	26.1
55-64 years	3		19.0
65-74 years	0		7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	41	11.3	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among West Central Health District (7-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

West Central Health District (7-0), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type

West Central Health District (7-0), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, West Central Health District (7-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	107	59.8	84.5
Female	87	47.4	55.3
Missing	0		0.0
TOTAL	194	53.6	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	135	75.2	83.4
African American	50	31.0	48.9
Other	6	28.2	42.3
Missing	3		0.0
TOTAL	194	53.6	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	3		9.8
5 -14 years	0		2.2
15-24 years	16	32.6	56.7
25-34 years	39	75.1	137.2
35-44 years	49	108.1	122.0
45-54 years	26	63.1	72.1
55-64 years	31	70.2	72.5
65-74 years	21	57.7	58.1
75-84 years	9	48.3	41.4
85+ years	0		32.9
TOTAL	194	53.6	69.7


South Health District (8-1), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among South Health District (8-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

South Health District (8-1), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

South Health District (8-1), Georgia Residents, 2020-2022



South Health District (8-1), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	14	11.0	25.4
Female	8	5.9	11.6
Missing	0		
TOTAL	22	8.4	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	15	9.1	21.9
African American	6	7.0	14.5
Other	1		7.4
Missing	0		0.0
TOTAL	22	8.4	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	2		11.6
25-34 years	5	14.2	34.8
35-44 years	8	25.3	40.5
45-54 years	1		26.1
55-64 years	4		19.0
65-74 years	2		7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	22	8.4	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among South Health District (8-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

South Health District (8-1), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type South Health District (8-1), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, South Health District (8-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	104	81.9	84.5
Female	79	58.5	55.3
Missing	0		0.0
TOTAL	183	69.9	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	138	84.0	83.4
African American	40	46.8	48.9
Other	5	41.3	42.3
Missing	0		0.0
TOTAL	183	69.9	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	4		9.8
5 -14 years	1		2.2
15-24 years	17	39.5	56.7
25-34 years	36	102.4	137.2
35-44 years	48	151.5	122.0
45-54 years	30	103.5	72.1
55-64 years	23	76.1	72.5
65-74 years	19	79.0	58.1
75-84 years	4		41.4
85+ years	1		32.9
TOTAL	183	69.9	69.7


Southwest Health District (8-2), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Southwest Health District (8-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



Southwest Health District (8-2), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	39	23.2	25.4
Female	25	14.0	11.6
Missing	0		
TOTAL	64	18.4	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	48	26.1	21.9
African American	16	10.6	14.5
Other	0		7.4
Missing	0		0.0
TOTAL	64	18.4	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	2		11.6
25-34 years	19	44.2	34.8
35-44 years	18	42.7	40.5
45-54 years	16	38.7	26.1
55-64 years	7	15.9	19.0
65-74 years	0		7.5
75-84 years	2		2.2
85+ years	0		
TOTAL	64	18.4	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Southwest Health District (8-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, Southwest Health District (8-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	124	73.9	84.5
Female	97	54.1	55.3
Missing	0		0.0
TOTAL	221	63.7	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	166	90.1	83.4
African American	52	34.5	48.9
Other	2		42.3
Missing	1		0.0
TOTAL	221	63.7	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	1		9.8
5 -14 years	0		2.2
15-24 years	17	36.5	56.7
25-34 years	47	109.5	137.2
35-44 years	54	128.1	122.0
45-54 years	32	77.5	72.1
55-64 years	32	72.7	72.5
65-74 years	25	67.8	58.1
75-84 years	12	62.2	41.4
85+ years	1		32.9
TOTAL	221	63.7	69.7


Coastal Health District (9-1), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Coastal Health District (9-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Coastal Health District (9-1), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Coastal Health District (9-1), Georgia Residents, 2020-2022



Coastal Health District (9-1), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	102	31.6	25.4
Female	36	10.7	11.6
Missing	0		
TOTAL	138	21.0	18.4

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	95	23.5	21.9
African American	36	16.8	14.5
Other	5	12.6	7.4
Missing	2		0.0
TOTAL	138	21.0	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	14	15.1	11.6
25-34 years	30	30.3	34.8
35-44 years	46	53.2	40.5
45-54 years	31	42.5	26.1
55-64 years	16	20.9	19.0
65-74 years	1		7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	138	21.0	18.6


The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Coastal Health District (9-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




Overdose Emergency Department Visits, by Drug Type

Coastal Health District (9-1), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type Coastal Health District (9-1), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, Coastal Health District (9-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	223	69.1	84.5
Female	130	38.8	55.3
Missing	0		0.0
TOTAL	353	53.6	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	265	65.6	83.4
African American	73	34.0	48.9
Other	9	22.6	42.3
Missing	6	0.0	0.0
TOTAL	353	53.6	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		7.3
1 - 4 years	1		9.8
5 -14 years	1		2.2
15-24 years	26	28.1	56.7
25-34 years	107	108.2	137.2
35-44 years	108	124.9	122.0
45-54 years	52	71.3	72.1
55-64 years	24	31.3	72.5
65-74 years	23	36.6	58.1
75-84 years	4		41.4
85+ years	6	56.8	32.9
TOTAL	353	53.6	69.7


Southeast Health District (9-2), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Southeast Health District (9-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Southeast Health District (9-2), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Southeast Health District (9-2), Georgia Residents, 2020-2022



Southeast Health District (9-2), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	37	19.5	25.4
Female	18	9.7	11.6
Missing	0		
TOTAL	55	14.6	18.4

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	51	18.9	21.9
African American	4		14.5
Other	0		7.4
Missing	0		0.0
TOTAL	55	14.6	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	2		11.6
25-34 years	13	26.2	34.8
35-44 years	18	39.0	40.5
45-54 years	16	35.9	26.1
55-64 years	5	11.3	19.0
65-74 years	1		7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	55	14.6	18.6


The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Southeast Health District (9-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




Overdose Emergency Department Visits, by Drug Type

Southeast Health District (9-2), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type Southeast Health District (9-2), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, Southeast Health District (9-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	156	82.2	84.5
Female	141	75.8	55.3
Missing	0		0.0
TOTAL	297	79.0	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	251	93.2	83.4
African American	40	43.8	48.9
Other	4		42.3
Missing	2		0.0
TOTAL	297	79.0	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		7.3
1 - 4 years	8	44.3	9.8
5 -14 years	2		2.2
15-24 years	23	37.6	56.7
25-34 years	80	161.3	137.2
35-44 years	60	130.0	122.0
45-54 years	42	94.2	72.1
55-64 years	42	95.0	72.5
65-74 years	26	74.5	58.1
75-84 years	14	77.3	41.4
85+ years	0		32.9
TOTAL	297	79.0	69.7


Northeast Health District (10-0), Georgia 2020-2022

Opioid-Involved Overdose Deaths (Mortality)

The following data include opioid-involved overdose deaths occurring among Northeast Health District (10-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




Overdose Deaths, by Drug Type

Northeast Health District (10-0), Georgia Residents, 2020-2022



Quarterly Overdose Deaths, by Drug Type

Northeast Health District (10-0), Georgia Residents, 2020-2022



Northeast Health District (10-0), Georgia Residents, 2022

Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	84	30.8	25.4
Female	43	15.1	11.6
Missing	0		
TOTAL	127	22.8	18.4


Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	101	23.9	21.9
African American	22	21.6	14.5
Other	2		7.4
Missing	2		0.0
TOTAL	127	22.8	18.4

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	5	5.4	11.6
25-34 years	43	59.1	34.8
35-44 years	31	43.6	40.5
45-54 years	22	32.4	26.1
55-64 years	21	31.9	19.0
65-74 years	5	9.6	7.5
75-84 years	0		2.2
85+ years	0		
TOTAL	127	22.8	18.6

The following data include opioid-involved emergency department (ED) visits occurring in Georgia among Northeast Health District (10-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


Overdose Emergency Department Visits, by Drug Type






Overdose Emergency Department Visits, by Drug Type

Northeast Health District (10-0), Georgia Residents, 2020-2022



Quarterly Overdose Emergency Department Visits, by Drug Type Northeast Health District (10-0), Georgia Residents, 2020-2022



Opioid-Involved Overdose Emergency Department Visits, Northeast Health District (10-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	327	119.9	84.5
Female	184	64.6	55.3
Missing	0		0.0
TOTAL	511	91.6	69.7

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	369	87.2	83.4
African American	132	129.6	48.9
Other	5	15.4	42.3
Missing	5	0.0	0.0
TOTAL	511	91.6	69.7

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		7.3
1 - 4 years	5	20.4	9.8
5 -14 years	1		2.2
15-24 years	57	62.1	56.7
25-34 years	160	219.8	137.2
35-44 years	121	170.3	122.0
45-54 years	56	82.5	72.1
55-64 years	68	103.3	72.5
65-74 years	27	51.7	58.1
75-84 years	13	47.2	41.4
85+ years	2		32.9
TOTAL	511	91.6	69.7

About Fatal Drug Overdose (Mortality) Data

Data Source

Overdose-involved deaths were derived from DPH Vital Records death certificates. The following data include all deaths that occurred in Georgia among Georgia residents and deaths that occurred outside of Georgia among Georgia residents, unless otherwise specified.

Case Definitions

(Note: categories are not mutually exclusive; includes only drug overdose deaths caused by acute poisoning)

Any drug overdose death

May involve any over-the-counter, prescription, or illicit drug

 Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14

Drug overdose death involving any opioid

Involves both prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
 - AND one of the following:
- Any of the following ICD-10 codes as any other listed cause of death: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6
- Any cause of death text field contains one of the following terms (or common misspelling):
 heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp,
 hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone,
 oxymorphone, tapentadol, tramadol
 - OR (for cases without an X or Y code in the underlying cause of death):
- Any cause of death text field contains the word "TOXIC" AND at least one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol

Drug overdose death involving synthetic opioids other than methadone

Involves synthetic opioids other than methadone (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured). Note: polysubstance abuse deaths may also involve methadone or other opioids

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
 - AND one of the following:
- The following ICD-10 code as any other listed cause of death: T40.4
- Any cause of death text field contains the following keywords and common misspellings: fentanyl (and fentanyl analogs), tramadol

OR (for cases without an X or Y code in the underlying cause of death):

About Fatal Drug Overdose (Mortality) Data

 Any cause of death text field contains the word "TOXIC" AND at least one of the following terms (or common misspelling): fentanyl (and fentanyl analogs), tramadol

Drug overdose death involving heroin

Involves heroin. Note: polysubstance abuse deaths may also involve other opioids

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
 - AND one of the following:
- The following ICD-10 code as any other listed cause of death: T40.1
- Any cause of death text field contains the following keywords and common misspellings: heroin, morphine

OR (for cases without an X or Y code in the underlying cause of death):

• Any cause of death text field contains the word "TOXIC" AND at least one of the following terms (or common misspelling): heroin, morphine

Drug overdose death involving fentanyl

Note: polysubstance abuse deaths may also involve other opioids

 Any cause of death text field contains the word "TOXIC" AND at least one of the following terms (or common misspelling): fentanyl (and fentanyl analogs)

Other Definitions or Limitations

Deaths represent individual people who died in Georgia and deaths among Georgia residents outside of Georgia.

Overdose death county represents the county of residence, or the place of injury (where the overdose occurred) as specified; when the place of injury field or the county of residence field was blank the county of the death certifier was specified; when the place of injury field or the county of residence field was blank the county of the death certifier was used.

Rate indicates the number of deaths among Georgia residents per 100,000 population using 2020-2022 Census data as the denominator, and all rates are age-adjusted unless age category is presented.

Rates for categories with fewer than 5 deaths may not be accurate and are not presented in this report.

ICD-10 Code Description

X40-X44 (accidental poisonings by drugs), X60-X64 (intentional self-poisoning by drugs), X85 (assault by drug poisoning), Y10-Y14 (drug poisoning of undetermined intent), T40.0 (opium), T40.1 (heroin), T40.2 (natural and semisynthetic opioids), T40.3 (methadone), T40.4 (synthetic opioids, other than methadone, T40.6 (other and unspecified narcotics)

About Nonfatal Drug Overdose (Morbidity) Data

Data Source

Nonfatal overdose counts were derived from Georgia hospitalization and emergency department (ED) visit discharge data, and included all ED visits or hospitalizations occurring in a non-Federal acute care hospital in Georgia, among Georgia residents, with a discharge diagnosis indicating acute drug overdose.

Case Definitions

(Note: categories are not mutually exclusive)

ED visit or hospitalization involving any drug overdose

May involve any over-the-counter, prescription, or illicit drug

- Any mention of ICD-10CM codes: T36-T50 AND
- 6th character: 1-4, and a 7th character of A or missing

ED visit or hospitalization involving any opioid overdose

Involves both prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)

- Any mention of ICD-10CM codes: T40.0X, T40.1X, T40.2X, T40.3X, T40.4X, T40.60, T40.69
 AND
- 6th character: 1-4, and a 7th character of A or missing

ED visit or hospitalization involving a heroin overdose

Involves heroin

- Any mention of ICD-10CM code: T40.1X AND
- 6th character: 1-4, and a 7th character of A or missing

ED visit or hospitalization involving synthetic opioids other than methadone

Involves synthetic opioids other than methadone (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)

- Any mention of ICD-10CM code: T40.4X AND
- 6th character: 1-4, and a 7th character of A or missing

ED visit or hospitalization involving fentanyl

Involves fentanyl and fentanyl analogs. Note: fentanyl overdoses are not always detected in hospital settings due to to toxicology testing limitations.

- Any mention of ICD-10CM code: T40.41 AND
- 6th character: 1-4, and a 7th character of A or missing

Other Definitions or Limitations

Please note: The case definition has changed and cannot be compared to previous reports.

Any opioid may include prescription or illicit opioids.

ED Visits and Hospitalization categories are not mutually exclusive. Hospitalizations may also appear in the ED Visits category if they were admitted to the hospital through the ED.

About Nonfatal Drug Overdose (Morbidity) Data

ED visits and hospitalizations may represent multiple visits by individuals in Georgia.

County indicates the patient's county of residence.

Only Black and White are indicated for race because of incomplete or sparse data on other races and ethnicities.

Rate indicates the number of deaths among Georgia residents per 100,000 population using 2020-2022 Census data as the denominator, and all rates are age-adjusted unless age category is presented.

Rates for categories with fewer than 5 ED visits or hospitalizations may not be accurate and are not presented in this report.

ICD-10 CM Code Description

Poisoning by: T36-T50 (range includes all drugs), T40.0X (opium), T40.1X (heroin), T40.2X (other opioids), T40.3X (methadone), T40.4X (synthetic narcotics), T40.41 (fentanyl or fentanyl analogs), T40.42 (tramadol), T40.49 (other synthetic narcotics), 40.60 (unspecified narcotics), T40.69 (other narcotics)

6th Character: 1 (accidental, unintentional), 2 (intentional self-harm), 3 (assault), 4 (undetermined intent)

7th Character: A (initial encounter) or missing