GA EMS Agencies Data Discussion on Validation Rules

OEMS/4/1/2021



GEORGIA DEPARTMENT OF PUBLIC HEALTH

1

NEMSIS & Georgia Resources

- NEMSIS GA State Page
 - https://nemsis.org/state-data-managers/state-map-v3/georgia
 - o Resources available on this page:
 - □ GA Change Log (Data Managers and ePCR vendors are requested to review this)
 - ☐ GA Facilities Excel Spreadsheet
 - □ GA Validity Rule Excel Spreadsheet (the full definition and description of each validation rule number can be found in this spreadsheet)
 - □ GA Data Dictionary
 - □ GA State Data Set
 - Schematron File
- NEMSIS Version 3.4 Data Dictionary
 - o https://nemsis.org/media/nemsis v3/release-3.4.0/DataDictionary/PDFHTML/DEMEMS/index.html

GEORGIA DEPARTMENT OF PURLIC HEALTH

Information Covered in this Document

- Upcoming Validation Rules
- Current Issues with Validation Rules and Data Submissions
- Last Known Well Time Data Element Explanation
- Expectations of EMS Agencies and ePCR Vendors
- NOT Values Description Definitions

GEORGIA DEPARTMENT OF PUBLIC HEALTH

3

UPCOMING VALIDATION RULE CHANGES





GEORGIA DEPARTMENT OF PURLIC HEALTH

GA Rule 988 - Rule revised to only trigger when the temperature method is not recorded when the vitals were taken by this unit - so vitals taken before this EMS unit arrives are excluded from this rule Warning: Rule modifications are not applied to existing records until opened or until validation is bulk executed from the record's list page. Temperature Method (eVitals.25) is required when recording temperature eVitals.25
Temperature Method **x will flag red if:** Points 1 eVitals.24
Temperature is not blank × or... Temperature Method (eVitals.25) is required when recording temperature. Error Message 0 eVitals.25
Temperature Method is blank * or... eTimes.03
Unit Notified by Dispatch Date/Time is before midnight (0:00) on 2021-01-01


■ or... Notes 🛈 Obtained Prior to this Units EMS Care is equal to No Level 🕖 State 🕶 Schematron Export: 1 Yes = Warning > Closed Call 6 Active ① GEORGIA DEPARTMENT OF PUBLIC HEALTH

5








GA Rule 1678 - Rule revised to only include ground transports with patient transport. Revised rule published





GEORGIA DEPARTMENT OF PUBLIC HEALTH

















Mechanism of Injury (eInjury.02) is required on all patients with possible		Warning: Rule modifications are not applied to existing records until opened or until validation is bulk executed from the record's lispage.
injury - error	r patients with possible	einjury.02 Mechanism of Injury × will flag red if:
ID: 2394		eSituation.02
Points 1	1	Possible Injury is equal to Yes
Error Message ᠪ	Mechanism of Injury (eInjury.02) is required on all patients with possible injury	elnjury.02 Mechanism of Injury is blank or and etimes.03
Notes 🚯		Unit Notified by Dispatch Date/Time is after midnight (0:00) on 2021-06-30
Level 1	State 🗸	
Schematron Export:	● Yes = Error V	
Closed Call 6	Yes No	




Risk Factor (el	estrian, or Other Injury njury.04) is required on th possible injury - error	Warning: Rule modifications are not applied to existing records until opened or until validation is bulk executed from the record's list page. elnjury.04 Vehicular, Pedestrian, or Other Injury Risk Factor x will flag red if:
Points 🛭	1	eSituation 02 Possible Injury is equal to Yes × 10 n
Error Message ᠪ	Vehicular, Pedestrian, or Other Injury Risk Factor (elnjury.04) is required on all patients with possible injury	and alphap.od Vehicular, Pedestrian, or Other Injury Risk Factor is blank v or and alphap.od Vehicular, Pedestrian, or Other Injury Risk Factor (NV) is not equal to Not Applicable v or
Notes (9		and orimes.03 Unit Notified by Dispatch Date/Time is after midnight (0:00) on 2021-06-30 orimes.03
Level 1	State 🔻	
Schematron Export:	1 Yes = Error ✓	
Closed Call (1)	Yes No	






CURRENT ISSUES WITH VALIDATION RULES AND DATA SUBMISSIONS



__



EXPECTATIONS OF EMS AGENCIES AND ePCR VENDORS



GEORGIA DEPARTMENT OF PUBLIC HEALTH

23

NOTES

- Just because NEMSIS allows something in schema does NOT mean that the value are accepted in all situations
 - Optional for the NEMSIS XML file does NOT necessarily mean Optional for state submission

GEORGIA DEPARTMENT OF PUBLIC HEALTH

Expectations of EMS Agencies

- EMS Agencies are ultimately responsible for accurate and timely data submission
- EMS Agencies are **responsible** for educating their medics on all validation rules
- EMS Agencies are **responsible** to make sure that Schematron updates/validation rules are applied in a timely manner
- EMS Agencies are **responsible** for making sure that your ePCR vendor has applied the validation rules prior to go live date
- EMS Agencies **must** use the correct GA facilities codes
- ePCR forms must NOT show "Not Recorded" or "Not Reporting" for medics to click on
- All ePCRs should be sent on a continuous basis throughout the day within 24 hours of call completion
- Agencies using GEMSIS Elite (Direct Entry) must create and post the incident within 24 hours of call completion
- While labels of values/elements may change the definition of the field may NOT

GEORGIA DEPARTMENT OF PUBLIC HEALTH

25

Expectations of ePCR Vendors

- Apply Schematron updates in a timely manner (validation rules) to your ePCR system
- Use the correct GA facilities codes and agency IDs
- Must NOT default answers for the medics or agencies
- ePCR vendors must be completely NEMSIS 3.4 compliant NOW
- ePCR vendors must be completely NEMSIS 3.5 compliant before 1/1/2022
- ePCR forms must NOT show "Not Recorded" or "Not Reporting" for medics to click on
- All ePCR forms must show validation rule error messages to the medics
- All ePCRs should be sent on a continuous basis throughout the day within 24 hours of call completion.
- While labels of values/elements may change the definition of the field may NOT

GEORGIA DEPARTMENT OF PUBLIC HEALTH

NOT Value Definition Descriptions

NEMSIS V3 Overview Document Description of NOT Values

NOT Values have been condensed in Version 3.

- Not Applicable: The data element is not applicable or pertinent to the EMS event, assessment or, intervention. This value should be available to the data-entry user.
- 2. Not Recorded: The data element is considered applicable to the EMS event, but was left blank by the data-entry user. The EMS software should auto-populate blank fields with "Not Recorded" at the time of export. This value should not be available to the data-entry user.
- 3. Not Reporting: The data element is not be collected by the EMS agency or state. This NOT value does not apply to National elements where "Usage = Required". The EMS software should auto-populate the data fields not collected with "Not Reporting" when exporting the record. This value should not be available to the data-entry user.

GEORGIA DEPARTMENT OF PUBLIC HEALTH

27

NEMSIS Version 3.5.0 Coming Soon!

- NEMSIS Homepage: www.nemsis.org
- NEMSIS 3.5.0 Data Dictionary
 - https://nemsis.org/media/nemsis_v3/release-3.5.0/DataDictionary/PDFHTML/EMSDEMSTATE/index.html
- More information on transition and timelines will be communicated with EMS Agencies once finalized.

EORGIA DEPARTMENT OF PUBLIC HEALTH