

Checklist for Safe Vaccine Storage and Handling

Here are the most important things you can do to safeguard your vaccine supply. Are you doing them all? Review this list to see where you might make improvements in your vaccine management practices. Fill in each box with either **YES** or **NO**.

Establish Storage and Handling Policies

- ☐ YES ☐ NO 1. We have designated a primary vaccine coordinator and at least one back-up coordinator to be in charge of vaccine storage and handling at our facility.
- ☐ YES ☐ NO 2. Both the primary and back-up vaccine coordinator(s) have completely reviewed either CDC's online vaccine storage and handling guidance or equivalent training materials offered by our state health department's immunization program.
- ☐ YES ☐ NO 3. We have detailed, up-to-date, written policies for general vaccine management, including policies for routine activities and an emergency vaccine-retrieval-and-storage plan for power outages and other problems. Our policies are based on CDC's vaccine storage and handling guidance and/or on instruction from our state or local health department's immunization program.
- ☐ YES ☐ NO 4. We review these policies with all staff annually and with new staff, including temporary staff, when they are hired.

Log In New Vaccine Shipments

- ☐ YES ☐ NO 5. We maintain a vaccine inventory log that we use to document the following:
- ☐ YES ☐ NO a. Vaccine name and number of doses received
- ☐ YES ☐ NO b. Date we received the vaccine
- ☐ YES ☐ NO c. Condition of vaccine when we received it
- ☐ YES ☐ NO d. Vaccine manufacturer and lot number
- ☐ YES ☐ NO e. Vaccine expiration date

Use Proper Storage Equipment

- ☐ YES ☐ NO 6. We store vaccines in refrigerator and freezer units designed specifically for storing biologics, including vaccines. Alternatively, we keep frozen and refrigerated vaccines in separate, free-standing freezer and refrigerator units. At a minimum, we use a household-style unit with a separate exterior door for the freezer and separate thermostats for the freezer and refrigerator. We do NOT use a dormitory-style unit (a small combination freezer-refrigerator unit with a freezer compartment inside the refrigerator).
- ☐ YES ☐ NO 7. We use only calibrated thermometers with a Certificate of Traceability and Calibration* that are recalibrated as recommended by the manufacturer.
- ☐ YES ☐ NO 8. We have planned back-up storage unit(s) in the event of a power failure or other unforeseen event. We perform regular maintenance to assure optimal functioning.

Ensure Optimal Operation of Storage Units

- ☐ YES ☐ NO 9. We have a "Do Not Unplug" sign next to the electrical outlets for the refrigerator and freezer and a "Do Not Stop Power" warning label by the circuit breaker for the electrical outlets. Both include emergency contact information.
- ☐ YES ☐ NO 10. We keep the storage unit clean, dusting the coils and cleaning beneath it every 3–6 months.

Maintain Correct Temperatures

- ☐ YES ☐ NO 11. We always keep at least one accurate calibrated thermometer (+/-1°C [+/-2°F]) with the vaccines in the refrigerator; ideally, we have a continuous-temperature logger and/or temperature-sensitive alarm system.
- ☐ YES ☐ NO 12. We maintain the refrigerator temperature at 35–46°F (2–8°C), and we aim for 40°F (5°C).

(Maintain Correct Temperatures continued on page 2)

*Certificate of Traceability and Calibration with calibration measurements traceable to a testing laboratory accredited by the International Organization of Standardization, to the standards of the National Institute of Standards and Technology, or to another internationally recognized standards agency.

(Maintain Correct Temperatures continued from page 1)

- ☐ YES ☐ NO 13. We keep extra containers of water in the refrigerator (e.g., in the door, on the floor of the unit where the vegetable bins were located) to help maintain cool temperatures.
- ☐ YES ☐ NO 14. We always keep at least one accurate calibrated thermometer (+/-1°C [+/-2°F]) with vaccines in the freezer.
- ☐ YES ☐ NO 15. We maintain the average temperature in the freezer at +5°F (-15°C), preferably colder but no colder than -58°F (-50°C).
- ☐ YES ☐ NO 16. We keep ice packs or ice-filled containers in the freezer to help maintain cold temperatures.

Store Vaccines Correctly

- ☐ YES ☐ NO 17. We post signs on the doors of the refrigerator and freezer that indicate which vaccines should be stored in the refrigerator and which in the freezer.
- ☐ YES ☐ NO 18. We do NOT store any food or drink in any vaccine storage unit.
- ☐ YES ☐ NO 19. We store vaccines in the middle of the refrigerator or freezer (never in the doors), with room for air to circulate.
- ☐ YES ☐ NO 20. We have removed all vegetable and deli bins from the storage unit.
- ☐ YES ☐ NO 21. If we are using a combination refrigerator-freezer unit, we do not store vaccines in front of the cold air outlet that leads from the freezer to the refrigerator (often near the top shelf).
- ☐ YES ☐ NO 22. We check vaccine expiration dates and rotate our supply of each type of vaccine so that we use the vaccines that will expire soonest.
- ☐ YES ☐ NO 23. We store vaccines in their original packaging in clearly labeled uncovered containers with slotted sides that allow air to circulate.

Maintain Daily Temperature Logs

- ☐ YES ☐ NO 24. On days when our practice is open, we document refrigerator and freezer temperatures on the daily log twice a day — first thing in the morning and right before our facility closes.
- ☐ YES ☐ NO 25. We consistently record temperatures on the log in either Fahrenheit or Celsius. We NEVER mix in any way how we record our temperatures. For example, if the log prompts us to insert an "x" by the temperature that's preprinted on the log, we do not attempt to write in the actual temperature.
- ☐ YES ☐ NO 26. The logs show whom to call if the temperature in the storage unit goes out of range.
- ☐ YES ☐ NO 27. When we change the thermostat setting, we document it in the daily log sheet's note section.
- ☐ YES ☐ NO 28. If out-of-range temperatures occur in the unit, we document in the daily log sheet's note section who responded and when.
- ☐ YES ☐ NO 29. Trained staff (other than staff designated to record the temperatures) review the logs weekly.
- ☐ YES ☐ NO 30. We keep the temperature logs on file for at least 3 years.

Take Emergency Action As Needed

31. In the event that vaccines are exposed to improper storage conditions, we take the following steps:
- ☐ YES ☐ NO a. We restore proper storage conditions as quickly as possible; if necessary, we move the vaccine to our planned back-up storage unit. We address the storage unit's mechanical or electrical problems according to guidance from the manufacturer or repair service.
- ☐ YES ☐ NO b. In responding to improper storage conditions, we do NOT make frequent or large changes in thermostat settings. After changing the setting, we give the unit at least a day to stabilize its temperature.
- ☐ YES ☐ NO c. We temporarily label exposed vaccines "Do not use" and keep them separate from any unexposed vaccines. We do not use exposed vaccines until our state health department's immunization program or the vaccine manufacturer gives us approval.
- ☐ YES ☐ NO d. We document exactly what happened, noting the temperature in the storage unit and the amount of time the vaccines were out of proper storage conditions. We contact our state health department's immunization program or the vaccine manufacturer to determine how to handle the exposed vaccines.
- ☐ YES ☐ NO e. We follow the health department or manufacturer's instructions and keep a record detailing the event. Where applicable, we mark the exposed vials with a revised expiration date provided by the manufacturer.

If we answer ☐ YES to all of the above, we give ourselves a pat on the back! If not, we assign someone to implement needed changes!