

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	60.8	52.4 - 68.6	107	67.6	60.6 - 73.9	148	-	-	7	64.0	58.7 - 68.9	262
b. Nutrition	57.0	48.3 - 65.3	107	60.4	53.5 - 66.9	149	-	-	7	58.4	53.1 - 63.6	263
c. Tobacco-use prevention	57.0	48.5 - 65.2	107	51.7	45.5 - 57.9	147	-	-	7	53.3	48.2 - 58.3	261
d. Chronic health conditions (e.g., asthma, food allergies)	45.3	37.5 - 53.3	106	42.3	36.0 - 48.8	149	-	-	7	43.2	38.3 - 48.2	262
e. Unintentional injury and violence prevention (safety)	50.9	42.5 - 59.2	106	49.7	43.3 - 56.0	149	-	-	7	50.0	44.8 - 55.1	262
f. Sexual health, including HIV, other STD, and pregnancy prevention	49.0	40.7 - 57.4	106	45.6	39.6 - 51.8	149	-	-	7	47.4	42.4 - 52.4	262

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Health education	37.9	29.5 - 47.1	103	27.2	20.8 - 34.8	136	-	-	7	31.9	26.7 - 37.7	246
b. Physical education	34.0	25.7 - 43.3	103	25.2	18.9 - 32.7	135	-	-	7	29.6	24.4 - 35.4	245
c. Physical activity	21.3	15.2 - 29.1	103	20.7	15.1 - 27.8	135	-	-	7	21.7	17.3 - 26.8	245
d. School meal programs	17.6	11.9 - 25.3	102	20.0	14.7 - 26.7	135	-	-	7	19.2	15.2 - 24.1	244
e. Foods and beverages available at school outside the school meal programs	18.6	12.6 - 26.4	102	17.0	12.4 - 22.9	135	-	-	7	18.0	14.2 - 22.7	244
f. Health services	32.2	25.6 - 39.5	103	25.7	19.8 - 32.7	136	-	-	7	28.6	24.2 - 33.6	246
g. Counseling, psychological, and social services	66.2	57.6 - 73.8	103	50.0	43.1 - 56.9	136	-	-	7	57.7	52.4 - 62.9	246
h. Physical environment	54.3	45.6 - 62.8	103	44.8	38.0 - 51.7	134	-	-	7	48.9	43.5 - 54.4	244
i. Social and emotional climate	76.1	69.0 - 82.1	104	69.9	63.1 - 75.9	136	-	-	7	72.7	67.8 - 77.0	247
j. Family engagement	79.9	73.4 - 85.2	103	83.8	78.1 - 88.3	136	-	-	7	82.2	78.0 - 85.7	246
k. Community involvement	82.9	76.5 - 87.9	104	79.4	73.2 - 84.5	136	-	-	7	81.2	76.9 - 84.8	247
l. Employee wellness	30.0	23.3 - 37.7	103	22.6	17.7 - 28.4	137	-	-	7	26.0	21.9 - 30.6	247

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
56.7	49.5 - 63.5	104	60.3	53.2 - 67.0	136	-	-	7	58.2	53.2 - 62.9	247

*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Reviewed district's local wellness policy	82.3	74.7 - 88.0	101	78.0	71.4 - 83.4	127	-	-	7	78.8	74.0 - 82.9	235
b. Helped revise district's local wellness policy	47.5	38.9 - 56.2	99	44.9	38.0 - 52.0	127	-	-	7	45.0	39.7 - 50.5	233
c. Communicated to school staff about district's local wellness policy	68.1	59.2 - 75.9	100	67.7	60.8 - 74.0	127	-	-	7	67.6	62.2 - 72.5	234
d. Communicated to parents and families about district's local wellness policy	51.1	42.6 - 59.5	100	55.1	48.0 - 62.0	127	-	-	7	53.4	48.0 - 58.7	234
e. Communicated to students about district's local wellness policy	62.1	53.3 - 70.1	100	57.5	50.2 - 64.5	127	-	-	7	59.5	54.1 - 64.8	234
f. Measured school's compliance with district's local wellness policy	53.6	45.4 - 61.6	99	59.5	52.6 - 66.1	126	-	-	7	56.3	51.1 - 61.5	232
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	51.5	43.1 - 59.7	99	45.2	38.4 - 52.2	126	-	-	7	47.9	42.6 - 53.3	232

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
89.4	82.9 - 93.6	105	88.9	83.7 - 92.5	135	-	-	7	89.0	85.2 - 91.9	247

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
47.5	39.5 - 55.7	103	48.9	41.7 - 56.1	135	-	-	7	47.7	42.4 - 53.0	245

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	82.2	71.4 - 89.5	46	65.6	55.9 - 74.1	61	-	-	2	73.6	66.8 - 79.4	109
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	73.8	62.2 - 82.9	46	73.3	63.5 - 81.3	60	-	-	2	74.1	66.9 - 80.2	108
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	65.5	54.2 - 75.3	46	47.6	38.2 - 57.2	61	-	-	2	55.5	48.3 - 62.5	109
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	80.7	69.3 - 88.6	47	82.0	72.9 - 88.5	61	-	-	2	80.8	73.9 - 86.2	110
e. Reviewed health-related curricula or instructional materials	78.6	67.4 - 86.7	47	78.7	68.6 - 86.2	61	-	-	2	78.1	70.9 - 83.9	110
f. Assessed the availability of physical activity opportunities for students	73.7	62.4 - 82.5	46	77.0	66.8 - 84.8	61	-	-	2	75.0	67.7 - 81.1	109
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	24.3	14.9 - 37.0	45	32.8	23.9 - 43.2	61	-	-	2	29.4	22.7 - 37.3	108

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.0	78.2 - 89.9	102	62.7	55.9 - 69.0	134	-	-	7	71.8	67.2 - 76.0	243

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	81.8	74.0 - 87.7	99	82.8	76.7 - 87.6	134	-	-	6	82.4	77.8 - 86.3	239
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	80.7	72.7 - 86.8	99	78.5	72.2 - 83.6	130	-	-	7	80.2	75.5 - 84.1	236

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
41.3	33.7 - 49.3	91	17.3	12.1 - 24.0	116	-	-	7	28.8	24.1 - 33.9	214

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	69.2	60.6 - 76.6	88	62.6	55.3 - 69.4	115	-	-	7	65.8	60.3 - 70.9	210
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	90.9	84.1 - 95.0	89	91.4	85.9 - 94.9	116	-	-	7	91.0	87.0 - 93.8	212
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	66.4	58.9 - 73.0	89	52.6	45.5 - 59.6	116	-	-	7	59.3	54.2 - 64.2	212
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	43.4	34.9 - 52.3	88	37.9	30.9 - 45.5	116	-	-	7	40.0	34.6 - 45.7	211
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	56.4	48.0 - 64.5	89	44.0	36.6 - 51.7	116	-	-	7	48.9	43.4 - 54.4	212

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
91.2	85.2 - 95.0	103	87.9	82.3 - 91.9	141	-	-	7	89.7	85.9 - 92.6	251

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.1	89.9 - 97.7	103	97.9	94.6 - 99.2	142	-	-	7	96.8	94.2 - 98.2	252

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.0	93.9 - 99.4	103	94.4	90.1 - 96.9	142	-	-	7	96.1	93.5 - 97.7	252

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Sixth grade	§	§	§	82.9	77.1 - 87.5	135	-	-	6	82.2	76.3 - 86.8	141
b. Seventh grade	§	§	§	80.7	74.7 - 85.6	135	-	-	6	80.1	74.0 - 85.0	141
c. Eighth grade	§	§	§	81.2	74.9 - 86.2	133	-	-	7	80.6	74.4 - 85.6	140
d. Ninth grade	98.0	93.9 - 99.4	103	-	-	2	-	-	8	97.4	93.5 - 99.0	113
e. Tenth grade	39.7	32.0 - 47.9	101	§	§	§	-	-	7	40.8	33.4 - 48.7	108
f. Eleventh grade	34.7	27.3 - 42.9	101	§	§	§	-	-	7	35.2	28.1 - 43.1	108
g. Twelfth grade	34.7	27.3 - 42.9	101	§	§	§	-	-	7	35.2	28.1 - 43.1	108

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
85.6	78.1 - 90.9	98	91.6	86.9 - 94.8	143	-	-	8	89.0	85.1 - 92.0	249

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Goals, objectives, and expected outcomes for physical education	95.0	89.9 - 97.6	101	95.8	92.0 - 97.9	144	-	-	8	95.2	92.4 - 97.0	253
b. A chart describing the annual scope and sequence of instruction for physical education	82.1	74.7 - 87.7	101	92.3	88.2 - 95.1	143	-	-	8	87.9	84.1 - 90.8	252
c. Plans for how to assess student performance in physical education	89.1	82.5 - 93.4	101	92.4	88.3 - 95.1	144	-	-	8	90.8	87.4 - 93.4	253
d. A written physical education curriculum	92.1	86.2 - 95.6	101	90.3	86.1 - 93.3	144	-	-	8	90.9	87.7 - 93.4	253
e. Resources for fitness testing	96.0	91.0 - 98.2	101	98.6	95.7 - 99.6	144	-	-	8	97.1	94.7 - 98.5	253
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	80.0	71.9 - 86.3	101	72.2	65.4 - 78.2	144	-	-	8	75.6	70.6 - 80.0	253

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
19.2	13.3 - 27.0	94	47.6	40.1 - 55.2	126	-	-	7	34.7	29.9 - 39.9	227

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
43.3	36.4 - 50.6	97	70.6	63.6 - 76.8	126	-	-	7	57.7	52.7 - 62.6	230

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
82.7	75.2 - 88.2	99	76.4	69.8 - 81.9	127	-	-	7	78.5	73.7 - 82.7	233

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Before the school day	38.4	30.7 - 46.8	88	27.1	20.8 - 34.5	118	-	-	7	32.0	27.1 - 37.5	213
b. After the school day	78.8	70.1 - 85.4	89	75.0	68.2 - 80.8	116	-	-	7	76.5	71.3 - 81.1	212

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	69.6	61.3 - 76.8	89	68.6	60.9 - 75.5	118	-	-	7	67.7	62.2 - 72.7	214
b. Kitchen facilities and equipment	24.6	17.5 - 33.5	89	19.0	13.5 - 26.0	116	-	-	7	20.8	16.4 - 26.0	212

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.9	90.9 - 98.2	98	94.2	89.9 - 96.7	138	-	-	7	95.1	92.2 - 96.9	243

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	95.7	90.4 - 98.1	93	93.7	89.1 - 96.5	127	-	-	7	94.8	91.7 - 96.7	227
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	95.7	90.4 - 98.1	93	91.4	86.1 - 94.7	127	-	-	7	93.5	90.2 - 95.7	227
c. Cigars	92.4	86.2 - 96.0	93	92.1	87.0 - 95.3	126	-	-	7	92.5	88.9 - 95.0	226
d. Pipes	94.6	88.9 - 97.4	93	91.4	86.1 - 94.7	127	-	-	7	93.0	89.6 - 95.4	227
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.5	87.5 - 96.7	93	88.9	83.1 - 92.9	126	-	-	7	91.2	87.5 - 93.9	226

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	95.7	90.4 - 98.1	93	92.9	88.1 - 95.9	127	-	-	7	94.3	91.2 - 96.4	227
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	95.7	90.4 - 98.1	93	91.3	86.1 - 94.7	126	-	-	7	93.5	90.2 - 95.7	226
c. Cigars	93.5	87.5 - 96.7	93	91.4	86.2 - 94.7	127	-	-	7	92.5	89.0 - 95.0	227
d. Pipes	94.6	88.9 - 97.4	93	90.6	85.2 - 94.1	127	-	-	7	92.6	89.1 - 95.0	227
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	93.5	87.5 - 96.7	93	88.2	82.4 - 92.3	127	-	-	7	90.8	87.1 - 93.6	227

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	93.6	87.7 - 96.7	93	92.2	87.3 - 95.3	128	-	-	7	93.0	89.7 - 95.4	228
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	92.5	86.4 - 96.0	93	89.9	84.4 - 93.5	128	-	-	7	91.3	87.6 - 94.0	228
c. Cigars	90.3	83.6 - 94.5	93	89.9	84.4 - 93.5	128	-	-	7	90.4	86.5 - 93.2	228
d. Pipes	91.4	85.0 - 95.3	93	89.1	83.5 - 92.9	128	-	-	7	90.4	86.6 - 93.3	228
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	91.4	84.9 - 95.2	93	86.6	80.6 - 91.0	127	-	-	7	89.1	85.0 - 92.1	227

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.6	90.3 - 98.1	92	93.6	88.8 - 96.4	124	-	-	7	94.7	91.6 - 96.7	223
b. During non-school hours	85.6	77.8 - 91.0	91	87.1	81.1 - 91.4	124	-	-	7	85.9	81.4 - 89.5	222

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	95.6	90.3 - 98.1	92	92.7	87.7 - 95.8	123	-	-	7	94.2	91.0 - 96.3	222
b. During non-school hours	85.4	77.5 - 90.9	90	84.4	77.9 - 89.3	122	-	-	7	84.4	79.6 - 88.2	219

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	95.6	90.3 - 98.1	92	93.5	88.7 - 96.3	123	-	-	7	94.6	91.5 - 96.7	222
b. During non-school hours	85.6	77.8 - 91.0	91	86.3	80.1 - 90.8	124	-	-	7	85.5	80.8 - 89.1	222

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	95.6	90.3 - 98.1	92	93.3	88.5 - 96.2	120	-	-	7	94.6	91.4 - 96.6	219
b. Outside on school grounds, including parking lots and playing fields	95.6	90.3 - 98.1	92	93.3	88.5 - 96.2	120	-	-	7	94.6	91.4 - 96.6	219
c. On school buses or other vehicles used to transport students	95.6	90.3 - 98.1	92	92.5	87.5 - 95.6	120	-	-	7	94.1	90.9 - 96.3	219
d. At off-campus, school-sponsored events	94.4	88.8 - 97.3	91	89.2	84.1 - 92.8	120	-	-	7	91.4	87.9 - 93.9	218

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	95.6	90.3 - 98.1	92	93.3	88.5 - 96.2	120	-	-	7	94.6	91.4 - 96.6	219
b. Outside on school grounds, including parking lots and playing fields	95.6	90.3 - 98.1	92	93.3	88.5 - 96.2	120	-	-	7	94.6	91.4 - 96.6	219
c. On school buses or other vehicles used to transport students	95.6	90.3 - 98.1	92	92.4	87.3 - 95.6	119	-	-	7	94.1	90.9 - 96.3	218
d. At off-campus, school-sponsored events	94.5	88.8 - 97.4	92	88.4	83.6 - 91.8	120	-	-	7	91.0	87.6 - 93.5	219

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	95.6	90.3 - 98.1	92	93.3	88.4 - 96.2	119	-	-	7	94.6	91.4 - 96.6	218
b. Outside on school grounds, including parking lots and playing fields	94.6	89.0 - 97.4	92	93.3	88.5 - 96.2	120	-	-	7	94.1	90.9 - 96.3	219
c. On school buses or other vehicles used to transport students	95.6	90.3 - 98.1	92	91.7	86.4 - 95.0	120	-	-	7	93.7	90.4 - 95.9	219
d. At off-campus, school-sponsored events	87.0	80.4 - 91.6	92	81.7	75.6 - 86.6	120	-	-	7	84.1	79.9 - 87.6	219

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
72.1	63.8 - 79.1	90	68.1	60.1 - 75.2	116	-	-	7	69.5	63.8 - 74.6	213

*Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
87.9	81.1 - 92.5	99	89.3	83.8 - 93.1	131	-	-	7	88.6	84.6 - 91.7	237

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Foods or beverages are not offered at school celebrations	3.0	1.2 - 7.6	97	1.6	0.5 - 4.9	126	-	-	7	2.2	1.0 - 4.4	230
b. Never	5.2	2.5 - 10.5	97	4.8	2.4 - 9.1	126	-	-	7	4.8	2.9 - 7.8	230
c. Rarely	12.4	7.7 - 19.3	97	15.1	10.8 - 20.7	126	-	-	7	13.4	10.2 - 17.5	230
d. Sometimes	55.7	47.0 - 64.1	97	48.4	41.2 - 55.7	126	-	-	7	51.0	45.5 - 56.5	230
e. Always or almost always	23.7	17.6 - 31.1	97	30.2	24.1 - 37.0	126	-	-	7	28.7	24.2 - 33.6	230

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
16.6	10.9 - 24.4	97	6.4	3.9 - 10.3	126	-	-	7	11.1	8.1 - 15.1	230

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.7	90.4 - 98.1	94	67.5	59.9 - 74.3	120	-	-	7	81.1	76.6 - 84.9	221

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	22.3	15.9 - 30.4	89	16.2	11.3 - 22.9	117	-	-	7	19.3	15.3 - 24.1	213
b. Other kinds of candy	29.2	21.7 - 38.0	89	23.5	17.9 - 30.3	119	-	-	7	26.6	21.9 - 32.0	215
c. Salty snacks that are not low in fat (e.g., regular potato chips)	22.4	16.3 - 29.9	89	25.6	19.2 - 33.4	117	-	-	7	24.8	20.3 - 30.0	213
d. Low sodium or "no added salt" pretzels, crackers, or chips	78.5	70.2 - 84.9	89	42.7	35.6 - 50.2	117	-	-	7	59.3	54.0 - 64.5	213
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	31.4	23.5 - 40.6	89	17.6	12.5 - 24.1	114	-	-	7	23.6	19.0 - 28.9	210
f. Ice cream or frozen yogurt that is not low in fat	22.6	16.5 - 30.1	89	21.4	16.2 - 27.7	117	-	-	7	22.2	18.1 - 26.9	213
g. 2% or whole milk (plain or flavored)	47.1	38.1 - 56.3	89	32.8	26.1 - 40.2	116	-	-	7	38.9	33.4 - 44.7	212
h. Nonfat or 1% (low-fat) milk (plain)	59.9	51.5 - 67.8	88	36.2	29.0 - 44.1	116	-	-	7	46.8	41.2 - 52.4	211
i. Water ices or frozen slushes that do not contain juice	30.6	22.9 - 39.5	88	17.9	12.9 - 24.4	117	-	-	7	23.3	18.8 - 28.4	212
j. Soda pop or fruit drinks that are not 100% juice	46.5	38.1 - 55.1	88	13.8	9.2 - 20.2	116	-	-	7	28.5	23.9 - 33.7	211
k. Sports drinks (e.g., Gatorade)	77.3	69.5 - 83.6	89	21.4	15.5 - 28.7	117	-	-	7	47.5	42.6 - 52.5	213

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
l. Energy drinks (e.g., Red Bull, Monster)	10.1	6.2 - 16.2	89	0.9	0.2 - 4.3	115	-	-	7	5.4	3.4 - 8.4	211
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	93.1	86.9 - 96.5	89	62.7	55.3 - 69.7	118	-	-	7	77.2	72.5 - 81.4	214
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	79.6	72.0 - 85.6	89	29.1	22.4 - 36.8	117	-	-	7	53.1	47.9 - 58.2	213
o. 100% fruit or vegetable juice	63.9	55.4 - 71.6	89	44.9	36.9 - 53.0	116	-	-	7	54.1	48.3 - 59.8	212
p. Foods or beverages containing caffeine	50.4	41.1 - 59.7	89	12.1	8.0 - 17.7	116	-	-	7	29.9	25.1 - 35.2	212
q. Fruits (not fruit juice)	45.0	35.7 - 54.6	89	16.2	11.3 - 22.7	117	-	-	7	28.7	23.7 - 34.2	213
r. Non-fried vegetables (not vegetable juice)	34.7	27.0 - 43.3	89	12.1	7.7 - 18.4	116	-	-	7	22.1	17.7 - 27.1	212

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	17.3	11.5 - 25.2	87	10.3	6.3 - 16.2	117	-	-	7	12.9	9.5 - 17.4	211
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	36.8	28.6 - 45.8	87	40.2	32.9 - 47.9	117	-	-	7	38.8	33.3 - 44.6	211
c. Provided information to students or families on the nutrition and caloric content of foods available	61.0	52.0 - 69.3	87	53.4	45.9 - 60.9	116	-	-	7	57.3	51.7 - 62.9	210
d. Conducted taste tests to determine food preferences for nutritious items	49.3	41.5 - 57.2	87	39.7	33.2 - 46.5	116	-	-	7	44.5	39.4 - 49.7	210
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	23.2	16.7 - 31.4	86	21.6	16.2 - 28.1	116	-	-	7	22.0	17.8 - 26.9	209
f. Served locally or regionally grown foods in the cafeteria or classrooms	58.6	51.0 - 65.7	87	57.0	50.2 - 63.5	114	-	-	7	57.2	52.2 - 62.0	208
g. Planted a school food or vegetable garden	50.1	41.0 - 59.1	86	40.9	34.1 - 48.0	115	-	-	7	43.9	38.5 - 49.4	208
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	83.7	75.6 - 89.6	86	73.3	66.0 - 79.6	116	-	-	7	78.2	73.1 - 82.6	209

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	74.7	68.2 - 80.2	87	75.9	69.2 - 81.6	116	-	-	7	75.2	70.6 - 79.3	210
j. Offered a self-serve salad bar to students	31.6	24.5 - 39.7	86	25.0	18.6 - 32.7	116	-	-	7	29.0	24.1 - 34.4	209
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	47.4	38.2 - 56.8	87	37.4	30.9 - 44.5	115	-	-	7	42.0	36.5 - 47.6	209
l. Encouraged students to drink plain water	74.9	66.4 - 81.9	87	78.3	71.8 - 83.6	115	-	-	7	77.6	72.7 - 81.9	209
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	18.4	12.1 - 26.8	87	10.4	6.7 - 15.9	115	-	-	7	15.1	11.4 - 19.6	209
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	43.6	34.9 - 52.7	87	32.5	26.0 - 39.7	114	-	-	7	37.7	32.4 - 43.3	208

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In the school building	70.7	62.1 - 78.0	88	69.2	61.1 - 76.2	120	-	-	7	70.4	64.7 - 75.5	215
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	48.0	39.0 - 57.2	88	61.3	53.7 - 68.5	119	-	-	7	57.0	51.3 - 62.5	214
c. On school buses or other vehicles used to transport students	72.8	64.2 - 80.0	88	69.8	61.6 - 76.8	119	-	-	7	71.6	65.9 - 76.7	214
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	49.1	40.3 - 57.9	88	66.4	58.4 - 73.6	119	-	-	7	59.7	53.8 - 65.2	214
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	62.6	53.8 - 70.6	88	64.7	56.7 - 72.0	119	-	-	7	64.6	58.8 - 69.9	214

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	76.5	69.7 - 82.2	98	64.6	57.6 - 70.9	127	-	-	7	69.1	64.4 - 73.5	232
b. Yes, in certain locations	21.5	16.2 - 27.9	98	29.1	23.6 - 35.4	127	-	-	7	26.7	22.7 - 31.1	232
c. No	2.0	0.6 - 6.2	98	6.3	3.8 - 10.3	127	-	-	7	4.2	2.6 - 6.6	232

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.0	93.8 - 99.4	98	93.7	89.7 - 96.2	127	-	-	7	95.8	93.4 - 97.4	232

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cafeteria during breakfast	95.8	90.6 - 98.2	96	97.6	94.0 - 99.1	126	-	-	7	96.9	94.3 - 98.3	229
b. Cafeteria during lunch	95.8	90.6 - 98.2	96	97.6	94.0 - 99.1	126	-	-	7	96.9	94.3 - 98.3	229
c. Gymnasium or other indoor physical activity facilities	100.0	†	98	97.7	94.2 - 99.1	130	-	-	7	98.8	96.9 - 99.5	235
d. Outdoor physical activity facilities or sports fields	94.7	89.2 - 97.5	93	75.4	68.3 - 81.4	122	-	-	5	84.5	80.2 - 88.0	220
e. Hallways throughout the school	100.0	†	97	98.5	95.2 - 99.5	130	-	-	7	99.2	97.4 - 99.7	234

*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
56.1	46.9 - 64.9	94	60.9	53.2 - 68.0	120	-	-	7	59.6	53.8 - 65.1	221

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
27.9	20.2 - 37.2	94	31.9	25.6 - 39.0	119	-	-	7	29.5	24.6 - 35.0	220

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
22.3	16.7 - 29.2	94	20.0	14.4 - 27.0	120	-	-	7	21.8	17.7 - 26.5	221

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.0	†	82	0.0	†	110	-	-	7	0.0	†	199
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	83	0.0	†	110	-	-	7	0.0	†	200
c. STD testing	1.3	0.2 - 6.4	81	0.0	†	110	-	-	7	0.5	0.1 - 2.8	198
d. STD treatment	0.0	†	82	0.0	†	110	-	-	7	0.0	†	199
e. Pregnancy testing	1.3	0.2 - 6.5	80	0.0	†	110	-	-	7	0.5	0.1 - 2.8	197
f. Provision of condoms	0.0	†	83	0.0	†	110	-	-	7	0.0	†	200
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	82	0.0	†	109	-	-	7	0.0	†	198
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	83	0.0	†	110	-	-	7	0.0	†	200
i. Prenatal care	1.2	0.2 - 6.0	82	0.0	†	110	-	-	7	0.5	0.1 - 2.6	199

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
j. Human papillomavirus (HPV) vaccine administration	1.2	0.2 - 6.2	83	0.0	†	110	-	-	7	0.5	0.1 - 2.8	200
k. Assessment for alcohol or other drug use, abuse, or dependency	9.6	5.8 - 15.4	83	6.4	3.4 - 11.6	110	-	-	7	7.5	5.1 - 11.0	200
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	80.6	72.6 - 86.7	83	85.5	78.6 - 90.4	110	-	-	7	82.8	77.8 - 86.9	200
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	72.2	64.0 - 79.2	83	76.4	69.3 - 82.2	110	-	-	7	73.8	68.7 - 78.4	200
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	63.7	55.7 - 71.0	83	73.6	66.4 - 79.8	110	-	-	7	69.3	64.0 - 74.1	200

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	30.2	22.0 - 40.0	76	6.2	3.2 - 11.6	97	-	-	6	16.6	12.5 - 21.7	179
b. HIV treatment (ongoing medical care for persons living with HIV)	32.5	23.9 - 42.5	80	16.5	12.1 - 22.2	109	-	-	7	23.2	18.7 - 28.5	196
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	31.3	22.5 - 41.6	80	12.9	9.2 - 17.7	109	-	-	7	20.8	16.4 - 26.0	196
d. STD testing	35.2	26.2 - 45.4	74	7.3	3.9 - 13.1	96	-	-	6	19.2	14.8 - 24.6	176
e. STD treatment	32.5	23.7 - 42.6	74	8.3	4.7 - 14.4	96	-	-	6	18.6	14.2 - 24.0	176
f. Pregnancy testing	39.0	29.6 - 49.4	72	7.4	4.0 - 13.2	95	-	-	6	20.8	16.2 - 26.4	173
g. Provision of condoms	22.7	15.5 - 32.1	75	4.0	1.8 - 8.7	101	-	-	7	11.8	8.4 - 16.4	183

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	22.4	15.2 - 31.9	76	3.9	1.7 - 8.6	102	-	-	7	11.7	8.3 - 16.2	185
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	26.7	18.7 - 36.7	75	4.9	2.4 - 10.0	101	-	-	7	14.1	10.3 - 19.0	183
j. Prenatal care	35.7	26.6 - 45.9	73	8.3	4.7 - 14.4	96	-	-	6	19.9	15.4 - 25.4	175
k. Human papillomavirus (HPV) vaccine administration	35.0	26.0 - 45.3	80	18.3	13.2 - 24.9	109	-	-	7	24.7	19.9 - 30.3	196
l. Alcohol or other drug abuse treatment	46.3	38.2 - 54.6	80	34.6	27.8 - 42.0	110	-	-	7	38.8	33.6 - 44.2	197

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
64.5	55.8 - 72.3	87	62.3	54.1 - 69.9	114	-	-	7	64.1	58.3 - 69.5	208

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	90.7	83.7 - 94.9	87	94.8	90.0 - 97.4	115	-	-	7	93.2	89.5 - 95.6	209
b. Food allergies	94.2	88.2 - 97.2	87	93.1	87.8 - 96.2	115	-	-	7	93.8	90.3 - 96.1	209
c. Diabetes	94.3	88.3 - 97.3	87	94.8	90.0 - 97.4	115	-	-	7	94.7	91.5 - 96.8	209
d. Epilepsy or seizure disorder	93.1	86.8 - 96.5	87	93.9	88.9 - 96.8	115	-	-	7	93.8	90.3 - 96.1	209
e. Obesity	32.2	24.2 - 41.3	87	34.8	28.1 - 42.2	115	-	-	7	33.4	28.2 - 39.1	209
f. Hypertension/high blood pressure	67.9	58.8 - 75.8	87	67.0	59.5 - 73.7	115	-	-	7	67.0	61.3 - 72.3	209
g. Oral health condition (e.g., abscess, tooth decay)	39.9	31.4 - 49.2	85	47.9	40.2 - 55.6	115	-	-	7	43.8	38.1 - 49.6	207

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	53.7	44.8 - 62.3	86	44.7	37.0 - 52.7	114	-	-	7	47.5	41.8 - 53.3	207
b. Food allergies	53.7	44.8 - 62.3	86	40.3	33.1 - 48.0	114	-	-	7	45.2	39.6 - 50.8	207
c. Diabetes	54.9	45.7 - 63.7	86	43.0	35.3 - 50.9	114	-	-	7	47.1	41.3 - 52.9	207
d. Epilepsy or seizure disorder	54.9	45.7 - 63.7	86	42.1	34.6 - 50.0	114	-	-	7	46.6	40.9 - 52.4	207
e. Obesity	38.6	29.7 - 48.3	86	30.1	24.2 - 36.7	113	-	-	7	33.2	28.1 - 38.8	206
f. Hypertension/high blood pressure	51.4	42.3 - 60.4	86	36.3	29.3 - 43.9	113	-	-	7	42.0	36.5 - 47.8	206
g. Oral health condition (e.g., abscess, tooth decay)	50.2	41.5 - 58.8	86	45.6	37.8 - 53.7	114	-	-	7	46.4	40.7 - 52.2	207

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	79.9	72.0 - 86.0	79	91.6	86.0 - 95.1	107	-	-	7	86.9	82.6 - 90.3	193
b. Parental consent is required before any sexual or reproductive health services are provided	16.2	11.1 - 23.0	79	8.4	4.9 - 14.0	107	-	-	7	11.4	8.4 - 15.3	193
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	1.3	0.3 - 6.6	79	0.0	†	107	-	-	7	0.6	0.1 - 2.9	193
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	1.3	0.2 - 6.5	79	0.0	†	107	-	-	7	0.6	0.1 - 2.8	193
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.3	0.3 - 6.6	79	0.0	†	107	-	-	7	0.6	0.1 - 2.9	193
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	79	0.0	†	107	-	-	7	0.0	†	193

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	52.7	43.0 - 62.1	74	83.5	75.8 - 89.1	91	-	-	6	70.3	64.3 - 75.6	171
b. Parental consent is required before any sexual or reproductive health services are referred	32.4	23.9 - 42.3	74	15.4	10.0 - 22.8	91	-	-	6	22.5	17.6 - 28.2	171
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	2.7	0.8 - 8.5	74	0.0	†	91	-	-	6	1.2	0.4 - 3.9	171
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	6.7	3.8 - 11.4	74	0.0	†	91	-	-	6	3.0	1.7 - 5.3	171
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	1.3	0.3 - 6.6	74	1.1	0.2 - 5.6	91	-	-	6	1.2	0.4 - 3.7	171
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	4.2	1.6 - 10.5	74	0.0	†	91	-	-	6	1.9	0.7 - 4.8	171

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	19.2	12.9 - 27.6	88	16.8	12.1 - 22.9	113	-	-	7	17.8	13.8 - 22.5	208
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	48.7	40.0 - 57.6	86	64.1	55.8 - 71.6	114	-	-	7	56.7	50.8 - 62.3	207
c. Involved parents as school volunteers in the delivery of health education activities and services	17.3	11.8 - 24.7	86	17.0	12.3 - 22.9	112	-	-	7	17.0	13.3 - 21.5	205
d. Linked parents and families to health services and programs in the community	70.0	61.9 - 77.0	87	77.2	70.3 - 82.9	114	-	-	7	73.3	68.3 - 77.8	208
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	38.7	30.7 - 47.3	85	43.7	35.8 - 51.9	110	-	-	7	39.9	34.4 - 45.6	202

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
72.5	65.5 - 78.6	94	77.5	70.4 - 83.3	129	-	-	7	75.2	70.3 - 79.5	230

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
61.1	52.6 - 69.0	95	64.5	57.4 - 71.0	121	-	-	7	61.8	56.4 - 66.9	223

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
80.9	74.1 - 86.2	95	53.7	45.6 - 61.6	121	-	-	7	66.9	61.5 - 71.8	223

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
94.5	88.9 - 97.4	94	83.5	77.1 - 88.4	121	-	-	7	88.4	84.4 - 91.5	222

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations

GEORGIA

2018 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
31.0	24.9 - 37.9	94	34.2	27.6 - 41.4	123	-	-	7	32.1	27.6 - 37.0	224

- Results are suppressed due to insufficient number of respondents in subgroup.
N = Unweighted number of observations