# 1/8/2024

# Stimulant Overdose Surveillance Preliminary District Report Georgia, 2022

Drug Surveillance Unit Epidemiology Section Division of Health Protection Georgia Department of Public Health



### Stimulant Overdose Surveillance, Georgia Public Health Districts, 2022

The purpose of this report is to describe District level fatal (mortality) and nonfatal (morbidity) stimulant-involved overdoses, which occurred in Georgia during 2021, including prescriptionstimulants (e.g., Adderall, Ritalin, etc.), and illicit stimulants (e.g., cocaine, methamphetamine, etc.). Stimulant overdose data were analyzed by the Georgia Department of Public Health (DPH) Epidemiology Program, Drug Surveillance Unit, using Georgia hospital discharge inpatient and emergency department (ED) visit data, and DPH Vital Records death data. A description of the data and case definitions can be found at the end of the report.


#### For more information:

- Other Georgia drug surveillance reports: <a href="https://dph.georgia.gov/drug-surveillance-unit">https://dph.georgia.gov/drug-surveillance-unit</a>
- Georgia Department of Public Health (DPH) Main Opioid Page: https://dph.georgia.gov/stopopioidaddiction
- Georgia drug overdose mortality interactive maps and statistics: <a href="https://oasis.state.ga.us/PageDirect.aspx?referer=MortalityDrugOverdoses">https://oasis.state.ga.us/PageDirect.aspx?referer=MortalityDrugOverdoses</a>
- Prescription Drug Monitoring Program (PDMP) information: GA PDMP Overview and FAQs: <a href="https://dph.georgia.gov/pdmp">https://dph.georgia.gov/pdmp</a>

### Stimulant-Involved Overdose Deaths, by Public Health District of Residence, Georgia, 2022

#### **Stimulant-Involved Overdose Deaths**


#### Stimulant-Involved Overdose Deaths per 100,000



# Stimulant-Involved Overdose Emergency Department (ED) Visits, by Public Health District of Residence, Georgia, 2022

#### **Stimulant-Involved Overdose ED Visits**

#### Stimulant-Involved Overdose ED Visits per 100,000



Georgia Public Health District	Page
1-1 Northwest	5
1-2 North Georgia	9
2-0 North	13
3-1 Cobb-Douglas	17
3-2 Fulton	21
3-3 Clayton	25
3-4 East Metro	29
3-5 DeKalb	33
4-0 LaGrange	37
5-1 South Central	41
5-2 North Central	45
6-0 East Central	49
7-0 West Central	53
8-1 South	57
8-2 Southwest	61
9-1 Coastal	65
9-2 Southeast	69
10-0 Northeast	73


Northwest Health District (1-1), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Northwest Health District (1-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Northwest Health District (1-1), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Northwest Health District (1-1), Georgia Residents, 2020-2022



Year Quarter

### Stimulant-Involved Overdose Deaths,

### Northwest Health District (1-1), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	75	21.6	18.7
Female	37	10.4	7.2
Missing	0		
TOTAL	112	15.9	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	98	16.9	14.3
African American	11	12.0	12.2
Other	3		4.2
Missing	0		
TOTAL	112	15.9	12.8

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	5	5.4	4.3
25-34 years	28	30.1	19.7
35-44 years	32	35.1	28.7
45-54 years	26	27.8	23.3
55-64 years	17	19.0	18.6
65-74 years	4		4.8
75-84 years	0		
85+ years	0		
TOTAL	112	15.9	13.0


The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Northwest Health District (1-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




### Overdose Emergency Department Visits, by Drug Type

Northwest Health District (1-1), Georgia Residents, 2020-2022



### Quarterly Overdose Emergency Department Visits, by Drug Type

Northwest Health District (1-1), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Emergency Department Visits, Northwest Health District (1-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	111	32.0	34.6
Female	63	17.7	17.7
Missing	0		
TOTAL	174	24.7	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	135	23.2	19.3
African American	25	27.3	36.8
Other	10	32.5	17.0
Missing	4		0.0
TOTAL	174	24.7	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	7	21.5	14.4
5 -14 years	5	5.4	5.9
15-24 years	18	19.3	17.9
25-34 years	39	42.0	35.9
35-44 years	43	47.2	41.4
45-54 years	30	32.1	37.6
55-64 years	22	24.6	38.8
65-74 years	10	15.1	18.7
75-84 years	0		3.6
85+ years	0		5.8
TOTAL	174	24.7	26.0


North Georgia Health District (1-2), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Georgia Health District (1-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these deaths.


### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

North Georgia Health District (1-2), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

North Georgia Health District (1-2), Georgia Residents, 2020-2022



### Stimulant-Involved Overdose Deaths,

### North Georgia Health District (1-2), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	38	14.7	18.7
Female	14	5.4	7.2
Missing	0		
TOTAL	52	10.0	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	49	10.6	14.3
African American	1		12.2
Other	2		4.2
Missing	0		
TOTAL	52	10.0	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	4		4.3
25-34 years	11	17.8	19.7
35-44 years	15	22.9	28.7
45-54 years	14	20.0	23.3
55-64 years	6	8.6	18.6
65-74 years	2		4.8
75-84 years	0		
85+ years	0		
TOTAL	52	10.0	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Georgia Health District (1-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



#### Overdose Emergency Department Visits, by Drug Type North Georgia Health District (1-2), Georgia Residents, 2020-2022



#### Quarterly Overdose Emergency Department Visits, by Drug Type North Georgia Health District (1-2), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Emergency Department Visits, North Georgia Health District (1-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	53	20.6	34.6
Female	28	10.8	17.7
Missing	0		
TOTAL	81	15.6	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	68	14.7	19.3
African American	4		36.8
Other	5	19.6	17.0
Missing	4		0.0
TOTAL	81	15.6	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	5	22.4	14.4
5 -14 years	5	7.7	5.9
15-24 years	10	14.9	17.9
25-34 years	21	34.0	35.9
35-44 years	10	15.3	41.4
45-54 years	17	24.3	37.6
55-64 years	9	12.9	38.8
65-74 years	3		18.7
75-84 years	1		3.6
85+ years	0		5.8
TOTAL	81	15.6	26.0


North Health District (2-0), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Health District (2-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

North Health District (2-0), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

North Health District (2-0), Georgia Residents, 2020-2022



### Stimulant-Involved Overdose Deaths,

### North Health District (2-0), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	74	19.2	18.7
Female	32	8.2	7.2
Missing	0		
TOTAL	106	13.7	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	96	14.9	14.3
African American	8	17.3	12.2
Other	2		4.2
Missing	0		
TOTAL	106	13.7	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	4		4.3
25-34 years	29	33.6	19.7
35-44 years	30	29.5	28.7
45-54 years	27	25.5	23.3
55-64 years	14	14.2	18.6
65-74 years	2		4.8
75-84 years	0		
85+ years	0		
TOTAL	106	13.7	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Health District (2-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



### Overdose Emergency Department Visits, by Drug Type



### Quarterly Overdose Emergency Department Visits, by Drug Type North Health District (2-0), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Emergency Department Visits, North Health District (2-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	96	24.9	34.6
Female	54	13.9	17.7
Missing	0		
TOTAL	150	19.4	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	111	17.2	19.3
African American	18	39.0	36.8
Other	16	19.0	17.0
Missing	5	0.0	0.0
TOTAL	150	19.4	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	3		14.4
5 -14 years	5	5.0	5.9
15-24 years	22	20.9	17.9
25-34 years	33	38.3	35.9
35-44 years	52	51.2	41.4
45-54 years	13	12.3	37.6
55-64 years	19	19.2	38.8
65-74 years	3		18.7
75-84 years	0		3.6
85+ years	0		5.8
TOTAL	150	19.4	26.0


Cobb-Douglas Health District (3-1), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Cobb-Douglas Health District (3-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Cobb-Douglas Health District (3-1), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Cobb-Douglas Health District (3-1), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Deaths,

### Cobb-Douglas Health District (3-1), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	70	15.7	18.7
Female	25	5.3	7.2
Missing	0		
TOTAL	95	10.3	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	65	12.2	14.3
African American	27	8.8	12.2
Other	2		4.2
Missing	1		
TOTAL	95	10.3	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	5	4.0	4.3
25-34 years	18	13.7	19.7
35-44 years	28	21.8	28.7
45-54 years	23	18.2	23.3
55-64 years	17	15.1	18.6
65-74 years	4		4.8
75-84 years	0		
85+ years	0		
TOTAL	95	10.3	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Cobb-Douglas Health District (3-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



# Overdose Emergency Department Visits, by Drug Type Cobb-Douglas Health District (3-1), Georgia Residents, 2020-2022



# Quarterly Overdose Emergency Department Visits, by Drug Type Cobb-Douglas Health District (3-1), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Emergency Department Visits, Cobb-Douglas Health District (3-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	99	22.1	34.6
Female	59	12.5	17.7
Missing	0		
TOTAL	158	17.2	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	68	12.8	19.3
African American	70	22.8	36.8
Other	13	16.3	17.0
Missing	7	0.0	0.0
TOTAL	158	17.2	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	3		14.4
5 -14 years	7	6.0	5.9
15-24 years	24	19.1	17.9
25-34 years	45	34.1	35.9
35-44 years	34	26.5	41.4
45-54 years	24	19.0	37.6
55-64 years	16	14.2	38.8
65-74 years	3		18.7
75-84 years	2		3.6
85+ years	0		5.8
TOTAL	158	17.2	26.0


Fulton Health District (3-2), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Fulton Health District (3-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Fulton Health District (3-2), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Fulton Health District (3-2), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Deaths,

### Fulton Health District (3-2), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	104	19.9	18.7
Female	42	7.6	7.2
Missing	0		
TOTAL	146	13.6	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	48	10.1	14.3
African American	93	19.2	12.2
Other	2		4.2
Missing	3		
TOTAL	146	13.6	12.8

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	5	3.4	4.3
25-34 years	18	9.7	19.7
35-44 years	38	24.3	28.7
45-54 years	31	21.5	23.3
55-64 years	38	31.1	18.6
65-74 years	14	16.9	4.8
75-84 years	2		
85+ years	0		
TOTAL	146	13.6	13.0


The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Fulton Health District (3-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




### Overdose Emergency Department Visits, by Drug Type

Fulton Health District (3-2), Georgia Residents, 2020-2022



### Quarterly Overdose Emergency Department Visits, by Drug Type

Fulton Health District (3-2), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Emergency Department Visits, Fulton Health District (3-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	419	80.1	34.6
Female	185	33.6	17.7
Missing	1		
TOTAL	605	56.3	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	67	14.1	19.3
African American	497	102.7	36.8
Other	26	22.5	17.0
Missing	15	0.0	0.0
TOTAL	605	56.3	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	3		14.4
5 -14 years	4		5.9
15-24 years	31	20.9	17.9
25-34 years	79	42.8	35.9
35-44 years	91	58.3	41.4
45-54 years	120	83.2	37.6
55-64 years	197	161.0	38.8
65-74 years	68	82.2	18.7
75-84 years	7	17.4	3.6
85+ years	5	34.7	5.8
TOTAL	605	56.3	26.0


Clayton Health District (3-3), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Clayton Health District (3-3), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Clayton Health District (3-3), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Clayton Health District (3-3), Georgia Residents, 2020-2022



Year Quarter

# Stimulant-Involved Overdose Deaths, Clayton Health District (3-3), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	20	14.4	18.7
Female	6	3.8	7.2
Missing	0		
TOTAL	26	8.8	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	9	16.8	14.3
African American	17	7.8	12.2
Other	0		4.2
Missing	0		
TOTAL	26	8.8	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	0		4.3
25-34 years	3		19.7
35-44 years	8	20.7	28.7
45-54 years	7	19.0	23.3
55-64 years	8	23.2	18.6
65-74 years	0		4.8
75-84 years	0		
85+ years	0		
TOTAL	26	8.8	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Clayton Health District (3-3), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



# Overdose Emergency Department Visits, by Drug Type Clayton Health District (3-3), Georgia Residents, 2020-2022



# Quarterly Overdose Emergency Department Visits, by Drug Type Clayton Health District (3-3), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Emergency Department Visits, Clayton Health District (3-3), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	44	31.7	34.6
Female	19	12.0	17.7
Missing	0		
TOTAL	63	21.2	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	14	26.2	19.3
African American	40	18.3	36.8
Other	7	28.2	17.0
Missing	2		0.0
TOTAL	63	21.2	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	0		14.4
5 -14 years	0		5.9
15-24 years	4		17.9
25-34 years	16	35.0	35.9
35-44 years	14	36.2	41.4
45-54 years	9	24.4	37.6
55-64 years	12	34.9	38.8
65-74 years	7	31.9	18.7
75-84 years	1		3.6
85+ years	0		5.8
TOTAL	63	21.2	26.0


East Metro Health District (3-4), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among East Metro Health District (3-4), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

East Metro Health District (3-4), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

East Metro Health District (3-4), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Deaths, East Metro Health District (3-4), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	72	12.4	18.7
Female	35	5.7	7.2
Missing	0		
TOTAL	107	9.0	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	68	11.7	14.3
African American	31	7.3	12.2
Other	8	4.4	4.2
Missing	0		
TOTAL	107	9.0	12.8

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	7	4.0	4.3
25-34 years	23	14.9	19.7
35-44 years	31	19.0	28.7
45-54 years	20	12.0	23.3
55-64 years	23	16.0	18.6
65-74 years	3		4.8
75-84 years	0		
85+ years	0		
TOTAL	107	9.0	13.0


The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among East Metro Health District (3-4), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




### Overdose Emergency Department Visits, by Drug Type

East Metro Health District (3-4), Georgia Residents, 2020-2022



# Quarterly Overdose Emergency Department Visits, by Drug Type East Metro Health District (3-4), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Emergency Department Visits, East Metro Health District (3-4), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	108	18.7	34.6
Female	54	8.9	17.7
Missing	0		
TOTAL	162	13.6	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	70	12.1	19.3
African American	53	12.5	36.8
Other	21	11.4	17.0
Missing	18	0.0	0.0
TOTAL	162	13.6	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	4		14.4
5 -14 years	9	5.2	5.9
15-24 years	26	14.9	17.9
25-34 years	40	26.0	35.9
35-44 years	43	26.4	41.4
45-54 years	24	14.4	37.6
55-64 years	12	8.3	38.8
65-74 years	3		18.7
75-84 years	0		3.6
85+ years	1		5.8
TOTAL	162	13.6	26.0


DeKalb Health District (3-5), Georgia 2020-2022

### Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among DeKalb Health District (3-5), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


### Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Deaths, DeKalb Health District (3-5), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	86	23.8	18.7
Female	14	3.5	7.2
Missing	0		
TOTAL	100	13.1	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	25	9.1	14.3
African American	69	16.6	12.2
Other	6	8.2	4.2
Missing	0		
TOTAL	100	13.1	12.8

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	4		4.3
25-34 years	16	12.7	19.7
35-44 years	28	25.5	28.7
45-54 years	23	24.1	23.3
55-64 years	23	25.7	18.6
65-74 years	6	9.1	4.8
75-84 years	0		
85+ years	0		
TOTAL	100	13.1	13.0


The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among DeKalb Health District (3-5), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

# Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




### Overdose Emergency Department Visits, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



### Quarterly Overdose Emergency Department Visits, by Drug Type

DeKalb Health District (3-5), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, DeKalb Health District (3-5), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	182	50.3	34.6
Female	90	22.4	17.7
Missing	0		
TOTAL	272	35.7	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	45	16.5	19.3
African American	184	44.2	36.8
Other	12	16.5	17.0
Missing	31	0.0	0.0
TOTAL	272	35.7	26.0


Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2		4.8
1 - 4 years	12	31.1	14.4
5 -14 years	9	9.7	5.9
15-24 years	17	18.2	17.9
25-34 years	40	31.8	35.9
35-44 years	42	38.3	41.4
45-54 years	59	61.7	37.6
55-64 years	65	72.7	38.8
65-74 years	24	36.4	18.7
75-84 years	2		3.6
85+ years	0		5.8
TOTAL	272	35.7	26.0

LaGrange Health District (4-0), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)


The following data include stimulant-involved overdose deaths occurring among LaGrange Health District (4-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.

### Overdose Deaths, by Drug Type Statewide, Georgia Residents 2020-2022




### Overdose Deaths, by Drug Type

LaGrange Health District (4-0), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

LaGrange Health District (4-0), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths, LaGrange Health District (4-0), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	64	14.5	18.7
Female	30	6.4	7.2
Missing	0		
TOTAL	94	10.3	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	68	12.2	14.3
African American	24	7.8	12.2
Other	2		4.2
Missing	0		
TOTAL	94	10.3	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	7	5.5	4.3
25-34 years	22	19.2	19.7
35-44 years	33	28.7	28.7
45-54 years	18	14.8	23.3
55-64 years	14	11.7	18.6
65-74 years	0		4.8
75-84 years	0		
85+ years	0		
TOTAL	94	10.3	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among LaGrange Health District (4-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



## Overdose Emergency Department Visits, by Drug Type



## Quarterly Overdose Emergency Department Visits, by Drug Type LaGrange Health District (4-0), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, LaGrange Health District (4-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	94	21.2	34.6
Female	51	10.8	17.7
Missing	0		
TOTAL	145	15.9	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	87	15.7	19.3
African American	45	14.7	36.8
Other	4		17.0
Missing	9	0.0	0.0
TOTAL	145	15.9	26.0


Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	7	17.0	14.4
5 -14 years	6	5.0	5.9
15-24 years	14	10.9	17.9
25-34 years	25	21.8	35.9
35-44 years	41	35.6	41.4
45-54 years	22	18.1	37.6
55-64 years	18	15.1	38.8
65-74 years	11	12.7	18.7
75-84 years	1		3.6
85+ years	0		5.8
TOTAL	145	15.9	26.0

South Central Health District (5-1), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)


The following data include stimulant-involved overdose deaths occurring among South Central Health District (5-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.

### Overdose Deaths, by Drug Type Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

South Central Health District (5-1), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

South Central Health District (5-1), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Deaths, South Central Health District (5-1), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	18	24.1	18.7
Female	6	8.6	7.2
Missing	0		
TOTAL	24	16.6	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	19	20.8	14.3
African American	5	10.3	12.2
Other	0		4.2
Missing	0		
TOTAL	24	16.6	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	1		4.3
25-34 years	8	41.8	19.7
35-44 years	7	37.8	28.7
45-54 years	3		23.3
55-64 years	5	27.2	18.6
65-74 years	0		4.8
75-84 years	0		
85+ years	0		
TOTAL	24	16.6	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among South Central Health District (5-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



## Overdose Emergency Department Visits, by Drug Type South Central Health District (5-1), Georgia Residents, 2020-2022



## Quarterly Overdose Emergency Department Visits, by Drug Type South Central Health District (5-1), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, South Central Health District (5-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	25	33.5	34.6
Female	15	21.5	17.7
Missing	0		
TOTAL	40	27.7	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	19	20.8	19.3
African American	19	39.2	36.8
Other	1		17.0
Missing	1		0.0
TOTAL	40	27.7	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	1		14.4
5 -14 years	1		5.9
15-24 years	1		17.9
25-34 years	5	26.1	35.9
35-44 years	10	53.9	41.4
45-54 years	10	54.0	37.6
55-64 years	11	59.9	38.8
65-74 years	0		18.7
75-84 years	1		3.6
85+ years	0		5.8
TOTAL	40	27.7	26.0


North Central Health District (5-2), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among North Central Health District (5-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

North Central Health District (5-2), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

North Central Health District (5-2), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths,

## North Central Health District (5-2), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	53	19.7	18.7
Female	20	7.1	7.2
Missing	0		
TOTAL	73	13.2	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	47	15.7	14.3
African American	24	10.6	12.2
Other	2		4.2
Missing	0		
TOTAL	73	13.2	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	3		4.3
25-34 years	14	19.3	19.7
35-44 years	24	34.8	28.7
45-54 years	15	23.3	23.3
55-64 years	14	19.5	18.6
65-74 years	3		4.8
75-84 years	0		
85+ years	0		
TOTAL	73	13.2	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among North Central Health District (5-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



### Overdose Emergency Department Visits, by Drug Type North Central Health District (5-2), Georgia Residents, 2020-2022



### Quarterly Overdose Emergency Department Visits, by Drug Type North Central Health District (5-2), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, North Central Health District (5-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	89	33.2	34.6
Female	62	21.9	17.7
Missing	0		
TOTAL	151	27.4	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	74	24.8	19.3
African American	73	32.3	36.8
Other	3		17.0
Missing	1		0.0
TOTAL	151	27.4	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	4		14.4
5 -14 years	6	8.3	5.9
15-24 years	15	19.3	17.9
25-34 years	21	29.0	35.9
35-44 years	34	49.3	41.4
45-54 years	37	57.5	37.6
55-64 years	23	32.1	38.8
65-74 years	11	19.6	18.7
75-84 years	0		3.6
85+ years	0		5.8
TOTAL	151	27.4	26.0


East Central Health District (6-0), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among East Central Health District (6-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

East Central Health District (6-0), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

East Central Health District (6-0), Georgia Residents, 2020-2022



# Stimulant-Involved Overdose Deaths, East Central Health District (6-0), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	76	31.0	18.7
Female	24	9.3	7.2
Missing	0		
TOTAL	100	19.9	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	56	21.3	14.3
African American	42	20.0	12.2
Other	2		4.2
Missing	0		
TOTAL	100	19.9	12.8

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	6	8.8	4.3
25-34 years	19	26.8	19.7
35-44 years	25	38.0	28.7
45-54 years	31	53.7	23.3
55-64 years	14	22.6	18.6
65-74 years	5	10.0	4.8
75-84 years	0		
85+ years	0		
TOTAL	100	19.9	13.0


The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among East Central Health District (6-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




## Overdose Emergency Department Visits, by Drug Type

East Central Health District (6-0), Georgia Residents, 2020-2022



## Quarterly Overdose Emergency Department Visits, by Drug Type

East Central Health District (6-0), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, East Central Health District (6-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	74	30.2	34.6
Female	39	15.1	17.7
Missing	0		
TOTAL	113	22.5	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	60	22.8	19.3
African American	51	24.3	36.8
Other	1		17.0
Missing	1		0.0
TOTAL	113	22.5	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	2		14.4
5 -14 years	8	12.1	5.9
15-24 years	14	20.6	17.9
25-34 years	22	31.0	35.9
35-44 years	24	36.5	41.4
45-54 years	16	27.7	37.6
55-64 years	20	32.2	38.8
65-74 years	5	10.0	18.7
75-84 years	1		3.6
85+ years	1		5.8
TOTAL	113	22.5	26.0


West Central Health District (7-0), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among West Central Health District (7-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

West Central Health District (7-0), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

West Central Health District (7-0), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths,

## West Central Health District (7-0), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	24	13.4	18.7
Female	8	4.4	7.2
Missing	0		
TOTAL	32	8.8	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	22	12.3	14.3
African American	10	6.2	12.2
Other	0		4.2
Missing	0		
TOTAL	32	8.8	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	3		4.3
25-34 years	9	17.3	19.7
35-44 years	10	22.1	28.7
45-54 years	7	17.0	23.3
55-64 years	3		18.6
65-74 years	0		4.8
75-84 years	0		
85+ years	0		
TOTAL	32	8.8	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among West Central Health District (7-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



## Overdose Emergency Department Visits, by Drug Type West Central Health District (7-0), Georgia Residents, 2020-2022



## Quarterly Overdose Emergency Department Visits, by Drug Type West Central Health District (7-0), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, West Central Health District (7-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	41	22.9	34.6
Female	30	16.4	17.7
Missing	0		
TOTAL	71	19.6	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	32	17.8	19.3
African American	37	22.9	36.8
Other	1		17.0
Missing	1		0.0
TOTAL	71	19.6	26.0


Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	2		14.4
5 -14 years	3		5.9
15-24 years	8	16.3	17.9
25-34 years	10	19.3	35.9
35-44 years	13	28.7	41.4
45-54 years	13	31.5	37.6
55-64 years	12	27.2	38.8
65-74 years	9	24.7	18.7
75-84 years	1		3.6
85+ years	0		5.8
TOTAL	71	19.6	26.0

South Health District (8-1), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)


The following data include stimulant-involved overdose deaths occurring among South Health District (8-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.

### Overdose Deaths, by Drug Type Statewide, Georgia Residents 2020-2022




### Overdose Deaths, by Drug Type

South Health District (8-1), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

South Health District (8-1), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths,

## South Health District (8-1), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	14	11.0	18.7
Female	6	4.4	7.2
Missing	0		
TOTAL	20	7.6	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	13	7.9	14.3
African American	6	7.0	12.2
Other	1		4.2
Missing	0		
TOTAL	20	7.6	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	1		4.3
25-34 years	4		19.7
35-44 years	7	22.1	28.7
45-54 years	3		23.3
55-64 years	4		18.6
65-74 years	1		4.8
75-84 years	0		
85+ years	0		
TOTAL	20	7.6	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among South Health District (8-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



## Overdose Emergency Department Visits, by Drug Type South Health District (8-1), Georgia Residents, 2020-2022



## Quarterly Overdose Emergency Department Visits, by Drug Type South Health District (8-1), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, South Health District (8-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	39	30.7	34.6
Female	29	21.5	17.7
Missing	0		
TOTAL	68	26.0	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	47	28.6	19.3
African American	19	22.2	36.8
Other	2		17.0
Missing	0		0.0
TOTAL	68	26.0	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	1		4.8
1 - 4 years	3		14.4
5 -14 years	1		5.9
15-24 years	8	18.6	17.9
25-34 years	13	37.0	35.9
35-44 years	20	63.1	41.4
45-54 years	13	44.9	37.6
55-64 years	8	26.5	38.8
65-74 years	1		18.7
75-84 years	0		3.6
85+ years	0		5.8
TOTAL	68	26.0	26.0


Southwest Health District (8-2), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Southwest Health District (8-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths,

## Southwest Health District (8-2), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	31	18.5	18.7
Female	14	7.8	7.2
Missing	0		
TOTAL	45	13.0	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	29	15.7	14.3
African American	16	10.6	12.2
Other	0		4.2
Missing	0		
TOTAL	45	13.0	12.8

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	0		4.3
25-34 years	13	30.3	19.7
35-44 years	10	23.7	28.7
45-54 years	13	31.5	23.3
55-64 years	8	18.2	18.6
65-74 years	1		4.8
75-84 years	0		
85+ years	0		
TOTAL	45	13.0	13.0


The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Southwest Health District (8-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




## Overdose Emergency Department Visits, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



## Quarterly Overdose Emergency Department Visits, by Drug Type

Southwest Health District (8-2), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, Southwest Health District (8-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	45	26.8	34.6
Female	28	15.6	17.7
Missing	0		
TOTAL	73	21.0	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	48	26.1	19.3
African American	23	15.3	36.8
Other	1		17.0
Missing	1		0.0
TOTAL	73	21.0	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	1		14.4
5 -14 years	0		5.9
15-24 years	5	10.7	17.9
25-34 years	15	34.9	35.9
35-44 years	20	47.5	41.4
45-54 years	17	41.2	37.6
55-64 years	10	22.7	38.8
65-74 years	5	13.6	18.7
75-84 years	0		3.6
85+ years	0		5.8
TOTAL	73	21.0	26.0


Coastal Health District (9-1), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Coastal Health District (9-1), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Coastal Health District (9-1), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Coastal Health District (9-1), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths,

## Coastal Health District (9-1), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	72	22.3	18.7
Female	23	6.9	7.2
Missing	0		
TOTAL	95	14.4	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	66	16.3	14.3
African American	28	13.0	12.2
Other	1		4.2
Missing	0		
TOTAL	95	14.4	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	1		
5 -14 years	0		
15-24 years	4		4.3
25-34 years	18	18.2	19.7
35-44 years	35	40.5	28.7
45-54 years	24	32.9	23.3
55-64 years	12	15.7	18.6
65-74 years	1		4.8
75-84 years	0		
85+ years	0		
TOTAL	95	14.4	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Coastal Health District (9-1), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


## Overdose Emergency Department Visits, by Drug Type



## Overdose Emergency Department Visits, by Drug Type



## Quarterly Overdose Emergency Department Visits, by Drug Type Coastal Health District (9-1), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, Coastal Health District (9-1), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	65	20.1	34.6
Female	37	11.0	17.7
Missing	0		
TOTAL	102	15.5	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	51	12.6	19.3
African American	45	21.0	36.8
Other	6	15.1	17.0
Missing	0		0.0
TOTAL	102	15.5	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	4		14.4
5 -14 years	3		5.9
15-24 years	11	11.9	17.9
25-34 years	26	26.3	35.9
35-44 years	24	27.8	41.4
45-54 years	20	27.4	37.6
55-64 years	8	10.4	38.8
65-74 years	4		18.7
75-84 years	1		3.6
85+ years	1		5.8
TOTAL	102	15.5	26.0


Southeast Health District (9-2), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Southeast Health District (9-2), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Southeast Health District (9-2), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Southeast Health District (9-2), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths, Southeast Health District (9-2), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	25	13.2	18.7
Female	19	10.2	7.2
Missing	0		
TOTAL	44	11.7	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	37	13.7	14.3
African American	6	6.6	12.2
Other	1		4.2
Missing	0		
TOTAL	44	11.7	12.8

Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	2		4.3
25-34 years	10	20.2	19.7
35-44 years	17	36.8	28.7
45-54 years	12	26.9	23.3
55-64 years	2		18.6
65-74 years	1		4.8
75-84 years	0		
85+ years	0		
TOTAL	44	11.7	13.0


The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Southeast Health District (9-2), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.

## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022




## Overdose Emergency Department Visits, by Drug Type

Southeast Health District (9-2), Georgia Residents, 2020-2022



## Quarterly Overdose Emergency Department Visits, by Drug Type

Southeast Health District (9-2), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, Southeast Health District (9-2), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	71	37.4	34.6
Female	53	28.5	17.7
Missing	0		
TOTAL	124	33.0	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	75	27.9	19.3
African American	47	51.5	36.8
Other	2		17.0
Missing	0		0.0
TOTAL	124	33.0	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		4.8
1 - 4 years	2		14.4
5 -14 years	4		5.9
15-24 years	13	21.2	17.9
25-34 years	21	42.3	35.9
35-44 years	24	52.0	41.4
45-54 years	33	74.0	37.6
55-64 years	19	43.0	38.8
65-74 years	8	22.9	18.7
75-84 years	0		3.6
85+ years	0		5.8
TOTAL	124	33.0	26.0


Northeast Health District (10-0), Georgia 2020-2022

## Stimulant-Involved Overdose Deaths (Mortality)

The following data include stimulant-involved overdose deaths occurring among Northeast Health District (10-0), Georgia residents, and may have occurred in or outside of Georgia. See the table at the end of this of this report for a detailed explanation of the data and case definitions used to identify these deaths.


## Overdose Deaths, by Drug Type

Statewide, Georgia Residents 2020-2022




#### Overdose Deaths, by Drug Type

Northeast Health District (10-0), Georgia Residents, 2020-2022



### Quarterly Overdose Deaths, by Drug Type

Northeast Health District (10-0), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Deaths, Northeast Health District (10-0), Georgia Residents, 2022


Sex	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
Male	55	20.2	18.7
Female	29	10.2	7.2
Missing	0		
TOTAL	84	15.1	12.8

Race	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
White	69	16.3	14.3
African American	14	13.7	12.2
Other	1		4.2
Missing	0		
TOTAL	84	15.1	12.8


Age	No. Deaths	District rate (per 100,000)	State rate (per 100,000)
<1 year	0		
1 - 4 years	0		
5 -14 years	0		
15-24 years	3		4.3
25-34 years	19	26.1	19.7
35-44 years	22	31.0	28.7
45-54 years	21	30.9	23.3
55-64 years	18	27.3	18.6
65-74 years	1		4.8
75-84 years	0		
85+ years	0		
TOTAL	84	15.1	13.0

The following data include stimulant-involved emergency department (ED) visits occurring in Georgia among Northeast Health District (10-0), Georgia residents. See the table at the end of this report for a detailed explanation of the data and case definitions used to identify these ED visits.


## Overdose Emergency Department Visits, by Drug Type Statewide, Georgia Residents 2020-2022



## Overdose Emergency Department Visits, by Drug Type



### Quarterly Overdose Emergency Department Visits, by Drug Type Northeast Health District (10-0), Georgia Residents, 2020-2022



## Stimulant-Involved Overdose Emergency Department Visits, Northeast Health District (10-0), Georgia Residents, 2022

Sex	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
Male	75	27.5	34.6
Female	37	13.0	17.7
Missing	0		
TOTAL	112	20.1	26.0

Race	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
White	70	16.5	19.3
African American	29	28.5	36.8
Other	4		17.0
Missing	9	0.0	0.0
TOTAL	112	20.1	26.0

Age	No. ED visits	District rate (per 100,000)	State rate (per 100,000)
<1 year	2		4.8
1 - 4 years	6	24.5	14.4
5 -14 years	3		5.9
15-24 years	15	16.3	17.9
25-34 years	25	34.3	35.9
35-44 years	23	32.4	41.4
45-54 years	16	23.6	37.6
55-64 years	20	30.4	38.8
65-74 years	2		18.7
75-84 years	0		3.6
85+ years	0		5.8
TOTAL	112	20.1	26.0

#### **About Fatal Drug Overdose (Mortality) Data**

#### **Data Source**

Overdose-involved deaths were derived from DPH Vital Records death certificates. The following data include all deaths that occurred in Georgia among Georgia residents and deaths that occurred outside of Georgia among Georgia residents, unless otherwise specified.

#### **Case Definitions**

(Note: categories are not mutually exclusive; includes only drug overdose deaths caused by acute poisoning)

#### Any drug overdose death

May involve any over-the-counter, prescription, or illicit drug

 Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14

#### Drug overdose death involving any stimulant

Involves prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.), and illicit stimulants (e.g. cocaine, methamphetamine, ecstasy, etc.)

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
   AND
- Any of the following ICD-10 codes as any other listed cause of death: T40.5, T43.6

OR (for cases without an X or Y code in the underlying cause of death):

 Any cause of death text field contains the following keywords: 5F-ADB, adderall, amphetamine, bath salt, bath salts, bathsalt, biphetamine, BK-DMBDB, bk-dmbdb, cathinone, coca leaf, cocaine, concerta, crack, crystal meth, dexedrine, dextroamphetamine, ecstasy, ephedrine, flakka, focalin, khat, levoamphetamine, lisdexamfetamine, MDA, MDMA, methamphetamine, methylin, mollie, molly, pseudoephedrine, psychostimulant, ritalin, speed, speedball, stimulant, vyvanse

#### Drug overdose death involving amphetamine

Involves prescription amphetamine (e.g. Adderall, Dexedrine, etc.) and illicit amphetamine

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
   AND
- Any of the following ICD-10 codes as any other listed cause of death: T43.6

OR (for cases without an X or Y code in the underlying cause of death):

 Any cause of death text field contains the following keywords and common mispellings: amphetamine, biphetamine, dexedrine, ephedrine, levoamphetamine, lisdexamfetamine, methamphetamine, methylin, pseudoephedrine

#### Drug overdose death involving cocaine

Involves cocaine

 Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
 AND

#### **About Fatal Drug Overdose (Mortality) Data**

- Any of the following ICD-10 code as any other listed cause of death: T40.5
  - OR (for cases without an X or Y code in the underlying cause of death):
- Any cause of death text field contains the following keywords and common mispellings: coca leaf, cocaine, crack

#### Drug overdose death involving any stimulant + any opioid

Involves both a stimulant and an opioid. Stimulants includes prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.) and illicit stimulants (e.g. speed, ecstasy, methamphetamine, etc.). Opioids includes prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
   AND
- Any of the following ICD-10 codes as any other listed cause of death: T40.5, T43.6
  - OR (for cases without an X or Y code in the underlying cause of death):
- Any cause of death text field contains the following keywords: 5F-ADB, adderall, amphetamine, bath salt, bath salts, bathsalt, biphetamine, BK-DMBDB, bk-dmbdb, cathinone, coca leaf, cocaine, concerta, crack, crystal meth, dexedrine, dextroamphetamine, ecstasy, ephedrine, flakka, focalin, khat, levoamphetamine, lisdexamfetamine, MDA, MDMA, methamphetamine, methylin, mollie, molly, pseudoephedrine, psychostimulant, ritalin, speed, speedball, stimulant, Vyvanse

**AND** 

- Deaths with any of the following ICD-10 codes as any underlying cause of death: X40-44, X60-64, X85, Y10-14
  - AND one of the following:
- Any of the following ICD-10 codes as any other listed cause of death: T40.0, T40.1, T40.2, T40.3, T40.4, T40.6
- Any cause of death text field contains one of the following terms (or common misspelling):
  heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp,
  hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone,
  oxymorphone, tapentadol, tramadol
  - OR (for cases without an X or Y code in the underlying cause of death):
- Any cause of death text field contains the word "TOXIC" AND at least one of the following terms (or common misspelling): heroin, fentanyl (and fentanyl analogs), methadone, buprenorphine, butalbital, codeine, eddp, hydrocodone, hydromorphone, levorphanol, meperidine, norbuprenorphine, oxycodone, oxymorphone, tapentadol, tramadol

#### Other Definitions or Limitations

Deaths represent individual people who died in Georgia and deaths among Georgia residents outside of Georgia.

#### **About Fatal Drug Overdose (Mortality) Data**

Overdose death county represents the county of residence, or the place of injury (where the overdose occurred) as specified; when the place of injury field or the county of residence field was blank the county of the death certifier was specified; when the place of injury field or the county of residence field was blank the county of the death certifier was used.

Rate indicates the number of deaths among Georgia residents per 100,000 population using 2020-2022 Census data as the denominator, and all rates are age-adjusted unless age category is presented.

Rates for categories with fewer than 5 deaths may not be accurate and are not presented in this report.

#### ICD-10 Code Description

X40-X44 (accidental poisonings by drugs), X60-X64 (intentional self-poisoning by drugs), X85 (assault by drug poisoning), Y10-Y14 (drug poisoning of undetermined intent), T40.0 (opium), T40.1 (heroin), T40.2 (natural and semisynthetic opioids), T40.3 (methadone), T40.4 (synthetic opioids, other than methadone), T40.5 (cocaine), T40.6 (other and unspecified narcotics), T43.6 (psychostimulants with abuse potential)

#### **About Nonfatal Drug Overdose (Morbidity) Data**

#### **Data Source**

Nonfatal overdose counts were derived from Georgia hospitalization and emergency department (ED) visit discharge data, and included all ED visits or hospitalizations occurring in a non-Federal acute care hospital in Georgia, among Georgia residents, with a discharge diagnosis indicating acute drug overdose.

#### **Case Definitions**

(Note: categories are not mutually exclusive)

#### ED visit or hospitalization involving any drug overdose

May involve any over-the-counter, prescription, or illicit drug

- Any mention of ICD-10CM codes: T36-T50 AND
- 6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing

#### ED visit or hospitalization involving any stimulant overdose

Includes prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.) and illicit stimulants (e.g. speed, ecstasy, methamphetamine, etc.)

- Any mention of ICD-10CM codes: T40.5X, T43.60, T43.61, T43.62, T43.63, T43.69, T44.99
   AND
- 5<sup>th</sup> or 6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing

#### ED visit or hospitalization involving an amphetamine overdose

Includes prescription amphetamines (e.g. Adderall, etc.) and illicit amphetamines (e.g. speed, ecstasy, methamphetamine, etc.)

- Any mention of ICD-10CM code: T43.62
- 6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing

#### ED visit or hospitalization involving a cocaine overdose

Involves cocaine

- Any mention of ICD-10CM code: T40.5X AND
- 6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing

#### ED visit or hospitalization involving any stimulant + any opioid overdose

Involves both a stimulant and an opioid. Stimulants includes prescription stimulants (e.g. Adderall, Ritalin, etc.), over-the-counter stimulants (e.g. caffeine, ephedrine, etc.) and illicit stimulants (e.g. speed, ecstasy, methamphetamine, etc.). Opioids includes prescription opioid pain relievers (e.g., hydrocodone, oxycodone, and morphine), opioids used to treat addiction (e.g., methadone), as well as heroin, opium, and synthetic opioids (e.g., tramadol and fentanyl that may be prescription or illicitly manufactured)

- Any mention of ICD-10CM codes: T40.5X, T43.60, T43.61, T43.62, T43.63, T43.69, T44.99
   AND
- 5<sup>th</sup> or 6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing
- Any mention of ICD-10CM codes: T40.0X, T40.1X, T40.2X, T40.3X, T40.4X, T40.60, T40.69
   AND
- 6<sup>th</sup> character: 1-4, and a 7<sup>th</sup> character of A or missing

#### **About Nonfatal Drug Overdose (Morbidity) Data**

#### Other Definitions or Limitations

Please note: The case definition has changed and cannot be compared to previous reports.

ED Visits and Hospitalization categories are not mutually exclusive. Hospitalizations may also appear in the ED Visits category if they were admitted to the hospital through the ED.

ED visits and hospitalizations may represent multiple visits by individuals in Georgia.

County indicates the patient's county of residence.

Only Black and White are indicated for race because of incomplete or sparse data on other races and ethnicities.

Rate indicates the number of deaths among Georgia residents per 100,000 population using 2020-2022 Census data as the denominator, and all rates are age-adjusted unless age category is presented.

Rates for categories with fewer than 5 ED visits or hospitalizations may not be accurate and are not presented in this report.

#### ICD-10 CM Code Description

Poisoning by: T36-T50 (range includes all drugs), T40.0X (opium), T40.1X (heroin), T40.2X (other opioids), T40.3X (methadone), T40.4X (synthetic narcotics), T40.41 (fentanyl or fentanyl analogs), T40.42 (tramadol), T40.49 (other synthetic narcotics), T40.5X (cocaine), 40.60 (unspecified narcotics), T40.69 (other narcotics), T43.60 (unspecified psychostimulants), T43.61 (caffeine), T43.62 (amphetamines), T43.63 (methylphenidate), T43.64 (ecstasy), T43.69 (other psychostimulants) 6<sup>th</sup> Character: 1 (accidental, unintentional), 2 (intentional self-harm), 3 (assault), 4 (undetermined intent)

7<sup>th</sup> Character: A (initial encounter) or missing