Georgia Weekly Influenza Report

MMWR Week 18

Updated 5/15/2015


Week 18 (May 3 — May 9, 2015) Synopsis

During week 18 there was sporadic influenza activity in Georgia with minimal occurrences of sustained flu transmission.

- Outpatient Illness Surveillance (ILINet): The proportion of outpatient visits for ILI was 1.15%, which is below the Georgia baseline of 2.1%.
- **Geographic Spread of Influenza:** The geographic spread of influenza in Georgia was **SPORADIC** during week 17.
- Metro Area Hospitalizations: There were 0 hospitalizations due to influenza infection during week 18. There have been 1,455 hospitalizations due to influenza infection so far this season
- Influenza Related Deaths: There were 0 confirmed influenza-associated death during week 18. There have been 28 confirmed influenza-associated deaths as of 5/15/2015.
- Reported Influenza Outbreaks: There were 0 influenza-associated outbreaks during week 18. There have been 34 influenza-related outbreaks so far this season.
- Viral Surveillance: Of the 273 Specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 18, 5 (1.83%) were positive for influenza.
- **RSV Viral Surveillance:** Of the **220** specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 18, the percent positive of **ALL** laboratory confirmed tests was **5.91**%.

ILINet Provider Network Data

Percentage of patients with ILI reported by ILINet providers (Volunteer providers who report percentage of patients with ILI seen by their practice or facility weekly. This week there are currently 18 ILINet providers reporting in Georgia.)



This Week: 1.15% of patients seen in ILINet Provider offices were diagnosed with ILI.

Note: The Georgia baseline is formulated by averaging ILI percentage during weeks of endemic activity determined by laboratory results for influenza.

ILINet patient visits by age group

This graph displays the number of patients seen at sentinel provider offices and diagnosed with ILI in the past week. The data are stratified by age-group.


ILI Activity Level Indicator - ILINet

(This graph uses the proportion of outpatient visits for ILI to measure the ILI severity in Georgia.) For a national view, visit http://cdc.gov/flu/weekly/)

Council of State and Territorial Epidemiologists Report – Geographic Dispersion

(This graph reflects geographic dispersion and is not an indicator of influenza severity)

ILINet Patient Visits By Age Group




During week 18 those aged 0 to 24 years were most often seen with ILI symptoms by ILINet providers.

Georgia ILI Intensity Indicator

ILI Activity Levels (1 - 10) correspond to the number of standard deviations away from the 3-year mean for the current week.

This week the intensity level is:

Minimal = I



Georgia ILI Geographic Dispersion


This Week's Flu Code is:

SPORADIC

Sporadic = ILI activity has not increased and there are isolated labconfirmed cases of influenza in the state


OR

ILI activity has not increased and there is a lab confirmed influenza outbreak in one institution throughout the state



Syndromic Surveillance Data Daily Influenza-like Illness Syndrome (percentage of ILI visits)


Daily Percent of ILI Syndrome Visits to Georgia Emergency



During **week 18** the daily percentage of patients seen for ILI in Georgia Emergency Departments reporting to our syndromic surveillance system decreased.

Syndromic Surveillance Data Weekly Influenza-like Illness Syndrome (percentage of ILI visits by Age Group)

Weekly Percent of ILI Syndrome Visits by Age Group



Influenza Hospitalizations in the eight county metro Atlanta area 2014-2015 (Emerging Infections Program data)

Influenza-Associated
Deaths 2014-2015
Statewide (Influenzaassociated deaths are a notifiable condition in Georgia)


Influenza-Associated hospitalizations in the eightcounty metro Atlanta area (Emerging Infections Program data)


Influenza-Associated deaths reported to Public Health

Georgia Influenza-Associated Hospitalizations and Deaths

| | Number of Hospitaliza- tions (8– County Metro-Area Only) | Hospitalization Rate (Cases/100,000 people) |
|---------|---|--|
| 0 - 4 | 100 (6.9%) | 37.11 |
| 5 -17 | 119 (8.2%) | 16.69 |
| 18 - 49 | 254 (17.5%) | 13.97 |
| 50 - 64 | 243 (16.7%) | 35.04 |
| 65+ | 739 (50.8%) | 199.54 |
| Total | 1,455 | 38.76 |

| Age Group | Number of Deaths | |
|-----------|---|--|
| 0 - 4 | I | |
| 5 -17 | 0 | |
| 18 - 49 | 5 | |
| 50 - 64 | 3 | |
| 65+ | 19 | |
| Total | 28 (all confirmed influenza-associated deaths, 9/29/2014-5/15/2015) | |





2 Peachtree St. N.W. Atlanta, GA 30303

Phone: 404-463-4625 Fax: 404-657-7517 E-mail: Audrey.Kunkes@dph.ga.gov

GA DPH on the web! http://dph.georgia.gov/

Georgia threshold of RSV season onset and end

RSV season onset is defined as the first week of two (2) consecutive weeks when the percent positive of **ALL** lab confirmed tests are greater than or equal to 10%. The end of RSV season is now defined as the first week of two consecutive weeks when the percent positive of **ALL** lab confirmed tests are less than 10%.


RSV Season Status: ON




We Protect Lives.

Georgia Virologic Surveillance Data


Week 18





Note: Includes rapid tests reported from reference Laboratories and the Georgia Public Health Laboratory; not all positive laboratory results for influenza are reported to Public Health.

Respiratory Syncytial Virus (RSV) Surveillance Data



Flu News

Avian influenza strikes again in South Dakota, Iowa

Egg Farms Hit Hard as Bird Flu Affects Millions of Hens