

**Georgia Department of Public Health
Environmental Health Section**

Approved Aerobic Treatment Unit Manufacturers

Below are the Georgia approved manufacturers and models; please click the links for their NSF details.

[NSF Standard 40 - Residential Wasterwater Treatment Systems](#)

[NSF Standard 245 - Wastewater Treatment Systems - Nitrogen Reduction](#)

Aero-Tech
2900 Gary Drive
Plymouth, IN 46563 (574) 935-0908

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
AT-1000	1000	☒	☐
AT-1500	1500	☒	☐
AT-500	500	☒	☐
AT-600	600	☒	☐
AT-700	700	☒	☐

AK/HA Manufacturing, LLC dba Hydro-Action
P. O. Box 640
Plymouth, IN 46563 (800) 370-3749

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
AP-1000G	1000	☒	☐
AP-1500G	1500	☒	☐
AP-500	500	☒	☐
AP-600	600	☒	☐
AP-750	750	☒	☐
AP-900G	900	☒	☐
CLP-G-500	500	☒	☐

Anua
P.O. Box 77457
Greensboro, NC 27417 (336) 547-9338

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
ATS-1060-AC-N	800	☒	☒
ATS-1060-BC-N	800	☒	☒
ATS-1530-AC-N	1500	☒	☒

Anua
P.O. Box 77457
Greensboro, NC 27417 (336) 547-9338

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
ATS-1530-BC-N	1500	☒	☒
ATS-540-AC-N	500	☒	☒
ATS-540-BC-N	500	☒	☒
ATS-NS1000-80/20-AC-N	800	☒	☒
ATS-NS1000-80/20-BC-N	800	☒	☒
ATS-NS1000-AC-N	800	☒	☒
ATS-NS1000-BC-N	800	☒	☒
ATS-NS500-2-80/20-AC-N	1000	☒	☒
ATS-NS500-2-80/20-BC-N	1000	☒	☒
ATS-NS500-3-80/20-AC-N	1500	☒	☒
ATS-NS500-3-80/20-BC-N	1500	☒	☒
ATS-NS500-80/20-AC-N	500	☒	☒
ATS-NS500-80/20-BC-N	500	☒	☒
ATS-NS500-AC-N	500	☒	☒
ATS-NS500-BC-N	500	☒	☒
ATS-NS750-2-80/20-AC-N	1320	☒	☒
ATS-NS750-2-80/20-BC-N	1320	☒	☒
ATS-NS750-80/20-AC-N	660	☒	☒
ATS-NS750-80/20-BC-N	660	☒	☒
ATS-NS750-AC-N	660	☒	☒
ATS-NS750-BC-N	660	☒	☒
PuraSys PS1-10	1000	☒	☒
PuraSys PS1-11	1100	☒	☒
PuraSys PS1-12	1200	☒	☒
PuraSys PS1-13	1300	☒	☒
PuraSys PS1-14	1400	☒	☒
PuraSys PS1-4	400	☒	☒
PuraSys PS1-5	500	☒	☒
PuraSys PS1-6	600	☒	☒
PuraSys PS1-7	700	☒	☒

Anua
P.O. Box 77457
Greensboro, NC 27417 (336) 547-9338

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
PuraSys PS1-8	800	☒	☒
PuraSys PS1-9	900	☒	☒

AquaKlear, Inc.
876 N. Biederman Road
Pearl, MS 39208 (601) 936-7711

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
AK1000C	1000	☒	☐
AK1000F	1000	☒	☐
AK1000FF	1000	☒	☐
AK1500C	1500	☒	☐
AK1500F	1500	☒	☐
AK1500FF	1500	☒	☐
AK500C	500	☒	☐
AK500F	500	☒	☐
AK500FF	500	☒	☐
AK600C	600	☒	☐
AK600F	600	☒	☐
AK600FF	600	☒	☐
AK750C	750	☒	☐
AK750F	750	☒	☐
AK750FF	750	☒	☐
AK800C	800	☒	☐
AK800F	800	☒	☐
AK800FF	800	☒	☐

AquaO2 Wastewater Treatment Systems Inc.
PO Box 132
Wirtz, VA 24184 (540) 365-0154

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
F54291-10-115/230	1000	☒	☐
F54291-11-115/230	1100	☒	☐

AquaO2 Wastewater Treatment Systems Inc.
PO Box 132
Wirtz, VA 24184 (540) 365-0154

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
F54291-12-115/230	1200	☒	☐
F54291-13-115/230	1300	☒	☐
F54291-14-115/230	1400	☒	☐
F54291-15-115/230	1500	☒	☐
F54291-5-115/230	500	☒	☐
F54291-6-115/230	600	☒	☐
F54291-7.5-115/230	750	☒	☐
F54291-7-115/230	700	☒	☐
F54291-8-115/230	800	☒	☐
F54291-9-115/230	900	☒	☐

Aquapoint
241 Duchaine Boulevard
New Bedford, MD 02745 (508) 998-7577

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
Bioclere 16/12/500	500	☐	☐

AquaSafe/AquaAire by Ecological Tanks, Inc.
2247 Highway 151 North
Downsville, LA 71234 (800) 277-8179

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
AA1000-C (2)	1000	☒	☐
AA1200 - C (2)	1200	☒	☐
AA1500-C (2)	1500	☒	☐
AA500-C (2), (5), (6), (7)	500	☒	☐
AA500T-C (2), (4)	500	☒	☐
AA600-C (1), (2), (3)	600	☒	☐
AA750-C (2)	750	☒	☐
AA750T-C (2), (4)	750	☒	☐
AA800 - C (2)	800	☒	☐
AS1000-F,C (1), (2)	1000	☒	☐
AS1500-F,C,M (1), (2), (3)	1500	☒	☐

AquaSafe/AquaAire by Ecological Tanks, Inc.
2247 Highway 151 North
Downsville, LA 71234 (800) 277-8179

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
AS500-F,C,M (1), (2), (3)	500	☒	☐
AS600-F,C (1), (2), (8)	600	☒	☐
AS750-F,C (1), (2)	750	☒	☐

Bio-Microbics, Inc. (an affiliate of Smith & Loveless)
16002 West 100 10th St
Lenexa, KS 66219 (913) 422-0707

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
BioBarrier MBR 0.5	500	☒	☐
BioBarrier MBR 0.5-N	500	☒	☒
BioBarrier MBR 1.0	1000	☒	☐
BioBarrier MBR 1.0-N	1000	☒	☒
BioBarrier MBR 1.5	1500	☒	☐
BioBarrier MBR 1.5-N	1500	☒	☒
Micro FAST 0.50	500	☐	☒
Micro FAST 0.75	750	☐	☒
Micro FAST 0.90	900	☐	☒
Micro FAST 1.5	1500	☐	☒

Clearstream Wastewater Systems
PO Box 7568
Beaumont, TX 77726 (409) 755-1500

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
1200N	1200	☒	☐
1500N	1500	☒	☐
500N	500	☒	☐
600N	600	☒	☐
750N	750	☒	☐
800N	800	☒	☐

Consolidated Treatment Systems, Inc.
1505 Commerce Center Drive
Franklin, OH 45005 (800) 503-0163

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
Enviro-Guard ENV-0.75	750	☐	☐
Multi-Flo FTB 0.5	500	☐	☐
Multi-Flo FTB 0.6	600	☐	☐
Multi-Flo FTB 0.6-C	600	☐	☐
Multi-Flo FTB 0.75	750	☐	☐
Multi-Flo FTB 1.0	1000	☐	☐
Multi-Flo FTB 1.5	1500	☐	☐
Nayadic M-1050A	800	☐	☐
Nayadic M-1200A	1000	☐	☐
Nayadic M-2000A	1500	☐	☐
Nayadic M-6A	500	☐	☐
Nayadic M-8A	600	☐	☐

Delta Environmental Products, Inc./Whitewater
PO Box 768
Old Saybrook, CT 06475 (860) 577-7126

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
DF100A-M,C,F,CC,CA,FF	1000	☒	☐
DF100B-M,C,F,CC,CA,FF	1000	☒	☐
DF100-M,C,F,CC,CA,FF	1000	☒	☐
DF150-M,C,F,CC,CA,FF	1500	☒	☐
DF40-M,C,F,CC,CA,FF,FT,FFT	400	☒	☐
DF50A-M,C,F,CC,CA,FF,FT,FFT	500	☒	☐
DF50-M,C,F,CC,CA,CA3,FF,FT,FFT	500	☒	☐
DF60-M,C,F,CC,CA,FF,FT,FFT	600	☒	☐
DF75-M,C,F,CC,CA,FF	750	☒	☐
ECOPOD - E100	1000	☒	☒
ECOPOD - E100FF	1000	☒	☒
ECOPOD - E150	1500	☒	☒
ECOPOD - E50	500	☒	☒
ECOPOD - E50FF01	500	☒	☐

Delta Environmental Products, Inc./Whitewater
PO Box 768
Old Saybrook, CT 06475 (860) 577-7126

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
ECOPOD - E50FF01	500	☒	☐
ECOPOD - E50FF02	500	☒	☐
ECOPOD - E50FFO2	500	☒	☐
ECOPOD - E50-IM1060	500	☒	☒
ECOPOD - E60FF	600	☒	☒
ECOPOD - E60-IM1060	600	☒	☒
ECOPOD - E75FF	750	☒	☒
ECOPOD - E75-IM1060	750	☒	☒
UC100-M,FF,CA	1000	☒	☐
UC120-M,F,CA,FF	1200	☒	☐
UC150-M,FF,CA	1500	☒	☐
UC50A-M,FF,CA	500	☒	☐
UC50-M,F,CA,CA3,FF	500	☒	☐
UC60-M,FF,CA	600	☒	☐
UC75-M,FF,CA	750	☒	☐
UC90-M,F,CA,FF	900	☒	☐

Desoto Concrete Products, Inc.
P.O. Box 336
Olive Branch, MS 38654 (662) 890-1688

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
H-TWO-O 2100 A,S,T	1000	☐	☐
H-TWO-O 25 A,S,T	500	☐	☐
H-TWO-O 275 A,S,T	750	☐	☐
H-TWO-O 3100 A,T	1000	☐	☐
H-TWO-O 35 A,S,T	750	☐	☐
H-TWO-O 375 A,A2,S,T	750	☐	☐

Enviro-Flo Inc.
151 Custom Dr./POBox 321161
Flowood, MS 39232 (877) 836-8476

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
---------------------	--------------------------------	----------------------------	-------------------------

Enviro-Flo Inc.
151 Custom Dr./POBox 321161
Flowood, MS 39232 (877) 836-8476

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
B-1000	1000	☐	☐
B-1500	1500	☒	☐
B-500	500	☐	☐
B-500-P	500	☐	☐
B-550	550	☐	☐
B-600	600	☐	☐
B-750	750	☐	☐
B-800	800	☐	☐
B-800-P	800	☐	☐
E-1000	1000	☐	☐
E-1500	1500	☒	☐
E-500	500	☐	☐
E-500P	500	☐	☐
E-550	550	☐	☐
E-600	600	☐	☐
E-750	750	☐	☐
NR B-1000	1000	☐	☐
NR B-1500	1500	☒	☐
NR B-500	500	☐	☐
NR B-500-P	500	☐	☐
NR B-550	550	☐	☐
NR B-600	600	☐	☐
NR B-750	750	☐	☐
NR B-800	800	☐	☐

E-Z Treat
P.O. Box 176
Haymarket, VA 20168 (703) 408-2916

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
1200	1200	☒	☐
600	600	☒	☐

E-Z Treat
P.O. Box 176
Haymarket, VA 20168 (703) 408-2916

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
750	750	☒	☐

FujiClean USA, LLC
41-2 Greenwood Rd.
Brunswick, ME 04011

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
CE10	900	☐	☐
CE14	1000	☐	☐
CE5	450	☐	☐
CE7	630	☐	☐
CEN10	900	☐	☒
CEN5	450	☐	☒
CEN7	630	☐	☒

Hoot Systems, LLC
2885 Highway 14 East
Lake Charles, LA 70607 (337) 965-6501

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
H-1000A/0	1000	☒	☐
H-1000A/1	1000	☐	☐
H-1200A/0	1200	☒	☐
H-1200A/1	1200	☐	☐
H-500A/0	500	☒	☐
H-500A/1	500	☐	☐
H-600A/0	600	☒	☐
H-600A/1	600	☐	☐
H-750A/0	750	☒	☐
H-750A/1	750	☐	☐
H-900A/0	900	☒	☐
H-900A/1	900	☐	☐

Jet Inc.
750 Alpha Drive
Cleveland, OH 44143 (440) 461-2000

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
J-1000	1000	☒	☐
J-1250	1250	☒	☐
J-1500	1500	☒	☐
J-500	500	☐	☐
J-500 PLT	500	☐	☐
J-600	600	☐	☐
J-750	750	☐	☐
J-750 PLT	750	☐	☐
J-800 PLT	800	☐	☐

MicroSepTec, Inc.
23362 Madero, Suite C
Mission Viejo, CA 92691 (877) 473-7842

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
EnviroServer ENFG1200	1200	☐	☐
EnviroServer ENFG1500	1500	☐	☐
EnviroServer ENFG600	600	☐	☐

National Wastewater Systems, Inc.
6754 Highway 90 East
Lake Charles, LA 70615 (337) 439-0680

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
Solar Air 1000	1000	☐	☐
Solar Air 1200	1200	☐	☐
Solar Air 500	500	☐	☐
Solar Air 800	800	☐	☐

NJUN, LLC
174 Dacula Road
Dacula, GA 30019 (770) 339-8470

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
NJ-11	1500	☒	☐
NJ-12	1500	☒	☐

NJUN, LLC
174 Dacula Road
Dacula, GA 30019 (770) 339-8470

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
NJ-4	600	☒	☐

NORWECO, Inc.
220 Republic Street
Norwalk, OH 44857 (419) 668-4471

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
Singulair 950-1000GPD	1000	☐	☐
Singulair 950-1250GPD	1250	☐	☐
Singulair 950-1500GPD	1500	☐	☐
Singulair 950-600GPD	600	☐	☐
Singulair 950-750GPD	750	☐	☐
Singulair 960-1000GPD	1000	☐	☐
Singulair 960-1250GPD	1250	☐	☐
Singulair 960-1500GPD	1500	☐	☐
Singulair 960-500GPD	500	☐	☐
Singulair 960-500GPD	600	☐	☐
Singulair 960-500GPD-P	600	☐	☐
Singulair 960-750GPD	750	☐	☐
Singulair 960OP-1000GPD	1000	☐	☐
Singulair 960OP-500GPD	500	☐	☒
Singulair 960OP-500GPD	600	☐	☒
Singulair Green 960-500	500	☐	☐
Singulair Green 960-500	600	☐	☐
Singulair Green TNT-500	500	☐	☒
Singulair Green TNT-500	600	☐	☒
Singulair TNT-1000	1000	☐	☒
Singulair TNT-1250	1250	☐	☒
Singulair TNT-1500	1500	☐	☒
Singulair TNT-500	500	☐	☒
Singulair TNT-500	600	☐	☒
Singulair TNT-750	750	☐	☒

NORWECO, Inc.
220 Republic Street
Norwalk, OH 44857 (419) 668-4471

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
Singulair TNT-750	800	☐	☒

Orenco Systems, Inc.
814 Airway Avenue
Sutherlin, OR 97479 (800) 348-9843

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
AdvanTex AX20N	600	☒	☐
Advantex AX20RT	600	☒	☐
AX20N(Mode 1) 1000	1000	☒	☐
AX20N(Mode 1) 1200	1200	☒	☐
AX20N(Mode 1) 1500	1500	☒	☐
AX20N(Mode 1) 500	500	☒	☐
AX20N(Mode 1) 600	600	☒	☐
AX20N(Mode 3) 1200	1200	☒	☒
AX20N(Mode 3) 500	500	☒	☒
AX20N(Mode 3) 600	600	☒	☒
AX20-RTN(Mode 1) 1000	1000	☒	☐
AX20-RTN(Mode 1) 1200 2-pod	1200	☒	☐
AX20-RTN(Mode 1) 1500 3-pod	1500	☒	☐
AX20-RTN(Mode 1) 500	500	☒	☐
AX20-RTN(Mode 1) 600	600	☒	☐
AX20-RTN(Mode 3) 1200 2-pod	1200	☒	☒
AX20-RTN(Mode 3) 500	500	☒	☒
AX20-RTN(Mode 3) 600	600	☒	☒
AX25-RTN(Mode 1) 1250 2-pod	1250	☒	☐
AX25-RTN(Mode 1) 1500 2-pod	1500	☒	☐
AX25-RTN(Mode 1) 625	625	☒	☐
AX25-RTN(Mode 1) 750	750	☒	☐
AX25-RTN(Mode 3) 1250 2-pod	1250	☒	☒
AX25-RTN(Mode 3) 625	625	☒	☒
AX25-RTN(Mode 3) 750	750	☒	☒

Southern Manufacturing Company
P.O. Box 790; 6287 Gulfway Dr.
Groves, TX 77619 (409) 962-4501

Model Number	Rate Capacity (gal/day)	Trash Tank Required	NSF 245 Approved
Clean H2O Machine CM500 - P,C,F	500	☒	☐
Southern Aerobic Systems SM1000 - F,C	1000	☒	☐
Southern Aerobic Systems SM1500 - F,C	1500	☒	☐
Southern Aerobic Systems SM500 - F,C	500	☒	☐
Southern Aerobic Systems SM600 - F,C	600	☒	☐
Southern Aerobic Systems SM750 - F,C	750	☒	☐