

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	59.1	52.1 - 65.8	125	66.1	59.6 - 72.2	162	-	-	6	62.8	58.1 - 67.4	293
b. Nutrition	57.5	49.6 - 65.1	125	59.8	53.0 - 66.2	162	-	-	6	58.3	53.2 - 63.2	293
c. Tobacco-use prevention	55.9	48.1 - 63.5	125	49.5	43.4 - 55.5	162	-	-	6	51.8	47.1 - 56.6	293
d. Asthma	32.3	25.9 - 39.5	120	26.3	21.2 - 32.3	160	-	-	6	28.6	24.5 - 33.1	286
e. Injury and violence prevention	53.2	45.4 - 60.8	122	45.4	39.2 - 51.7	159	-	-	6	48.8	43.9 - 53.6	287
f. HIV, STD, and teen pregnancy prevention	52.1	44.5 - 59.7	123	33.9	28.1 - 40.2	160	-	-	6	41.2	36.5 - 46.0	289

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	35.7	29.1 - 42.9	123	27.4	21.9 - 33.7	153	-	-	5	31.2	26.9 - 35.9	281
b. Physical education	37.6	30.4 - 45.3	122	29.4	23.6 - 36.0	153	-	-	5	32.7	28.2 - 37.7	280
c. Physical activity	25.9	19.6 - 33.3	123	23.0	17.9 - 28.9	152	-	-	5	24.2	20.2 - 28.7	280
d. School meal programs	21.4	15.6 - 28.5	122	15.7	11.8 - 20.7	153	-	-	5	18.6	15.1 - 22.7	280
e. Foods and beverages available at school outside the school meal programs	16.5	11.4 - 23.3	121	7.2	4.7 - 11.1	152	-	-	5	11.1	8.3 - 14.5	278
f. Health services	25.4	19.2 - 32.8	122	15.1	11.0 - 20.2	153	-	-	5	19.2	15.7 - 23.4	280
g. Mental health and social services	24.8	19.1 - 31.5	121	21.9	17.4 - 27.1	152	-	-	5	22.7	19.1 - 26.7	278
h. Healthy and safe school environment	64.2	56.5 - 71.3	123	59.0	52.1 - 65.5	153	-	-	5	61.3	56.2 - 66.1	281
i. Family and community involvement	74.8	67.9 - 80.6	123	71.3	64.6 - 77.2	153	-	-	5	72.6	67.9 - 76.9	281
j. Faculty and staff health promotion	26.4	20.1 - 33.8	121	17.2	12.4 - 23.4	151	-	-	5	21.2	17.3 - 25.8	277

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
49.5	42.2 - 56.9	123	58.1	51.8 - 64.2	155	-	-	6	53.9	49.2 - 58.6	284

\*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
91.2	85.9 - 94.6	126	90.5	85.7 - 93.8	158	-	-	6	90.3	86.9 - 92.9	290

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.7	37.9 - 51.7	127	51.5	44.6 - 58.4	159	-	-	6	48.2	43.3 - 53.1	292

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. School administrators	94.5	86.8 - 97.9	55	83.6	76.0 - 89.2	80	-	-	2	88.2	83.1 - 91.9	137
b. Health education teachers	96.4	89.2 - 98.9	55	87.4	79.5 - 92.5	80	-	-	2	91.1	86.1 - 94.5	137
c. Physical education teachers	96.4	89.0 - 98.9	54	88.5	80.8 - 93.3	79	-	-	2	91.8	86.8 - 95.0	135
d. Other classroom teachers	74.0	62.4 - 83.0	54	64.0	54.3 - 72.6	78	-	-	2	68.5	61.3 - 74.9	134
e. Mental health or social services staff (e.g., school counselors)	68.0	57.0 - 77.4	53	61.9	52.7 - 70.2	79	-	-	2	63.3	56.4 - 69.8	134
f. Nutrition or food service staff	55.9	44.5 - 66.7	54	46.9	37.6 - 56.4	77	-	-	2	49.8	42.6 - 57.0	133
g. Health services staff (e.g., school nurse)	64.1	52.2 - 74.6	53	56.5	46.9 - 65.7	78	-	-	2	59.4	52.0 - 66.4	133
h. Maintenance and transportation staff	15.5	9.0 - 25.3	52	18.4	12.1 - 27.0	77	-	-	2	17.0	12.2 - 23.1	131
i. Technology staff	27.2	18.2 - 38.7	51	23.1	15.9 - 32.3	78	-	-	2	24.3	18.5 - 31.2	131
j. Library/media center staff	34.4	25.2 - 44.9	52	29.6	22.2 - 38.2	78	-	-	2	31.0	25.2 - 37.5	132
k. Student body	62.9	50.3 - 74.0	54	34.6	27.0 - 43.2	78	-	-	2	46.1	39.2 - 53.1	134
l. Parents or families of students	60.7	50.4 - 70.1	53	45.8	36.3 - 55.5	79	-	-	2	51.6	44.6 - 58.7	134

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
m. Community members	63.6	52.4 - 73.4	52	35.2	26.7 - 44.7	77	-	-	2	46.5	39.6 - 53.5	131
n. Local health departments, agencies, or organizations	48.3	37.0 - 59.7	52	31.3	23.4 - 40.3	77	-	-	2	38.2	31.6 - 45.3	131
o. Faith-based organizations	17.5	10.3 - 28.0	52	10.7	6.1 - 18.3	76	-	-	2	14.0	9.6 - 19.9	130
p. Businesses	37.8	28.0 - 48.6	53	28.2	20.3 - 37.8	78	-	-	2	31.5	25.2 - 38.6	133
q. Local government agencies	37.6	27.3 - 49.2	53	18.4	12.2 - 26.9	76	-	-	2	25.8	20.1 - 32.4	131

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	68.7	57.9 - 77.8	54	57.6	48.3 - 66.3	78	-	-	2	61.9	54.9 - 68.4	134
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	67.2	56.3 - 76.6	55	64.0	55.9 - 71.3	78	-	-	2	65.1	58.7 - 71.0	135
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	46.2	36.6 - 56.2	54	38.6	30.5 - 47.3	78	-	-	2	41.0	34.9 - 47.5	134
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	83.4	74.3 - 89.7	54	70.6	62.2 - 77.9	79	-	-	2	74.6	68.5 - 79.9	135
e. Reviewed health-related curricula or instructional materials	81.8	71.3 - 89.0	55	76.9	68.5 - 83.7	79	-	-	2	77.7	71.4 - 83.0	136
f. Assessed the availability of physical activity opportunities for students	70.4	60.0 - 79.1	54	77.0	68.1 - 84.1	79	-	-	2	74.0	67.4 - 79.7	135

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations



# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.5	67.5 - 78.7	126	61.6	55.0 - 67.8	155	-	-	6	65.8	61.4 - 70.0	287

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Lessons in class	78.3	71.8 - 83.6	125	82.4	76.7 - 86.9	153	-	-	6	79.9	75.8 - 83.5	284
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	73.3	66.0 - 79.5	117	65.2	58.8 - 71.0	155	-	-	6	68.6	63.9 - 72.9	278

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Attendance of students with HIV infection	57.0	48.9 - 64.8	123	39.8	34.1 - 45.8	155	-	-	6	47.0	42.4 - 51.8	284
b. Procedures to protect HIV-infected students and staff from discrimination	65.9	58.4 - 72.7	123	49.6	43.7 - 55.5	155	-	-	6	56.6	52.0 - 61.1	284
c. Maintaining confidentiality of HIV-infected students and staff	76.4	69.8 - 82.0	123	59.0	52.7 - 65.0	156	-	-	6	66.2	61.7 - 70.4	285

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
36.5	30.2 - 43.3	122	8.5	5.3 - 13.2	154	-	-	6	20.9	17.5 - 24.8	282

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	64.3	57.7 - 70.3	121	58.0	51.5 - 64.3	153	-	-	6	60.9	56.3 - 65.2	280
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	93.4	88.5 - 96.4	121	86.3	81.3 - 90.1	154	-	-	6	89.3	85.9 - 91.9	281
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	53.3	46.3 - 60.1	120	44.7	38.9 - 50.7	154	-	-	6	48.5	44.0 - 52.9	280
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	41.2	33.5 - 49.3	119	32.1	26.4 - 38.4	153	-	-	6	36.7	32.0 - 41.6	278
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	46.6	38.9 - 54.5	118	41.5	35.4 - 47.9	152	-	-	6	43.8	39.0 - 48.7	276

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.0	78.5 - 88.2	123	83.9	78.2 - 88.2	155	-	-	6	84.2	80.5 - 87.4	284

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.2	90.8 - 97.5	122	96.7	93.3 - 98.4	155	-	-	6	96.1	93.7 - 97.6	283

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
92.6	87.6 - 95.7	123	90.1	85.6 - 93.4	154	-	-	6	91.1	87.9 - 93.5	283

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Sixth grade	§	§	§	82.1	75.8 - 87.1	146	-	-	4	82.0	75.7 - 86.9	150
b. Seventh grade	§	§	§	81.8	75.7 - 86.7	149	-	-	4	81.7	75.6 - 86.5	153
c. Eighth grade	§	§	§	81.5	75.2 - 86.5	146	-	-	5	80.8	74.5 - 85.8	151
d. Ninth grade	94.8	90.1 - 97.3	115	-	-	0	-	-	6	93.4	88.4 - 96.3	121
e. Tenth grade	45.6	38.9 - 52.6	112	§	§	§	-	-	5	45.4	38.6 - 52.3	117
f. Eleventh grade	39.0	32.0 - 46.5	105	§	§	§	-	-	5	39.1	32.1 - 46.6	110
g. Twelfth grade	37.8	30.7 - 45.4	106	§	§	§	-	-	5	37.9	30.8 - 45.5	111

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.0	83.1 - 93.0	119	90.8	86.3 - 93.9	152	-	-	6	89.1	85.6 - 91.8	277

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Goals, objectives, and expected outcomes for physical education	99.2	95.8 - 99.8	122	100.0	†	152	-	-	6	98.9	97.3 - 99.6	280
b. A chart describing the annual scope and sequence of instruction for physical education	93.2	88.2 - 96.2	120	90.7	86.3 - 93.8	150	-	-	6	90.9	87.7 - 93.4	276
c. Plans for how to assess student performance in physical education	96.6	92.5 - 98.5	121	98.7	95.9 - 99.6	152	-	-	6	97.1	94.9 - 98.4	279
d. A written physical education curriculum	91.7	86.3 - 95.1	122	96.0	92.2 - 97.9	150	-	-	6	93.5	90.5 - 95.6	278
e. Resources for fitness testing	97.5	93.8 - 99.0	122	99.3	96.7 - 99.9	152	-	-	6	97.8	95.8 - 98.9	280
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	82.6	75.9 - 87.7	121	83.8	78.3 - 88.1	149	-	-	6	82.5	78.4 - 86.0	276

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
18.8	13.8 - 25.2	123	33.0	27.0 - 39.6	152	-	-	6	27.2	23.2 - 31.7	281

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
59.3	52.4 - 65.9	121	67.5	60.6 - 73.7	152	-	-	6	63.3	58.4 - 67.9	279

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

21. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
84.4	78.5 - 88.9	123	74.5	68.2 - 80.0	153	-	-	6	78.3	74.0 - 82.0	282

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
38.9	32.2 - 46.0	123	28.2	22.6 - 34.7	151	-	-	6	32.6	28.2 - 37.3	280

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
59.5	53.0 - 65.7	123	59.7	52.7 - 66.2	152	-	-	6	59.4	54.7 - 63.9	281

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.7	58.7 - 70.3	122	69.1	62.9 - 74.6	152	-	-	6	66.4	62.1 - 70.5	280

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
99.2	95.9 - 99.8	123	96.0	93.2 - 97.7	152	-	-	6	97.5	95.7 - 98.5	281

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	99.2	95.8 - 99.8	121	95.9	93.0 - 97.6	149	-	-	6	97.4	95.7 - 98.5	276
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	95.0	90.4 - 97.4	121	93.1	89.2 - 95.7	145	-	-	6	94.1	91.4 - 96.0	272
c. Cigars	94.8	90.2 - 97.4	118	93.9	90.2 - 96.2	147	-	-	6	94.4	91.8 - 96.2	271
d. Pipes	96.6	92.4 - 98.5	120	95.3	92.1 - 97.2	149	-	-	6	95.9	93.7 - 97.4	275

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	99.2	95.8 - 99.8	121	95.9	93.0 - 97.6	149	-	-	6	97.4	95.7 - 98.5	276
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	98.3	94.7 - 99.5	119	95.9	93.0 - 97.6	148	-	-	6	97.0	95.1 - 98.2	273
c. Cigars	94.8	90.2 - 97.4	118	93.3	89.4 - 95.8	148	-	-	6	94.1	91.4 - 96.0	272
d. Pipes	94.0	89.1 - 96.8	119	93.9	90.3 - 96.3	149	-	-	6	94.1	91.4 - 96.0	274

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	95.7	91.4 - 98.0	119	93.9	90.2 - 96.2	148	-	-	6	94.8	92.3 - 96.5	273
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	98.3	94.7 - 99.5	119	95.9	93.0 - 97.6	148	-	-	6	97.0	95.1 - 98.2	273
c. Cigars	97.4	93.6 - 99.0	120	95.9	93.0 - 97.6	149	-	-	6	96.7	94.7 - 97.9	275
d. Pipes	94.0	89.1 - 96.8	119	93.3	89.4 - 95.8	148	-	-	6	93.7	91.0 - 95.7	273

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.1	95.8 - 99.8	120	95.9	92.9 - 97.6	147	-	-	6	97.4	95.6 - 98.4	273
b. During non-school hours	75.3	69.0 - 80.6	118	70.7	64.5 - 76.3	141	-	-	6	72.6	68.2 - 76.6	265

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	80.8	75.5 - 85.2	121	76.5	70.8 - 81.4	145	-	-	6	78.2	74.3 - 81.6	272
b. During non-school hours	96.7	92.6 - 98.5	120	94.5	91.0 - 96.7	147	-	-	6	95.6	93.2 - 97.1	273

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.3	94.7 - 99.5	120	95.2	92.0 - 97.2	147	-	-	6	96.6	94.6 - 97.9	273
b. During non-school hours	76.5	70.2 - 81.8	120	70.6	64.2 - 76.3	140	-	-	6	73.1	68.7 - 77.1	266

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.2	95.8 - 99.8	121	95.9	93.0 - 97.6	148	-	-	6	97.4	95.7 - 98.5	275
b. Outside on school grounds, including parking lots and playing fields	98.3	94.7 - 99.5	120	94.5	91.0 - 96.7	147	-	-	6	96.3	94.1 - 97.6	273
c. On school buses or other vehicles used to transport students	99.1	95.8 - 99.8	120	95.2	92.0 - 97.2	147	-	-	6	97.0	95.1 - 98.2	273
d. At off-campus, school-sponsored events	94.9	90.2 - 97.4	119	94.4	90.9 - 96.6	145	-	-	6	94.7	92.2 - 96.5	270

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.2	95.8 - 99.8	121	95.2	92.0 - 97.2	148	-	-	6	97.0	95.1 - 98.2	275
b. Outside on school grounds, including parking lots and playing fields	99.1	95.8 - 99.8	120	95.9	92.9 - 97.6	147	-	-	6	97.4	95.6 - 98.4	273
c. On school buses or other vehicles used to transport students	96.6	92.5 - 98.5	120	94.5	91.0 - 96.7	147	-	-	6	95.5	93.2 - 97.1	273
d. At off-campus, school-sponsored events	99.1	95.7 - 99.8	119	95.1	91.8 - 97.1	145	-	-	6	97.0	95.0 - 98.2	270

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.2	95.8 - 99.8	121	95.2	92.0 - 97.2	148	-	-	6	97.0	95.1 - 98.2	275
b. Outside on school grounds, including parking lots and playing fields	96.6	92.4 - 98.5	120	95.2	92.0 - 97.1	147	-	-	6	95.9	93.6 - 97.4	273
c. On school buses or other vehicles used to transport students	99.1	95.8 - 99.8	120	95.8	92.8 - 97.6	145	-	-	6	97.4	95.6 - 98.4	271
d. At off-campus, school-sponsored events	88.1	82.3 - 92.1	118	88.7	84.5 - 91.8	143	-	-	6	88.7	85.4 - 91.3	267

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
61.4	53.9 - 68.5	112	59.3	52.5 - 65.7	133	-	-	6	60.4	55.4 - 65.2	251

\*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.6	74.8 - 86.9	120	84.0	78.9 - 88.1	151	-	-	6	83.0	79.0 - 86.3	277

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	16.4	11.3 - 23.1	122	16.6	12.1 - 22.4	150	-	-	6	16.9	13.4 - 21.0	278
b. Students	14.1	9.5 - 20.6	120	8.1	5.0 - 12.8	149	-	-	6	11.6	8.8 - 15.2	275

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	22.7	16.7 - 30.0	123	28.0	22.5 - 34.3	149	-	-	6	25.8	21.7 - 30.5	278
b. Students	19.7	14.7 - 25.8	122	15.3	11.0 - 20.9	149	-	-	5	17.3	13.9 - 21.3	276

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	1.6	0.5 - 5.1	122	2.0	0.8 - 5.1	151	-	-	6	2.2	1.1 - 4.2	279
b. Never	2.5	1.0 - 6.3	122	2.0	0.8 - 5.1	151	-	-	6	2.2	1.1 - 4.2	279
c. Rarely	8.3	4.9 - 13.6	122	22.5	17.4 - 28.5	151	-	-	6	16.6	13.3 - 20.6	279
d. Sometimes	49.1	41.5 - 56.8	122	42.5	35.9 - 49.3	151	-	-	6	45.5	40.5 - 50.6	279
e. Always or almost always	38.5	31.4 - 46.1	122	31.0	25.1 - 37.5	151	-	-	6	33.5	29.0 - 38.3	279

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
89.3	84.6 - 92.7	123	64.0	57.6 - 70.1	151	-	-	6	75.7	71.7 - 79.4	280

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Chocolate candy	61.6	54.4 - 68.4	123	27.0	21.6 - 33.1	148	-	-	6	42.7	38.2 - 47.3	277
b. Other kinds of candy	65.6	58.4 - 72.2	123	31.0	25.4 - 37.3	148	-	-	6	46.6	42.1 - 51.2	277
c. Salty snacks that are not low in fat (e.g., regular potato chips)	67.7	60.1 - 74.4	121	32.4	26.2 - 39.1	149	-	-	6	48.0	43.2 - 52.8	276
d. Low sodium or “no added salt” pretzels, crackers, or chips	79.6	73.2 - 84.8	123	39.6	32.9 - 46.8	149	-	-	5	57.5	52.8 - 62.0	277
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	65.0	57.5 - 71.8	123	27.9	21.9 - 34.7	147	-	-	5	44.4	39.8 - 49.2	275
f. Ice cream or frozen yogurt that is not low in fat	32.6	26.8 - 38.9	123	28.8	23.3 - 34.9	149	-	-	6	30.5	26.5 - 34.9	278
g. 2% or whole milk (plain or flavored)	45.5	37.9 - 53.3	123	26.5	21.0 - 32.9	150	-	-	6	35.3	30.6 - 40.2	279
h. Nonfat or 1% (low-fat) milk (plain)	46.7	39.1 - 54.5	122	29.4	23.4 - 36.3	149	-	-	6	37.0	32.2 - 42.1	277
i. Water ices or frozen slushes that do not contain juice	26.7	21.2 - 33.0	123	7.9	5.1 - 12.0	149	-	-	6	16.3	13.3 - 19.8	278
j. Soda pop or fruit drinks that are not 100% juice	62.4	55.3 - 69.1	123	14.8	10.7 - 20.1	148	-	-	6	36.8	32.8 - 41.0	277
k. Sports drinks (e.g., Gatorade)	83.6	77.8 - 88.2	123	30.0	24.2 - 36.6	149	-	-	6	53.8	49.5 - 58.1	278

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	7.5	4.3 - 12.6	120	1.3	0.4 - 4.1	149	-	-	6	4.3	2.7 - 6.8	275
m. Bottled water	89.2	84.5 - 92.6	122	60.4	53.8 - 66.7	150	-	-	6	73.0	68.8 - 76.9	278
n. 100% fruit or vegetable juice	67.1	59.9 - 73.5	122	38.3	31.5 - 45.6	149	-	-	6	50.3	45.4 - 55.2	277
o. Foods or beverages containing caffeine	64.1	57.2 - 70.4	123	14.1	10.2 - 19.3	148	-	-	6	36.0	32.2 - 40.1	277
p. Fruits (not fruit juice)	34.8	27.8 - 42.6	120	12.9	9.0 - 18.3	148	-	-	6	22.8	18.9 - 27.3	274
q. Non-fried vegetables (not vegetable juice)	22.7	17.3 - 29.1	118	8.9	5.8 - 13.3	148	-	-	6	14.9	11.9 - 18.5	272

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	10.1	6.5 - 15.3	120	8.2	5.2 - 13.0	144	-	-	5	8.9	6.5 - 12.1	269
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	38.4	31.0 - 46.3	120	42.3	35.9 - 48.9	144	-	-	5	40.2	35.3 - 45.2	269
c. Provided information to students or families on the nutrition and caloric content of foods available	48.7	41.1 - 56.3	121	50.0	43.5 - 56.6	144	-	-	5	48.9	43.9 - 53.8	270
d. Conducted taste tests to determine food preferences for nutritious items	31.4	25.3 - 38.3	118	29.9	24.2 - 36.3	144	-	-	5	30.0	25.8 - 34.6	267
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	32.7	26.0 - 40.2	119	22.0	16.7 - 28.5	144	-	-	5	26.7	22.4 - 31.5	268
f. Served locally or regionally grown foods in the cafeteria or classrooms	35.8	28.9 - 43.3	118	38.7	32.3 - 45.6	144	-	-	5	37.5	32.7 - 42.5	267
g. Planted a school food or vegetable garden	29.6	23.2 - 36.9	119	28.4	22.7 - 34.9	143	-	-	5	28.7	24.4 - 33.5	267
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	86.3	80.4 - 90.7	118	72.9	66.4 - 78.6	144	-	-	5	78.1	73.7 - 82.0	267

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	72.2	65.3 - 78.1	119	70.2	63.6 - 76.1	145	-	-	5	69.7	65.1 - 74.0	269
j. Offered a self-serve salad bar to students	32.1	25.7 - 39.3	119	15.9	11.6 - 21.4	144	-	-	5	23.1	19.3 - 27.4	268
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	38.6	31.5 - 46.1	119	41.3	34.7 - 48.2	143	-	-	5	39.7	34.9 - 44.7	267
l. Encouraged students to drink plain water	75.8	68.2 - 82.1	116	77.1	70.8 - 82.3	145	-	-	5	76.6	71.9 - 80.7	266
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	19.1	14.0 - 25.5	120	15.5	11.0 - 21.3	142	-	-	5	17.2	13.7 - 21.3	267
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	22.0	16.8 - 28.3	118	23.5	18.0 - 30.1	144	-	-	5	22.8	18.9 - 27.3	267

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In the school building	53.6	46.5 - 60.6	121	63.0	55.8 - 69.7	149	-	-	6	59.1	54.0 - 63.9	276
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	39.7	32.6 - 47.3	121	55.6	48.3 - 62.7	149	-	-	6	49.0	43.9 - 54.2	276
c. On school buses or other vehicles used to transport students	65.7	58.5 - 72.3	120	69.0	61.8 - 75.3	149	-	-	6	67.5	62.5 - 72.2	275
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	47.9	40.5 - 55.3	121	58.0	50.5 - 65.1	148	-	-	6	53.8	48.5 - 58.9	275
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	55.9	47.8 - 63.6	116	60.7	53.1 - 67.8	148	-	-	6	58.8	53.3 - 64.0	270

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## GEORGIA

### 2014 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	72.3	65.1 - 78.5	120	65.6	60.0 - 70.8	151	-	-	6	67.4	63.1 - 71.4	277
b. Yes, in certain locations	21.9	16.7 - 28.2	120	25.4	20.1 - 31.5	151	-	-	6	23.7	19.9 - 28.0	277
c. No	5.8	3.1 - 10.5	120	9.0	6.2 - 13.0	151	-	-	6	8.9	6.7 - 11.8	277

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.2	89.5 - 96.9	120	91.0	87.0 - 93.8	151	-	-	6	91.1	88.2 - 93.3	277

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	97.5	93.7 - 99.0	120	97.3	94.0 - 98.8	148	-	-	5	97.4	95.3 - 98.6	273
b. Cafeteria during lunch	97.5	93.8 - 99.0	121	98.0	95.0 - 99.2	149	-	-	5	97.8	95.8 - 98.9	275
c. Gymnasium or other indoor physical activity facilities	100.0	†	121	99.3	96.6 - 99.9	149	-	-	4	99.6	98.1 - 99.9	274
d. Outdoor physical activity facilities and sports fields	89.2	83.3 - 93.1	120	69.9	63.8 - 75.4	142	-	-	2	78.4	74.3 - 82.0	264
e. Hallways throughout the school	100.0	†	122	98.7	95.9 - 99.6	150	-	-	6	99.3	97.8 - 99.8	278

\*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
55.0	47.0 - 62.7	120	53.3	47.5 - 59.1	150	-	-	6	53.6	48.8 - 58.3	276

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	0.0	†	121	0.0	†	149	-	-	6	0.0	†	276
b. HIV treatment	0.8	0.2 - 4.0	121	0.0	†	149	-	-	6	0.3	0.1 - 1.8	276
c. STD testing	0.0	†	121	0.0	†	149	-	-	6	0.0	†	276
d. STD treatment	0.8	0.2 - 4.0	121	0.0	†	149	-	-	6	0.3	0.1 - 1.8	276
e. Pregnancy testing	0.9	0.2 - 4.2	121	0.0	†	149	-	-	6	0.7	0.2 - 2.3	276
f. Provision of condoms	0.9	0.2 - 4.2	120	0.0	†	149	-	-	6	0.7	0.2 - 2.3	275
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	121	0.0	†	149	-	-	6	0.4	0.1 - 1.8	276
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.0	†	121	0.0	†	149	-	-	6	0.4	0.1 - 1.8	276
i. Prenatal care	3.3	1.5 - 7.3	121	0.6	0.1 - 3.2	149	-	-	6	2.1	1.1 - 4.1	276
j. Human papillomavirus (HPV) vaccine administration	0.0	†	119	0.0	†	148	-	-	6	0.0	†	273

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	48.5	41.2 - 55.9	116	20.2	15.1 - 26.5	148	-	-	6	32.1	27.8 - 36.8	270
b. HIV treatment	45.9	38.6 - 53.5	116	17.5	12.7 - 23.7	148	-	-	6	29.5	25.3 - 34.2	270
c. STD testing	48.5	41.2 - 55.9	116	20.9	15.7 - 27.3	148	-	-	6	32.5	28.1 - 37.2	270
d. STD treatment	47.2	40.0 - 54.6	115	18.2	13.2 - 24.5	148	-	-	6	30.4	26.1 - 35.0	269
e. Pregnancy testing	49.4	42.5 - 56.4	116	22.9	17.4 - 29.5	148	-	-	6	34.0	29.6 - 38.6	270
f. Provision of condoms	29.4	22.9 - 36.9	116	14.2	9.9 - 20.0	148	-	-	6	20.7	16.9 - 25.1	270
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	29.4	22.9 - 36.9	116	14.2	9.9 - 20.0	148	-	-	6	20.7	16.9 - 25.1	270
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	30.3	23.6 - 37.9	116	14.2	9.9 - 20.0	148	-	-	6	21.1	17.2 - 25.5	270
i. Prenatal care	54.5	47.0 - 61.8	116	21.5	16.1 - 28.1	148	-	-	6	35.4	30.9 - 40.1	270
j. Human papillomavirus (HPV) vaccine administration	34.6	27.8 - 42.1	116	17.6	12.9 - 23.6	147	-	-	6	24.8	20.8 - 29.4	269

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
62.8	55.2 - 69.9	118	61.9	55.3 - 68.2	150	-	-	6	62.4	57.5 - 67.1	274

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Asthma	97.5	93.8 - 99.0	121	96.0	92.4 - 98.0	150	-	-	6	96.8	94.5 - 98.1	277
b. Food allergies	99.2	96.0 - 99.8	122	96.0	92.4 - 98.0	149	-	-	6	97.5	95.4 - 98.6	277
c. Diabetes	98.3	94.9 - 99.5	121	95.3	91.5 - 97.5	149	-	-	6	96.7	94.4 - 98.1	276
d. Epilepsy or seizure disorder	100.0	†	122	96.0	92.4 - 98.0	150	-	-	5	97.8	95.8 - 98.9	277
e. Obesity	41.6	34.5 - 49.1	120	38.2	31.6 - 45.2	149	-	-	6	39.5	34.7 - 44.6	275
f. Hypertension/high blood pressure	76.7	69.5 - 82.7	121	69.2	63.1 - 74.7	149	-	-	6	72.0	67.5 - 76.1	276

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# GEORGIA

## 2014 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	52.9	45.4 - 60.3	118	38.6	32.9 - 44.5	148	-	-	6	44.6	40.0 - 49.2	272
b. Food allergies	52.9	45.4 - 60.3	118	34.9	29.3 - 41.1	149	-	-	6	42.6	38.0 - 47.3	273
c. Diabetes	53.4	45.9 - 60.7	117	36.5	31.0 - 42.4	148	-	-	6	43.6	39.1 - 48.2	271
d. Epilepsy or seizure disorder	52.9	45.4 - 60.3	118	37.2	31.6 - 43.2	148	-	-	6	43.8	39.3 - 48.5	272
e. Obesity	36.7	29.5 - 44.5	118	22.3	17.4 - 28.1	148	-	-	6	28.7	24.4 - 33.3	272
f. Hypertension/high blood pressure	49.5	41.9 - 57.1	118	31.9	26.3 - 38.0	148	-	-	6	39.4	34.9 - 44.2	272

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	26.9	20.8 - 34.1	119	19.2	14.5 - 25.1	149	-	-	6	22.5	18.6 - 26.9	274
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	53.0	45.2 - 60.6	119	66.9	60.2 - 73.0	149	-	-	6	60.2	55.2 - 65.0	274
c. Involved parents as school volunteers in the delivery of health education activities and services	29.6	23.2 - 36.9	119	33.5	27.2 - 40.3	149	-	-	6	31.4	26.9 - 36.3	274
d. Linked parents and families to health services and programs in the community	73.2	66.2 - 79.2	115	72.3	66.1 - 77.6	148	-	-	6	71.8	67.3 - 75.9	269

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.5	66.1 - 79.7	120	75.6	69.6 - 80.8	148	-	-	6	74.1	69.5 - 78.3	274

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
55.9	48.5 - 63.0	120	56.7	50.1 - 63.0	150	-	-	6	55.8	51.0 - 60.5	276

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

# G E O R G I A

## 2014 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.1	68.8 - 80.5	120	48.6	42.0 - 55.3	150	-	-	6	59.6	55.0 - 64.1	276

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
90.7	85.1 - 94.4	119	82.0	75.6 - 87.0	150	-	-	6	85.4	81.2 - 88.7	275

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

## G E O R G I A

### 2014 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
44.8	37.3 - 52.6	118	30.5	25.1 - 36.5	148	-	-	6	36.3	31.8 - 41.0	272

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations