

Georgia Weekly Influenza Report

MMWR Week 09

Updated 3/6/2014


Week 09 (Feb. 23, 2014—Mar. 1, 2014) Synopsis

During week 09 there was sporadic influenza activity in Georgia with minimal occurrences of sustained flu transmission.

- **Outpatient Illness Surveillance (ILINet):** The proportion of outpatient visits for ILI was **0.95%**, which is below the Georgia baseline of 3.2%.
- **Geographic Spread of Influenza:** The geographic spread of influenza in Georgia was **Sporadic** during week 09.
- **Metro Area Hospitalizations:** There were 8 hospitalizations due to influenza infection in week 09. There have been 827 hospitalizations due to influenza infection so far this season.
- **Influenza Related Deaths:** There were 0 confirmed influenza-associated deaths during week 09. There have been **51** confirmed influenza-associated deaths so far this season.
- **Viral Surveillance:** Of the **638** specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 09, **41 (6.4%)** were positive for influenza.
- **Reported Influenza Outbreaks:** There were 0 influenza-related outbreaks reported to public health during week 09. There have been 2 influenza-related outbreak reported to public health so far this season.
- **RSV Viral Surveillance:** Of the 331 specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 09, **2.4%** percent were positive for Respiratory syncytial virus, **below the season onset threshold of 10.0%**.

ILINet Provider Network Data

Percentage of patients with ILI reported by ILINet providers
(Volunteer providers who report percentage of patients with ILI seen by their practice or facility weekly. This week there are currently **29** ILINet providers reporting in Georgia.)




This Week: **0.95%** of patients seen in ILINet Provider offices were diagnosed with ILI.

Note: The Georgia baseline is formulated by averaging ILI percentage during weeks of endemic activity determined by laboratory results for influenza.

GEORGIA
DEPARTMENT OF
PUBLIC HEALTH

**ILINet patient visits by
age group**

This graph displays the number of patients seen at sentinel provider offices and diagnosed with ILI in the past week. The data are stratified by age-group.




During **week 09** those aged 5 to 49 years were most often seen with ILI symptoms by ILINet providers.

ILI Activity Level Indicator - ILINet


(This graph uses the proportion of outpatient visits for ILI to measure the ILI severity in Georgia.) For a national view, visit <http://cdc.gov/flu/weekly/>

ILI Activity Levels (1 - 10) correspond to the number of standard deviations away from the 3-year mean for the current week.

This week the intensity level is:
Minimal = 1



Georgia ILI Intensity Indicator



Georgia ILI Geographic Dispersion


This Week's Flu Code is:

SPORADIC

Sporadic = ILI activity has not increased and there are isolated lab-confirmed cases of influenza in the state

OR

ILI activity has not increased and there is a lab confirmed influenza outbreak in one institution throughout the state




Council of State and Territorial Epidemiologists Report – Geographic Dispersion

(This graph reflects geographic dispersion and is not an indicator of influenza severity)

**GEORGIA
DEPARTMENT OF
PUBLIC HEALTH**


**Syndromic Surveillance
Data Daily Influenza-like
Illness Syndrome**
(percentage of ILI visits)

Daily Percent of ILI Syndrome Visits to Georgia Emergency



**Syndromic Surveillance Data Weekly Influenza-like
Illness Syndrome**
(percentage of ILI visits by Age Group)

Weekly Percent of ILI Syndrome Visits by Age Group



**GEORGIA
DEPARTMENT OF
PUBLIC HEALTH**

**Influenza Hospitaliza-
tions in the eight county
metro Atlanta area 2013-
2014** (Emerging Infections
Program data)

**Influenza-Associated
Deaths 2013-2014
Statewide** (Influenza-
associated deaths are a notifi-
able condition in Georgia)



**Influenza-Associated hos-
pitalizations in the eight-
county metro Atlanta
area** (Emerging Infec-
tions Program data)

**Influenza-Associated
deaths reported to Public
Health**


Georgia Influenza-Associated Hospitalizations and Deaths

	Number of Hospitaliza- tions (8- County Metro-Area Only)	Hospitalization Rate (Cases/100,000 people)
0 - 4	84 (10.2%)	31.06
5 -17	46 (5.6%)	6.59
18 - 49	285 (34.5%)	15.81
50 - 64	217 (26.2%)	33.04
65+	195 (23.6%)	60.00
Total	827 (For confirmation, these data are delayed)	22.03

Age Group	Number of Deaths
0 - 4	0
5 -17	1
18 - 49	18
50 - 64	25
65+	7
Total	51 (For confirmation, these data are delayed)




Georgia Virologic Surveillance Data



Note: Includes rapid tests reported from reference Laboratories and the Georgia Public Health Laboratory; not all positive laboratory results for influenza are reported to Public Health.
Data may vary week to week due to late provider reporting

Respiratory Syncytial Virus (RSV) Surveillance Data



Note: Due to a decrease in the number of laboratories reporting to NREVSS, we have decided to look at the average RSV percent positives rather than the mean percent positives of all labs. We have also included data from the [RSVAAlert program](#) to give a more robust view of RSV in Georgia.
Data may vary week to week due to late provider reporting

Flu News

[Flu activity sinking overall but holding on in some areas](#)

[News Scan: FDA flu strain selection; H5N1 cases in Cambodia; Flu hospitalization in babies; Measles after vaccination](#)

[Avian Flu Scan: New H7N9 case in Hong Kong; H5N1 outbreaks in Vietnam; Low path H5N1 in Netherlands](#)

GEORGIA
DEPARTMENT OF
PUBLIC HEALTH

2 Peachtree St. N.W.
Atlanta, GA 30303

Phone: 404-663-4625
Fax: 404-657-7517

E-mail: aumartyn@dhr.state.ga.us

GA DPH on the web!
<http://dph.georgia.gov/>

Georgia threshold of RSV season onset and end

RSV season onset is defined as the first week of two (2) consecutive weeks when the percent positive of **ALL** lab confirmed tests are greater than or equal to 10%. The end of RSV season is now defined as the first week of two consecutive weeks when the percent positive of **ALL** lab confirmed tests are less than 10%.

RSV Season Status: OFF

