Georgia Weekly Influenza Report

MMWR Week 07

Updated 2/22/2013


Week 07 (Feb. 10, 2013 - Feb. 16, 2013) Synopsis

During week 07 influenza activity decreased in Georgia with local occurrences of sustained flu transmission.

- Outpatient Illness Surveillance (ILINet): The proportion of outpatient visits for ILI was 2.55% (a decrease of 0.21%), which is below the Georgia baseline of 2.8%.
- **Geographic Spread of Influenza:** The geographic spread of influenza in Georgia was **LOCAL** during week 07.
- Metro Area Hospitalizations: There were 33 hospitalizations due to influenza infection. This brings the total in the Metro area to 885 on the season.
- Influenza Related Deaths: There were 0 confirmed deaths due to influenza during 07, for a total of 6 for the season.
- Viral Surveillance: Of the 652 specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 07, 113 (17.3%) were positive for influenza.
- **Reported Influenza Outbreaks:** There were **0** influenza-related outbreak reported to public health during week 07.
- **RSV Viral Surveillance:** The **average** percent positive of **ALL** laboratory confirmed tests was **12.4%**, above the season onset threshold of 10.0%.

Percentage of patients with ILI reported by ILINet providers (Volunteer providers who report percentage of patients with ILI seen by their practice or facility weekly. This week there are cur-

rently 34 ILINet providers



This Week: **2.55**% of patients seen in ILINet Provider offices were diagnosed with ILI.

Last Week: **2.76**% of patients seen in ILINet Provider

Note: The Georgia baseline is formulated by averaging ILI percentage during weeks of endemic activity determined by laboratory

ILINet patient visits by age group

This graph displays the number of patients seen at sentinel provider offices and diagnosed with ILI in the past week. The data are stratified by age-group.


ILI Activity Level Indicator - ILINet

(This graph uses the proportion of outpatient visits for ILI to measure the ILI severity in Georgia.) For a national view, visit http://cdc.gov/flu/weekly/)

Council of State and Territorial Epidemiologists Report – Geographic Dispersion

(This graph reflects geographic dispersion and is not an indicator of influenza severity)

ILINet Patient Visits By Age Group




During week 07 there was an overall increase in total patients seen but a decrease in those presenting with ILI at sentinel provider offices.

Georgia ILI Intensity Indicator

ILI Activity Levels (1 - 10) correspond to the number of standard deviations away from the 3 -year mean for the current week.

This week the intensity level is: Low = 5



Georgia ILI Geographic Dispersion


This Week's Flu Code is:

LOCAL

Increased ILI and/or institutional outbreaks (ILI or lab confirmed) in I Health District and no increase in other Georgia Health Districts

AND

Recent (within the 3 past weeks) lab confirmed influenza in Georgia




Syndromic Surveillance Data Daily Influenza-like Illness Syndrome (percentage of ILI visits)

Council of State and Territorial Epidemiologists Report – Geographic Dispersion

(This graph reflects geographic dispersion and is not an indicator of influenza severity)


Daily Percent of ILI Syndrome Visits to Georgia Emergency

(Measured by ILI syndrome/ Total visits from Georgia Syndromic Surveillance Program emergency department chief complaint data)



During **week 07** the daily percentage of patients seen for ILI in Georgia Emergency Departments reporting to our syndromic surveillance system decreased.

Weekly Percent of ILI Syndrome Visits by Age Group



Influenza Hospitalizations in the eight county metro Atlanta area 2012-2013 (Emerging Infections Program data)

Influenza-Associated
Deaths 2012-2013 Statewide (Influenza-associated
deaths are a notifiable condition in Georgia)


Influenza-Associated hospitalizations in the eightcounty metro Atlanta area (Emerging Infections Program data)

Influenza-Associated deaths reported to Public Health

Georgia Influenza-Associated Hospitalizations and Deaths

Age Group	Number of Hospitaliza- tions (8– County Metro-Area Only)	Hospitalization Rate (Cases/100,000 people)
0 - 4	112 (12.7 %)	41.4
5 - 17	90 (10.2%)	12.9
18 - 49	188 (22.8%)	11.2
50 - 64	141 (16.7%)	22.5
65+	315 (37.6 %)	102.5
Total	885 (For confirmation, these data are	23.6
Age Group	Number of Deaths	
0 4		

Age Group	Number of Deaths	
0 - 4	0	
5 -17	0	
18 - 49	0	
50 - 64	I	
65+	5	
Total	6 (For confirmation, these data are delayed.)	





2 Peachtree St. N.W. Atlanta, GA 30303

Phone: 404-463-4625 Fax: 404-657-9700 E-mail: delittle@dhr.state.ga.us

GA DPH on the web! http://health.state.ga.us/


Georgia threshold of RSV season onset and end

RSV season onset is defined as the first week of two (2) consecutive weeks when the average percent positive of ALL lab confirmed tests are greater than or equal to 10%. The end of RSV season is now defined as the first week of two consecutive weeks when the average percent positive of ALL lab confirmed tests are less than 10%.

> RSV Season Status: ON




Georgia Virologic Surveillance Data



Note: Includes rapid tests reported from reference Laboratories and the Georgia Public Health Laboratory; not all positive laboratory results for influenza are reported to Public Health.

Respiratory Syncytial Virus (RSV) Surveillance Data



Flu News

<u>Interim Adjusted Estimates of Seasonal Influenza Vaccine</u> <u>Effectiveness — United States, February 2013</u>

WHO recommends new B strain for next season's flu vaccine