

Georgia Weekly Influenza Report

MMWR Week 12

Updated 3/29/2013

Week 12 (Mar. 17, 2013 - Mar. 23, 2013) Synopsis


During week 12 influenza activity **decreased** in Georgia with local occurrences of sustained flu transmission.

- **Outpatient Illness Surveillance (ILINet):** The proportion of outpatient visits for ILI was **1.84%** (a **decrease of 0.52%**), which is below the Georgia baseline of 2.8%.
- **Geographic Spread of Influenza:** The geographic spread of influenza in Georgia was **LOCAL** during week 12.
- **Metro Area Hospitalizations:** During week 12 there were **15** hospitalizations due to influenza infection. This brought the total in the Metro area to **1054** on the season.
- **Influenza Related Deaths:** There were **2 total** confirmed deaths due to influenza during weeks 11 and 12, for a total of **8** for the season.
- **Viral Surveillance:** Of the **381** specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 12, **102 (26.8%)** were positive for influenza.
- **Reported Influenza Outbreaks:** There were **0** influenza-related outbreak reported to public health during week 12.
- **RSV Viral Surveillance:** The **average** percent positive of **ALL** laboratory confirmed tests was **11.7%**, above the season onset threshold of 10.0%. RSV season is **still on-going** until we confirm two consecutive weeks below 10.0%

ILINet Provider Network Data

Percentage of patients with ILI reported by ILINet providers

(Volunteer providers who report percentage of patients with ILI seen by their practice or facility weekly. This week there are currently **36** ILINet providers



This Week: **1.84%** of patients seen in ILINet Provider offices were diagnosed with ILI.

Last Week: **2.36%** of patients seen in ILINet Provider


Note: The Georgia baseline is formulated by averaging ILI percentage during weeks of endemic activity determined by laboratory

GEORGIA
DEPARTMENT OF
PUBLIC HEALTH

Syndromic Surveillance
Data Daily Influenza-like
Illness Syndrome
(percentage of ILI visits)

Daily Percent of ILI Syndrome Visits to Georgia Emergency

(Measured by ILI syndrome/ Total visits from Georgia Syndromic Surveillance Program emergency department chief complaint data)




During **week 12** the daily percentage of patients seen for ILI in Georgia Emergency Departments reporting to our syndromic surveillance system decreased significantly during week 12.

Council of State and Ter-
ritorial Epidemiologists
Report – Geographic Dis-
persion

(This graph reflects geo-
graphic dispersion and is not
an indicator of influenza se-
verity)

Weekly Percent of ILI Syndrome Visits by Age Group



**GEORGIA
DEPARTMENT OF
PUBLIC HEALTH**

Influenza Hospitalizations in the eight county metro Atlanta area 2012-2013 (Emerging Infections Program data)

Influenza-Associated Deaths 2012-2013 State-wide (Influenza-associated deaths are a notifiable condition in Georgia)



Influenza-Associated hospitalizations in the eight-county metro Atlanta area (Emerging Infections Program data)

Influenza-Associated deaths reported to Public Health

Georgia Influenza-Associated Hospitalizations and Deaths

Age Group	Number of Hospitalizations (8- County Metro-Area Only)	Hospitalization Rate (Cases/100,000 people)
0 - 4	135 (12.7%)	49.6
5 -17	118 (11.2%)	16.9
18 - 49	241 (22.9%)	13.4
50 - 64	181 (17.2%)	27.6
65+	380 (36.1%)	116.9
Total	1054 (For confirmation, these data are delayed.)	28.1

Age Group	Number of Deaths
0 - 4	0
5 -17	2
18 - 49	0
50 - 64	1
65+	5
Total	8 (For confirmation, these data are delayed.)



**GEORGIA
DEPARTMENT OF
PUBLIC HEALTH**

2 Peachtree St. N.W.
Atlanta, GA 30303

Phone: 404-463-4625
Fax: 404-657-9700

E-mail: delittle@dhr.state.ga.us

GA DPH on the web!
<http://health.state.ga.us/>


**Georgia threshold
of RSV season on-
set and end**

RSV season onset is defined as the first week of two (2) consecutive weeks when the **average** percent positive of **ALL** lab confirmed tests are greater than or equal to 10%. The end of RSV season is now defined as the first week of two consecutive weeks when the **average** percent positive of **ALL** lab confirmed tests are less than 10%.

**RSV Season
Status: ON**




Georgia Virologic Surveillance Data



Note: Includes rapid tests reported from reference Laboratories and the Georgia Public Health Laboratory; not all positive laboratory results for influenza are reported to Public Health.

Respiratory Syncytial Virus (RSV) Surveillance Data



Flu News

[US flu making a slow spring exit as kids' deaths top 100](#)

[Germany, Saudi Arabia report new novel coronavirus cases](#)

[Novel coronavirus lab studies hint at wide tissue susceptibility](#)