

Georgia Weekly Influenza Report

MMWR Week 18


Updated 5/10/2013

Week 18 (April 28, 2013 - May 4, 2013) Synopsis

During week 18 influenza activity **decreased** in Georgia with infrequent occurrences of flu transmission.

- **Outpatient Illness Surveillance (ILINet):** The proportion of outpatient visits for ILI was **0.56%** (an **decrease of 0.11%**), which is below the Georgia baseline of 2.8%.
- **Geographic Spread of Influenza:** The geographic spread of influenza in Georgia was **NONE** during week 18.
- **Metro Area Hospitalizations:** There were 5 hospitalizations for the metro area last week. This makes the cumulative total in the Metro area **1166**.
- **Influenza Related Deaths:** There were 0 confirmed deaths due to influenza during week 18, but one reported and confirmed for week 52 for a total of **10** for the season.
- **Viral Surveillance:** Of the **290** specimens tested and reported by the Georgia Public Health Laboratory (GPHL) and the National Respiratory and Enteric Virus Surveillance System (NREVSS) collaborating laboratories during week 18, **9 (4.9%)** were positive for influenza.
- **Reported Influenza Outbreaks:** There were **0** influenza-related outbreak reported to public health during week 18.
- **RSV Viral Surveillance:** RSV season has ended.

ILINet Provider Network Data



This Week: **0.56%** of patients seen in ILINet Provider offices were diagnosed with ILI.

Last Week: **0.67%** of patients seen in ILINet Provider


Note: The Georgia baseline is formulated by averaging ILI percentage during weeks of endemic activity determined by laboratory

Percentage of patients with ILI reported by ILINet providers
(Volunteer providers who report percentage of patients with ILI seen by their practice or facility weekly. This week there are currently **29** ILINet providers

**GEORGIA
DEPARTMENT OF
PUBLIC HEALTH**

**ILINet patient visits by
age group**

This graph displays the number of patients seen at sentinel provider offices and diagnosed with ILI in the past week. The data are stratified by age-group.



During **week 18** there was an overall decrease in total patients seen at ILI sentinel provider offices, and a decrease in those diagnosed with ILI. The largest decrease was seen in the 0-4 age group.


ILI Activity Level Indicator - ILINet

(This graph uses the proportion of outpatient visits for ILI to measure the ILI severity in Georgia.) For a national view, visit <http://cdc.gov/flu/weekly/>

ILI Activity Levels (1 - 10) correspond to the number of standard deviations away from the 3-year mean for the current week.

This week the intensity level is:
Minimal = 1

Georgia ILI Intensity Indicator



Georgia ILI Geographic Dispersion


This Week's Flu Code is:

NONE

ILI not increased in any region

Council of State and Territorial Epidemiologists Report – Geographic Dispersion

(This graph reflects geographic dispersion and is not an indicator of influenza severity)




GEORGIA
DEPARTMENT OF
PUBLIC HEALTH

Syndromic Surveillance
Data Daily Influenza-like
Illness Syndrome
(percentage of ILI visits)

Daily Percent of ILI Syndrome Visits to Georgia Emergency

Daily Percent of ILI Syndrome Visits to Georgia Emergency Departments
(Measured by ILI syndrome/ Total visits from Georgia Syndromic Surveillance Program emergency department chief complaint data)




During **week 18** the daily percentage of patients seen for ILI in Georgia Emergency Departments reporting to our syndromic surveillance system decreased slightly during week 18.

Council of State and Ter-
ritorial Epidemiologists
Report – Geographic Dis-
persion

(This graph reflects geo-
graphic dispersion and is not
an indicator of influenza se-
verity)

Weekly Percent of ILI Syndrome Visits by Age Group



**GEORGIA
DEPARTMENT OF
PUBLIC HEALTH**

Influenza Hospitalizations in the eight county metro Atlanta area 2012-2013 (Emerging Infections Program data)

Influenza-Associated Deaths 2012-2013 State-wide (Influenza-associated deaths are a notifiable condition in Georgia)



Influenza-Associated hospitalizations in the eight-county metro Atlanta area (Emerging Infections Program data)

Influenza-Associated deaths reported to Public Health

Georgia Influenza-Associated Hospitalizations and Deaths

Age Group	Number of Hospitalizations (8-County Metro-Area Only)	Hospitalization Rate (Cases/100,000 people)
0 - 4	145 (12.4%)	53.62
5 -17	125 (10.7%)	17.90
18 - 49	270 (23.2%)	14.98
50 - 64	209 (17.9%)	31.82
65+	417 (35.8%)	128.30
Total	1166	31.06

Age Group	Number of Deaths
0 - 4	2
5 -17	2
18 - 49	2
50 - 64	0
65+	4
Total	10



**GEORGIA
DEPARTMENT OF
PUBLIC HEALTH**

2 Peachtree St. N.W.
Atlanta, GA 30303

Phone: 404-463-4623
Fax: 404-657-7517

E-mail: snwilson3@dhr.state.ga.us

GA DPH on the web!
<http://health.state.ga.us/>


**Georgia threshold
of RSV season on-
set and end**

RSV season onset is defined as the first week of two (2) consecutive weeks when the **average** percent positive of **ALL** lab confirmed tests are greater than or equal to 10%. The end of RSV season is now defined as the first week of two consecutive weeks when the **average** percent positive of **ALL** lab confirmed tests are less than 10%.

**RSV Season
Status: OFF**




Georgia Virologic Surveillance Data



Note: Includes rapid tests reported from reference Laboratories and the Georgia Public Health Laboratory; not all positive laboratory results for influenza are reported to Public Health.

Respiratory Syncytial Virus (RSV) Surveillance Data



Flu News

[Chinese study finds very few mild H7N9 cases](#)

[Saudi coronavirus cluster grows as France reports possible new cases](#)