
Percentage of patients with ILI reported by ILINet providers


(Volunteer providers who report ercentage of patients with ILI seen by their practice or facility weekly. This week there are currently **30 of 82** ILINet providers reporting in Georgia.)


We are recruiting sentinels yearround. If you would like to become a sentinel provider, please contact your district health office.


ILINet patient visits by age group For week **40** (ending Oct. 6, 2011), **0.77%** of patient visits to ILINet providers were for influenza-like illness (ILI: fever $\geq 100^{\circ}$ F and cough and/or sore throat in the absence of a *known* cause other than influenza).



Note: The Georgia baseline is formulated by averaging ILI percentage during weeks of endemic activity determined by laboratory results for influenza.







Syndromic Surveillance Data Daily Influenza-like Illness Syndrome (percentage of ILI visits)

Syndromic Surveillance Data Weekly Influenza-like Illness Syndrome by Age Group (Percentage of visits grouped into the ILI syndrome by age group)

Influenza	Age Group	Number of Hospitalizations
Hospitalizations in		
the eight county	0 - 4	0
metro Atlanta area	5-17	0
2010-2011 (Emerging	18-49	0
Infections Program data)	50 - 64	0
uala)	65 +	0
	Total	0 (For confirmation, data are delayed.)
Influenza Deaths	Age Group	Number of Deaths
2010-2011 Statewide		
(Influenza-associated	0 - 4	0
deaths are a notifiable	5-17	0
condition in Georgia)	18 – 49	0
	50 - 64	0
	65 +	0
	Total	0 (For confirmation, data are delayed.)
Influenza-associated		
hospitalizations in the		
eight county metro	Influenza-associated hospitalizations in the eight county	
Atlanta area	10 Metro Atlanta area 2012-2013	
(Emerging Infections	E 8	
(Emerging Infections Program data)		
		4 - 0 0 4 0
	Oct	Nov
Influenza-associated	nfluenza-associated	
deaths reported to	Influenza-associated deaths Georgia 2012-2013	
Public Health	10 -	
	RIMEN	
	8	
	<u>6</u> 6	
	⁶ ⁴	
		17226
	2	LICHEA
		4 - 0 00 4 W
	Oct	Nov

Laboratory Data

Note: Includes tests reported from reference Laboratories and the Georgia Public Health Laboratory; not all positive laboratory results for influenza are reported to Public Health.

0 Cases of H3N2v reported in Georgia as of 10/11/2012

Georgia threshold of RSV season onset and end

RSV season onset is defined as the first week of two (2) consecutive weeks when the **average** percent positive of **ALL** lab confirmed tests are greater than or equal to 10%. The end of RSV season is now defined as the first week of two consecutive weeks when the **average** percent positive of **ALL** lab confirmed tests are less than 10%.

RSV Season Status: OFF

Flu News

CDC's Influenza Website has the latest information on national surveillance and epidemiology, recommendations and guidance for healthcare providers and the public. Please visit <u>http://cdc.gov/flu/</u> for the latest information.

Prevention and Control of Influenza with Vaccines: Recommendations of the Advisory Committee on Immunization Practices (ACIP), 2012

http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6132a3.htm

Information on H3N2v Epidemiology and Prevention

http://www.cdc.gov/flu/swineflu/h3n2v-basics.htm

