NUTRITION UNIT SPECIAL FORMULA ORDERS

When ordering special formulas through the Nutrition Unit the "Special Formula Order Form" (Attachment FP-39) must be used. A fillable version of the "Special Formula Order Form" is available on the Georgia WIC website listed below. The fillable order form can be completed online, saved, printed, signed, and then faxed to the Nutrition Unit (404-657-2886) along with the client's medical documentation. There is a place on the order form to enter the voucher number for the order. This is the voucher number that prints on the tracking voucher (Voucher Code 199) to be issued to the client. This voucher will have to be printed prior to sending in the order form since the voucher number is a required component of the form.

Alerting staff of the in-coming fax is helpful. In addition, the link below contains a copy of the ordering procedures and a copy of the current WIC-Approved Formulas/Nutritionals List.

A. Ordering

The Nutrition Unit can only order special formula in <u>whole case</u> quantities. This will often result in the District/Clinic receiving more formula than was ordered and more formula than is allowed to be issued to a client. (<u>Do not</u> automatically give a client all of the formula that was delivered, since that may result in over-issuance. Issuance must be limited to the total amount allowed based on medical documentation and WIC maximum amounts.

B. Tracking Log

Districts/Clinics are required to use the Special Formula Order Tracking Form for each participant receiving formula from the State WIC Office. A fillable and savable version of this form can be found in the district resources page of the Georgia WIC website (Contact the Nutrition Unit for this link). Districts/Clinics need to track the entire ordering process including:

- Status of the Medical Documentation Form
- Issuance date
- Date the order was placed
- Date the order was received
- Date the client picked up the formula
- Amount of special formula/nutritionals left over

In addition, the signed vouchers when returned for formula pickup must be stapled to the Special Formula Order Tracking Form so that the tracking is visible for review.

Leftover formula must be taken into consideration when determining how much special formula to request on subsequent special formula orders. Leftover formula one month indicates that less formula will need to be requested from the

Nutrition Unit the following month. Document request for formula and distribution in participant's health record.

C. Amount to Order

When completing the "Special Formula Order Form," Districts/clinics must specify in #30 for a new order or #37 for a repeat order, the **exact** number of cans/containers of special formula needed for that client for that issue month. To help determine the number of cans needed, districts/clinics must also fill out the prescribed amount of formula, the number of cans allowed for the participant based on the common formula maximum table, and the number of cans on hand. When necessary, the Nutrition Unit will convert the number of cans/containers to case quantities for the order. *Please do not simply write "max. allowed," "9 cases," or enter the same quantity of formula each month (e.g., "10 cans").*

For **infant** participants, enter the infant's age on the "Special Formula Order Form" as of the "First Day To Use" date on the vouchers for the current issuance month. The infant's age must be documented in months and days to ensure that the correct amount of formula is being requested based on the infant's age. For child and women participants you need not calculate the age.

Remember to use the correct charts to determine maximum formula allowed if you are ordering formula for an infant who is also being breastfed.

D. Special Formula Order Form

Districts/clinics should complete and submit the "Special Formula Order Form" each month for each client allowing for realistic shipping time. Depending on the availability of the product, orders can be shipped overnight, if necessary, for new clients. However, ongoing orders for existing special formula clients should be submitted at least seven (7) to ten (10) business days prior to the date the formula is needed for pick-up by the client to ensure sufficient processing time. Special formula orders should not routinely be requested for "rush" delivery due to the additional fees often charged for expedited delivery. All efforts will be made by state staff to ensure timely delivery of special formula for WIC clients. However, since WIC is a supplemental program, caregivers may need to purchase some formula in the interim. Under routine circumstances, an order should be received within five (5) business days of placing the order.

E. Frequency

The Nutrition Unit only accepts orders for a one-month supply of any special formula(s) at a time for a client. Please do not submit requests for multiple months' worth of formula on one order form or submit several orders covering several months at one time. Many clients on special formulas frequently change formulas and/or food packages.

F. Medical Documentation

Districts/clinics must include current medical documentation with each special formula order submitted each month.

G. Printing Tracking Voucher

Clinics must print a CPA FPC 199 for every month that a client is issued formula ordered through the Nutrition Unit. The 199 food package should be printed at the time of certification or food package change, up to three months at a time depending on coordination of participant's visits. The tracking voucher (Voucher Code 199) in this food package assures that the participant is counted in the clinic caseload. In addition, USDA requires all formula orders to be matched with the participant receiving the formula.

To assure this reconciliation, GA WIC requires a voucher number to order state-ordered formulas. The voucher number will print on the tracking voucher issued to clients. Districts assure that receipts for vouchers are signed at issuance, and **vouchers are signed upon formula pickup**. Since it is likely that a client will be printed more than one month of vouchers at a time, they will need to bring back their tracking voucher to sign at each month's formula pickup. Signed vouchers for state-ordered formula must be kept in an easily accessible folder or box organized by participant and date. You may be asked to present these vouchers during a program review.

H. Manual Food Package

When Voucher Printing on Demand (VPOD) is not available, a manual food package should be issued. Use a blank voucher, "x" out all of the food items, and enter food package 199 with voucher code 199. Obtain a signature from the client and fax the receipt to the State WIC Office according to standard protocol.

I. Flavor

Specify product flavor(s), when applicable, on the Special Formula Order Form every month.

J. Processing the Order

After the order is received and verified as correct and complete the packing slip should be signed and dated. The special order packing slip should then be returned to the Nutrition Unit by mail or fax:

Mail: 2 Peachtree Street NW, Suite 10-476, Atlanta, GA, 30303-3142

Fax: 404-657-2886

Notify the Nutrition Unit immediately if an incorrect order is delivered or if there is a change in the formula order.

The CPA FPC for all WIC types for special formulas ordered through Nutrition Unit is 199. When the CPA assigns food package 199 a second field will be enabled in the computer system to allow the CPA to select a food package for the appropriate supplemental foods or additional formula based on the medical documentation provided. The food package could be a child or woman's state-created food package or a 999 food package if none of the standard state-created food packages meet the nutritional prescription. The special formula food package must be entered into the computer as the first food package code to enable the second field.

If the WIC participant only needs the "199" food package, enter "000" in the second food package box to indicate that additional foods do not need to be issued.

For infants receiving a "199" food package needing to be issued infant fruits and vegetables and/or cereal, please use your district created 999 Food Package for the appropriate infant package.

If a client is late picking up formula, the amount of formula should be prorated.



Special Formula Order Form



| nt of Public Health | EALTHY-DOOR HEALTHYLIVEHEA |
|---|----------------------------|
| 1. Phone: 404-657-2884 2. FAX: 404-657-2886 | |
| 3. New Order 4. Repeat Order 5. Rush Order Y N 6. Date Fax'd 7. SWO not | ified |
| B. MDF Reviewed and Attached: 9. Date of Next Cert: 10. Next Cert Type: M H | s |
| 11. Name of WIC Participant & ID number: 12. DOB | |
| .3. Child Infant Woman 14. "First Day to Use" to be shown on voucher: | |
| 15. Voucher Code: 199 16. Voucher Number: | |
| .7. If Infant, AGE (months/days) as of "First Day to Use" date: 18. Feeding Type: FFF SBF I | MBF |
| .9. Diagnosis(es) & ICD9/10: | |
| 20. Name of formula: 21. Flavor: (if applicable): | - |
| 22. Type of formula: Powder Concentrate RTF Other | |
| 23. Justify RTF and/or container size: | - |
| 4. Estimated Time on Formula: (Most restrictive of: MDF1 date, next cert, planned length of u | se, etc.) |
| 5. Print Clinic Name, Contact Person & Phone #: | |
| 6. Ship formula to (Address/phone #): | |
| 7. Print District Contact (Name & Phone #): | |
| 8. Verified by Name/Signature/Phone#: | |
| 9. New Orders ONLY: a. # cans prescribed b. # cans allowed c. # cans on hand** | |
| 0. Total # of cans needed:31. (SWO only: cases to order: Amount Extra |) |
| 2. (SWO only: Nutrition Consultant signature/date |) |
| 3. (SWO only: 2 nd month O/N/E 3 rd month O/N/E |) |
| 4. Additional Information: | |
| 5. <u>Repeat Orders</u> ONLY (check which month): 2 nd 3 rd 4 th 5 th 6 th | |
| | |
| 6. a. # cans prescribed b. # cans allowed c. # cans on hand** | |
| 7. Total # of cans needed: 38. (SWO only: cases to order Amount Extra |) |
| 9. Additional Information: | |
| 0. Additional Comments: | |
| | |
| 1. District/Clinic Next Steps: Fax packing slip to SWO when formula is received | |
| 2. Check Trading Database: https://sendss.state.ga.us/sendss/!WICFormula.screen | |
| 3. Common Formula Maximums: http://wic.ga.gov/pdfs/wic/Common%20Formula%20Maximums%20FFY%202013%20revised%012%20Low%20Lactose.pdf | 2012- |
| | |
| evision 10- December 2014 | |





| Contract Infant Formula | |
|---|-----------------------------|
| Gerber Good Start Gentle | Nestlé HealthCare Nutrition |
| Gerber Good Start Soy | Nestlé HealthCare Nutrition |
| Gerber Good Start Soothe | Nestlé HealthCare Nutrition |
| Gerber Graduates Gentle (age 9-11 months) | Nestlé HealthCare Nutrition |
| Gerber Graduates Soy (age 9-11 months) | Nestlé HealthCare Nutrition |
| Gerber Graduates Soothe (age 9-11 months) | Nestlé HealthCare Nutrition |

Non-Contract Formulas/Nutritionals Requiring Medical Documentation:

| Formula | Manufacturer |
|----------------------|--------------|
| A C | PBM |
| A-Soy | Products |
| Acerflex | Nutricia |
| Add-Ins | Nutricia |
| Advera | Abbott |
| Auvera | Nutrition |
| AlitraQ | Abbott |
| AlltiaQ | Nutrition |
| Benecalorie | Nestlé |
| Deflecatorie | Nutrition |
| Beneprotein | Nestlé |
| Derioprotein | Nutrition |
| Boost | Nestlé |
| | Nutrition |
| Boost | Nestlé |
| Breeze | Nutrition |
| Boost | Nestlé |
| Glucose | Nutrition |
| Control | |
| Boost High | Nestlé |
| Protein | Nutrition |
| Boost Kid | Nestlé |
| Essentials Boost Kid | Nutrition |
| Essentials | Nestlé |
| 1.5 | Nutrition |
| Boost Kid | |
| Essentials | Nestlé |
| 1.5 w / fiber | Nutrition |
| | Nestlé |
| Boost Plus | Nutrition |
| Boost | Nestlé |
| Pudding | Nutrition |
| Bright | |
| Beginning | PBM |
| Soy | Products |
| • | Abbott |
| Calcilo XD | Nutrition |

| Formula | Manufacturer |
|-------------------------|-----------------------|
| Carnation | Nestlé |
| Breakfast Essentials | Nutrition |
| Carnation | |
| Breakfast | |
| Essentials, | Nestlé |
| No Sugar | Nutrition |
| Added | |
| Compleat | Nestlé |
| | Nutrition |
| Compleat | Nestlé |
| Pediatric | Nutrition |
| Compleat | Nactió |
| Pediatric Reduced | Nestlé Nutrition |
| Calorie | Nutrition |
| Complex | |
| MSUD | Applied |
| Amino Acid | Nutrition |
| Bars | Corporation |
| Crucial | Nestlé |
| Ordolai | Nutrition |
| Cyclinex 1 | Abbott |
| - Cyomion : | Nutrition |
| Cyclinex 2 | Abbott |
| Duocal | Nutrition Nutricia |
| | Abbott |
| EleCare Jr | Nutrition |
| EleCare (for | Abbott |
| Infants) | Nutrition |
| Enfamil | Mead |
| A.R. | Johnson |
| Enfamil | Mead |
| EnfaCare | Johnson |

| Formula | Manufacturer |
|---|---------------------|
| Enfamil Human Milk Fortifier Acidified Liquid | Mead Johnson |
| Enfamil Premature 20 with iron | Mead Johnson |
| Enfamil Premature 20 with iron | Mead Johnson |
| Enfamil Premature 24 with iron | Mead Johnson |
| Enfaport | Mead Johnson |
| Enlive | Abbott Nutrition |
| Ensure Nutrition Shake | Abbott Nutrition |
| Ensure High Protein | Abbott Nutrition |
| Ensure Plus | Abbott Nutrition |
| Ensure Pudding | Abbott Nutrition |
| EO28 Splash | Nutricia |
| Fiber Source HN | Nestlé Nutrition |
| Gerber Good Start Nourish | Nestlé Nutrition |





| Formula | Manufacturer |
|--------------|--------------|
| Gerber | |
| Good Start | Nestlé |
| Premature 24 | Nutrition |
| | Abbott |
| Glucerna | Nutrition |
| 01.4 | Abbott |
| Glutarex-1 | Nutrition |
| 01:4: | Abbott |
| Glutarex-2 | Nutrition |
| Haminay 4 | Abbott |
| Hominex-1 | Nutrition |
| Haminay 2 | Abbott |
| Hominex-2 | Nutrition |
| Introlita | Abbott |
| Introlite | Nutrition |
| IsoSource | Nestlé |
| 1.5 | Nutrition |
| IsoSource | Nestlé |
| HN | Nutrition |
| I-Valex-1 | Abbott |
| I-Valex-I | Nutrition |
| I-Valex-2 | Abbott |
| I-Valex-2 | Nutrition |
| Jevity | Abbott |
| | Nutrition |
| KetoCal 3:1 | Nutricia |
| KetoCal 4:1 | Nutricia |
| Ketonex-1 | Abbott |
| TCtoricx-1 | Nutrition |
| Ketonex-2 | Abbott |
| TOTOTION 2 | Nutrition |
| KetoVolve | Solace |
| 11010 10110 | Nutrition |
| L-Emental | Hormel |
| | Health Labs |
| L-Emental | Hormel |
| Hepatic | Health Labs |
| L-Emental | Hormel |
| Pediatric | Health Labs |
| Lipistart | Vitaflow |
| Lophlex LQ | Nutricia |
| Lo*Pro | Med-Diet |
| _ | Labs |
| MCT Oil | Nestlé |
| | Nutrition |
| MCT Procal | Vitaflow |
| Methionaid | Nutricia |

| Formula | Manufacturer |
|--------------|--------------|
| Microlipid | Nestlé |
| Microlipia | Nutrition |
| Monogen | Nutricia |
| MSUD | Nutricia |
| Analog | Nutricia |
| MSUD | Niutriaia |
| Maxamaid | Nutricia |
| MSUD | Nutricia |
| Maxamum | Nutricia |
| MSUD-1 | Nutricia |
| MSUD-2 | Nutricia |
| Neocate | |
| Infant DHA | Nutricia |
| & ARA | |
| Neocate | N1 (' ' |
| Junior | Nutricia |
| Neocate | |
| Junior with | Nutricia |
| Prebiotics | |
| Neocate | |
| Nutra | Nutricia |
| Neocate | |
| Splash | Nutricia |
| Nepro with | |
| Carb | Abbott |
| Steady | Nutrition |
| | Hormel |
| Nitro-Pro | Health Labs |
| NovaSourc | |
| е | Nestle |
| Renal | Nutrition |
| | Mead |
| Nutramigen | Johnson |
| Nutramigen | |
| with Enflora | Mead |
| LGG | Johnson |
| Nutramigen | Mead |
| Toddler | Johnson |
| | Nestle |
| Nutren 1.0 | Nutrition |
| Nutren 1.0 | Nestlé |
| with Fiber | Nutrition |
| WILLING | Nestlé |
| Nutren 1.5 | Nutrition |
| | Nestlé |
| Nutren 2.0 | Nutrition |
| Nutren | Nestlé |
| | |
| Glytrol | Nutrition |

| Formula | Manufacturer |
|--------------|---------------------|
| Nutren | Nestlé |
| Junior | Nutrition |
| Nutren | Nestlé |
| Junior Fiber | Nutrition |
| Nutren | Nestlé |
| Pulmonary | Nutrition |
| Nutren | radition |
| Replete | Nestlé |
| with Fiber | Nutrition |
| WILLITIDE | Nestlé |
| NutriHep | Nutrition |
| | Abbott |
| Osmolite | Nutrition |
| Osmolite | Nutrition |
| HN | Abbott |
| | Nutrition |
| Plus | Abbott |
| PediaSure | Abbott Nutrition |
| PediaSure | Abbott |
| | |
| w/Fiber | Nutrition |
| PediaSure | Abbott |
| 1.5 Cal | Nutrition |
| PediaSure | Abbott |
| 1.5 Cal with | Nutrition |
| fiber | |
| PediaSure | Abbott |
| Enteral | Nutrition |
| PediaSure | A |
| Enteral | Abbott |
| w/Fiber and | Nutrition |
| scFOS | |
| PediaSure | Abbott |
| Peptide 1.0 | Nutrition |
| Cal | |
| PediaSure | Abbott |
| Peptide 1.5 | Nutrition |
| Cal | |
| Pepdite | Nutricia |
| Junior | ratioia |
| Pentamon | Nestle |
| Peptamen | Nutrition |
| Peptamen | Nestlé |
| 1.5 | Nutrition |
| Peptamen | Nestlé |
| AF | Nutrition |
| Peptamen | Nestlé |
| Junior | Nutrition |
| Peptamen | Nestlé |
| Junior Fiber | Nutrition |
| | |





| Formula | Manufacturer |
|-----------------|--------------|
| Peptamen | Nestlé |
| Junior 1.5 | Nutrition |
| Peptamen | |
| Junior with | Nestlé |
| Prebio | Nutrition |
| Peptamen | Nestlé |
| OS | Nutrition |
| Peptamen | Nestlé |
| OS 1.5 | Nutrition |
| | Abbott |
| Perative | Nutrition |
| Periflex | |
| Advance | Nutricia |
| Periflex | |
| Infant | Nutricia |
| PKU | |
| Periflex | Nutricia |
| Junior Plus | ramoia |
| Periflex | |
| Junior | Nutricia |
| Periflex LQ | |
| (previously | Nicotala |
| Xphe | Nutricia |
| Maxamum) | |
| Phenex-1 | Abbott |
| 1 Hellex-1 | Nutrition |
| Phenex-2 | Abbott |
| T TICTICX-2 | Nutrition |
| PhenylAde | Applied |
| 40Drink Mix | Nutrition |
| -10BIIIIK IVIIX | Corporation |
| PhenylAde | Applied |
| 60Drink Mix | Nutrition |
| | Corporation |
| PhenylAde | Applied |
| Amino Acid | Nutrition |
| Bars | Corporation |
| PhenylAde | Applied |
| Amino Acid | Nutrition |
| Blend | Corporation |
| PhenylAde | Applied |
| Drink Mixes | Nutrition |
| | Corporation |
| PhenylAde | Applied |
| Essential | Nutrition |
| Drink | Corporation |
| PhenylAde | Applied |
| MTE Amino | Nutrition |
| Acid Blend | Corporation |

| Formula | Manufacturer |
|-------------|--------------|
| Phenyl- | Mead |
| Free 2 | Johnson |
| Phenyl- | Mead |
| Free 2HP | Johnson |
| Phlexy – 10 | |
| Bar | Nutricia |
| Phlexy – 10 | |
| Capsules | Nutricia |
| Phlexy – 10 | |
| Drink Mix | Nutricia |
| PKU- | Vitaflo |
| Express | Limited |
| | Vitaflo |
| PKU-Gel | Limited |
| Polycal | Nutricia |
| • | Mead |
| Portagen | Johnson |
| | Mead |
| Pregestimil | Johnson |
| Pregestimil | Mead |
| 24 | Johnson |
| | Nestle |
| ProBalance | Nutrition |
| Product | Mead |
| 3200AB | Johnson |
| Product | Mead |
| 3232 A | Johnson |
| Product | Mead |
| 80056 | Johnson |
| | Abbott |
| ProMod | Nutrition |
| | Abbott |
| Promote | Nutrition |
| Promote | Abbott |
| with Fiber | Nutrition |
| | Hormel |
| Pro-Peptide | Health Labs |
| Pro-Peptide | Hormel |
| for Kids | Health Labs |
| Pro-Peptide | Hormel |
| VHN | Health Labs |
| | Abbott |
| Pro-Phree | Nutrition |
| | Abbott |
| Propimex-1 | Nutrition |
| . | Abbott |
| Propimex-2 | Nutrition |
| _ | . 144114511 |

| Formula | Manufacturer |
|----------------------------|--------------|
| | Nutricia |
| Protifar | North |
| | America |
| | Abbott |
| ProViMin | Nutrition |
| | Abbott |
| Pulmocare | Nutrition |
| | Mead |
| PurAmino | Johnson |
| | Nutra/ |
| RE/GEN | Balance |
| | Nestlé |
| Renalcal | Nutrition |
| Resource | Nestlé |
| 2.0 | Nutrition |
| RCF | INUUIUUII |
| (No Added | |
| Carbohydrate | Abbott |
| Soy Infant | Nutrition |
| Formula Base With Iron) | |
| Scandical | |
| Calorie | Aptalis |
| Booster | 7 (5 (6)) |
| Scandishak | |
| e | Aptalis |
| Scandishak | |
| e Lactose | Aptalis |
| Free | Aptallo |
| Scandishak | |
| e Sugar | Aptalis |
| Free | , tptalis |
| Similac | |
| Expert Care | Abbott |
| Alimentum | Nutrition |
| Similac | |
| Expert Care | Abbott |
| for Diarrhea | Nutrition |
| Similac | |
| | Abbott |
| Expert Care | Nutrition |
| NeoSure | |
| Similac | Abbott |
| Human Milk | Nutrition |
| Fortifier | |
| Similac PM | Abbott |
| 60/40 | Nutrition |
| Similac | A |
| Special | Abbott |
| Care with | Nutrition |
| Iron 20 | |





| 24 |
|--------------|
| Manufacturer |
| A |
| Abbott |
| Nutrition |
| |
| |
| Abbott |
| Nutrition |
| |
| Solace |
| Abbott |
| |
| Nutrition |
| Nestlé |
| Nutrition |
| Abbott |
| Nutrition |
| |
| Abbott |
| Nutrition |
| Abbott |
| Nutrition |
| N1 4 2 2 |
| Nutricia |
| |
| Nutricia |
| Nestlé |
| Nutrition |
| Nestlé |
| Nutrition |
| Nestlé |
| Nutrition |
| Nutricia |
| radiiola |
| Nutricia |
| radificia |
| Nutricia |
| INUUICIA |
| Mutricia |
| Nutricia |
| Nutricia |
| Nutricia |
| NI. dail 1 |
| Nutricia |
| N |
| Nutricia |
| |
| Nutricia |
| |
| Nutricia |
| |

| Formula | Manufacturer |
|-------------|--------------|
| XMTVI | Nutricia |
| Analog | |
| XMTVI | Nutricia |
| Maxamaid | |
| XMTVI | Nutricia |
| Maxamum | |
| XPhe , XTyr | Nutricia |
| Maxamaid | |
| XPhe | Nutricia |
| Maxamaid | |
| XPHE, XTyr | Nutricia |
| Analog | |
| XPTM | Nutricia |
| Analog | |





- Ready-to-feed formula may be indicated in limited documented cases, such as:
 - Unsanitary or restricted water supply
 - Inadequate refrigeration
 - Caregiver has a documented condition which inhibits the proper dilution of concentrated or powder formula.
 - For participants in Food Package III with a qualifying medical condition and who are receiving exempt infant formulas or nutritionals (a) if the ready-to-feed form better accommodates the participant's medical condition or (b) if the ready-to-feed form improves the participant's compliance in consuming the prescribed formula.
- If a health care provider with prescriptive authority orders a product that is not on this list, contact the Nutrition Unit to determine whether the product is authorized for distribution through Georgia WIC.
- Special formulas may be acquired through the Nutrition Unit. See Georgia WIC
 Procedures Manual, Food Package Section for appropriate procedure and forms.





Formula Manufacturers

Hormel Health Labs

3000 Tremont Road Savannah, Georgia 31405 (800) 866-7757

Mead Johnson Nutritional Group

2400 W. Lloyd Expressway Evansville, Indiana 47721-0001 (800) 247-7893 - Adult Products (800) BABY-123 [222-9123] - Pediatric Products

Med-Diet Laboratories, Inc.

3050 Ranchview Lane Plymouth, Minnesota 55447 (612) 550-2020; FAX (612) 550-2022 (800) 633-3438: Consumer Telephone Number

Nestlé Nutrition

12 Vreeland Road, 2nd Floor Florham Park, New Jersey 07932 (973) 593-7500 FAX (973) 593-7718

Nutra/Balance Products

7155 Wadsworth Way Indianapolis, Indiana 46219 (800) 432-3134

Nutricia North America

9900 Belward Campus Drive, Ste. 100 Rockville, MD 20850 (800) 365-7354 FAX (301) 795-2301

PBM Products

204 N. Main St. Gordonsville, VA 22942 (800) 485-9969

Ross Products Division, Abbott Nutrition

625 Cleveland Avenue Columbus, Ohio 43216 (800) 551-5838 (800) 227-5767: Consumer Information

Scandipharm, Inc.

2200 Inverness Center Parkway Suite 310 Birmingham, Alabama 35242 (800) 950-8085

Solace Nutrition

One Research Court , Suite 450 Rockville, MD 20850 (888) 876-5223 FAX (401) 633-6066

Vitaflo Limited

Distributed Through:

Transitional Service and Operation 123 East Neck Road Huntington, New York 11743 (631) 547-5984